

Bland-Altman bias and 95% limits of agreement, all five models, all four protocols

SBP agreement

cell = bias, $\pm$ 95% limits of agreement (mmHg)

DBP agreement

cell = bias, $\pm$ 95% limits of agreement (mmHg)

Random Forest	+0.7 $\pm$ 20	+0.7 $\pm$ 20	+1.3 $\pm$ 32	-10.6 $\pm$ 45
Gradient Boosting	+2.3 $\pm$ 26	+2.4 $\pm$ 26	+3.1 $\pm$ 36	-5.1 $\pm$ 44
1D-CNN	-1.9 $\pm$ 28	+1.7 $\pm$ 26	-3.3 $\pm$ 37	-4.3 $\pm$ 42
ResNet1D	-0.0 $\pm$ 17	-0.9 $\pm$ 18	-1.2 $\pm$ 35	-8.0 $\pm$ 43
Transformer	+2.7 $\pm$ 37	+1.8 $\pm$ 35	+0.7 $\pm$ 38	-2.8 $\pm$ 43
	leaky	calbased	calfree	aami

	+0.3 $\pm$ 12	+0.3 $\pm$ 12	+0.3 $\pm$ 21	-6.9 $\pm$ 27
	+0.9 $\pm$ 16	+0.9 $\pm$ 16	+1.1 $\pm$ 22	-4.4 $\pm$ 27
	-0.5 $\pm$ 18	+0.2 $\pm$ 16	-2.7 $\pm$ 22	-4.6 $\pm$ 27
	-0.1 $\pm$ 12	-0.7 $\pm$ 12	-0.9 $\pm$ 22	-5.5 $\pm$ 26
	-0.3 $\pm$ 21	+1.4 $\pm$ 20	+0.7 $\pm$ 21	-1.9 $\pm$ 26
	leaky	calbased	calfree	aami

