

# PRICELIST EnergySwitch horizontal PDUs

Racktivity EnergySwitch Smart PDU's equips your data center with the industry's most advanced metering and switching capability. Racktivity EnergySwitch smart PDUs are built upon Racktivity's real-time operating system, EnergyOS™ to provide the highest degree of granular real-time PowerQuality type metrics. EnergyOS™ implements the hardware-related portions of Racktivity's EnergyDNA™ technology to provide real-time remote PDU-level and outlet-level true RMS monitoring of current (A), voltage (V), power (VA, W), power factor (%) and energy consumption (kWh) with +/- 1% accuracy.

All of this allows you to work with current, relevant and actionable power utilization data to make informed decisions on load balancing and managing IT assets based on event triggers and energy consumption to lower total cost of ownership. A powerful system for energy and capacity optimisation with reliable IT asset protection, all in one unit.

## •ES1108-16-EUK

€ 750



- › **Phase:** 1 phase
- › **Input total:** 16A
- › **C13 (8A):** 8x
- › **Output/bank:** 16A
- › **Form-factor:** 1U

### Dimensions (H x W x D)

- › **inch:** 1,75 x 17,2 x 5,6
- › **cm:** 4,45 x 43,7 x 14,20

### ALSO INCLUDES

- › Mounting set:  
2 mounting brackets 1U, 4 M3x6 screws, 9 retention brackets
- › EU and UK power connector 16 Amp

## •ES1108-16-US

€ 750



- › **Phase:** 1 phase
- › **Input total:** 16A
- › **C13 (8A):** 8x
- › **Output/bank:** 16A
- › **Form-factor:** 1U

### Dimensions (H x W x D)

- › **inch:** 1,75 x 17,2 x 5,6
- › **cm:** 4,45 x 43,7 x 14,20

### ALSO INCLUDES

- › Mounting set:  
2 mounting brackets 1U, 4 M3x6 screws, 9 retention brackets
- › US power connector 16 Amp

## •PM0816-01

€ 350



- › **Phase:** 1 phase
- › **Input total:** 16A
- › **C13 (8A):** 8x
- › **Output/bank:** 16A
- › **Form-factor:** 1U
- › **4x RS232 (DB9) for target device CLI console**

### Dimensions (H x W x D)

- › **inch:** 1,75 x 17,2 x 7,2
- › **cm:** 4,45 x 43,7 x 18,20

### ALSO INCLUDES

- › Mounting set:  
2 mounting brackets 1U, 4 M3x6 screws, 9 retention brackets
- › EU and UK power connector 16 Amp

# PRICELIST **accessories**

## .MOUNTING SET (Reference: ES1-ACC-ST)

€ 50



### INCLUDES

- › 2 mounting brackets 1U
- › 4 M3x6 screws
- › 9 retention brackets

## .C14 to Shuko convertor plug (Reference: ES-C14-CEE)

€ 12



## .1U IEC 16 Amp inlet power cable (Reference: ES1-PWR-IEC)

€ 90



## ENVIRONMENTAL SENSOR (Reference: ESN100-11)

€ 210



- › **Integrated sensors:** Temperature  
Humidity  
Motion detection

- Dimensions (H x W x D)
- › inch: 2,76 x 2,27 x 0,94
  - › cm: 7 x 5,77 x 2,38


- › **Supported sensors:** Temperature  
Water leak  
Dry door contact  
Smoke

### ALSO INCLUDES

- › Mounting set: tie wrap
- › I/O connect
- › RJ45
- › 2 temperature probes (1m long)

- › **Easy mountable:** M5 screws  
Magnets  
Cable ties

## DCPM Power Management Module



Up to 10 device licenses included.

€ 1.000

Up to 20 device licenses included.

€ 1.800

Up to 50 device licenses included.

€ 4.000

Up to 100 device licenses included.

€ 7.000

Up to 200 device licenses included.

€ 13.000

Up to 300 device licenses included.

€ 16.500

Up to 400 device licenses included.

€ 18.500

Up to 500 device licenses included.

€ 20.000

# WARRANTY

## STANDARD WARRANTY

free

Standard warranty of 2 years on all hardware devices.

## EXTENDED WARRANTY (Reference: EW-1Y)

Extend the warranty on your hardware products with one year

7,5% on hardware  
list price value