

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for Home _ ProGram.html

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Browse...](#) No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** A document must not include both a meta element with an http-equiv attribute whose value is content-type, and a meta element with a charset attribute.

From line 4, column 9; to line 4, column 30

```
><          <meta charset="utf-8">
```

2. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 167, column 29; to line 167, column 131

```
          <input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

3. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 407, column 25; to line 407, column 127

```
          <input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

4. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 518, column 25; to line 518, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

5. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 629, column 25; to line 629, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

6. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 741, column 25; to line 741, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

7. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 855, column 25; to line 855, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

8. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 968, column 25; to line 968, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

9. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1082, column 25; to line 1082, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

10. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1194, column 25; to line 1194, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

11. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1306, column 25; to line 1306, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

12. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1416, column 25; to line 1416, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

13. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1526, column 25; to line 1526, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

14. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1639, column 25; to line 1639, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

15. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1750, column 25; to line 1750, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

16. **Error** An input element with a type attribute whose value is hidden

must not have an autocomplete **attribute whose value is** on **or** off.

From line 1863, column 25; to line 1863, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

17. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 1975, column 25; to line 1975, column 127

```
<input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6Ejbx0nL9bWe7wu0LAze0" autocomplete="off">
```

Document checking completed.

Used the HTML parser.

Total execution time 208 milliseconds.