Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for Cindy Burton _ ProGram.html

---Checker Input---

Show ☐ source   ☐ outline   ☐ image report   [Options...]

Check by [file upload ⌄] [Browse...] No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **A document must not include both a** `meta` **element with an** `http-equiv` **attribute whose value is** `content-type` **, and a** `meta` **element with a** `charset` **attribute.**
   From line 4, column 9; to line 4, column 30
   ```
   >↵          <meta charset="utf-8">↵
   ```

2. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden` **must not have an** `autocomplete` **attribute whose value is** `on` **or** `off` **.**
   From line 168, column 29; to line 168, column 131
   ```
           <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

3. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden` **must not have an** `autocomplete` **attribute whose value is** `on` **or** `off` **.**
   From line 335, column 25; to line 335, column 127
   ```
           <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

4. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden` **must not have an** `autocomplete` **attribute whose value is** `on` **or** `off` **.**
   From line 455, column 25; to line 455, column 127

```
                          <input type="hidden" name="_token"
value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
```

5. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden`
   must not have an `autocomplete` **attribute whose value is** `on` **or** `off` .

   From line 574, column 25; to line 574, column 127

   ```
                             <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

6. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden`
   must not have an `autocomplete` **attribute whose value is** `on` **or** `off` .

   From line 692, column 25; to line 692, column 127

   ```
                             <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

7. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden`
   must not have an `autocomplete` **attribute whose value is** `on` **or** `off` .

   From line 812, column 25; to line 812, column 127

   ```
                             <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

8. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden`
   must not have an `autocomplete` **attribute whose value is** `on` **or** `off` .

   From line 935, column 25; to line 935, column 127

   ```
                             <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

9. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden`
   must not have an `autocomplete` **attribute whose value is** `on` **or** `off` .

   From line 1056, column 25; to line 1056, column 127

   ```
                             <input type="hidden" name="_token"
   value="NQVICFTsyDij7x9Y08q6EjbxOnL9bWe7wuOLAze0" autocomplete="off">
   ```

Document checking completed.

Used the HTML parser.

Total execution time 119 milliseconds.