

```

● dona@192 programas % /usr/local/bin/python3 /Users/dona/Documents/master/ADA/programas/Ollama_api/program.py
Lista de modelos:
1 - deepseek-coder:latest
2 - deepseek-r1:latest
3 - qwen3:4b
4 - llama3:latest
Seleccione modelo: 4
Numero de codigos: 10
Numero de casos: 10

Resultados:

Codigo 1

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida:
Error de compilacion
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_1.py", line 14
    (not ascending and compare(int(sys.argv[1].split(',')[j]), int(sys.argv[1].split',[j+1])) < 0):
                                     ^
SyntaxError: unterminated string literal (detected at line 14)

Casos correctos: 0/10

Codigo 2

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida:
Resultado: INCORRECTO
```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida:
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida:
Resultado: INCORRECTO

Casos correctos: 0/10

Codigo 3

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida: -60,42,-85,37,-94,-86,-1,16,-13,54,23,73
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida: -64,14,-72,9,10,57,-95,-17
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida: -97,-82,10,46,-1,92,-37,9,16,-100,86,-84,-29,57,99,-89,61,18
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: -75,19,-64,-42,-72,29,-45,-21,-28,25,-58,-25,-85,-74,-81,-4,-80
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: 5,13,-94,29,9,76,-16,-15,43,-62,36,-81,6,-84,29,11,55,-85
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: -85,14,20,29,-94,92,-43,31,-61,54,-22,95
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: -73,87,-18,63,-29,-94,29,-29,35,75
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: 20,23,-35,21,23,-23,11
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida: -47,-30,-83,-19,30,88,-32,-66,15,-12,68,29,80,0,91
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida: -25,4,-15,25,-94,56,-71,-51,55,-41,90,-97,52,-15,95
Resultado: INCORRECTO

Casos correctos: 0/10

Codigo 4

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt

Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23

Salida:

Error de compilacion

Traceback (most recent call last):

File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>

arr = bitonic_merge(arr, 0)

File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge

arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]

TypeError: 'int' object is not iterable

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt

Entrada: 14,-64,9,-72,10,57,-17,-95

Salida:

Error de compilacion

Traceback (most recent call last):

File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>

arr = bitonic_merge(arr, 0)

File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge

arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]

TypeError: 'int' object is not iterable

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt

Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18

Salida:

Error de compilacion

Traceback (most recent call last):

File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>

arr = bitonic_merge(arr, 0)

File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge

arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

```



```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 23, in <module>
    arr = bitonic_merge(arr, 0)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_4.py", line 21, in bitonic_merge
    arr = list(zip(*(j[0] if direction == 0 else j[1]) for j in zip(left, right))))[0]
    ~~~~~
TypeError: 'int' object is not iterable

Casos correctos: 0/10

Codigo 5

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida: 0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: 0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida: 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
Resultado: CORRECTO

Casos correctos: 10/10

Codigo 6

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida: -60,42,-85,37,-94,-86,-1,16,-13,54,23,73
Resultado: INCORRECTO

```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida: -64,14,-72,9,10,57,-95,-17
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida: -97,-82,10,46,-1,92,-37,9,-100,16,-84,86,-29,57,-89,99,18,61
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: -75,19,-64,-42,-72,29,-45,-21,-28,25,-58,-25,-85,-74,-81,-4,-80
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: 5,13,-94,29,9,76,-16,-15,36,43,-62,6,-84,-81,29,55,-85,11
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: -85,14,20,29,-94,92,-43,31,-61,54,-22,95
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: -73,87,-18,63,-29,29,-94,-29,35,75
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: 20,23,-35,21,11,23,-23
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida: -47,-30,-83,-19,30,88,-66,-32,-12,15,29,68,0,80,91
Resultado: INCORRECTO
```

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida: -25,4,-15,25,-94,56,-71,-51,-41,55,52,90,-97,-15,95
Resultado: INCORRECTO
```

Casos correctos: 0/10

Codigo 7

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida:
```

Error de compilacion

Traceback (most recent call last):

```
File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~~
```

```
File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~~
```

```
File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
    ~~~~~~
```

```
File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~~
```

IndexError: list index out of range

```
Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida:
```

Error de compilacion

Traceback (most recent call last):

```
File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~~
```

```
File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~~
```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 18, in bitonic_merge
    right=bitonic_merge(a[n:], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 18, in bitonic_merge
    right=bitonic_merge(a[n:], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 18, in bitonic_merge
    right=bitonic_merge(a[n:], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~^~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~^~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 18, in bitonic_merge
    right=bitonic_merge(a[n:], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~^~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 18, in bitonic_merge
    right=bitonic_merge(a[n:], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~^~~~~~
IndexError: list index out of range

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida:
Error de compilacion
Traceback (most recent call last):
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 31, in <module>
    print(''.join(map(str,bitonic_sort(nums, 0))))
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 29, in bitonic_sort
    bitonic_merge(nums, descending)
    ~~~~~^~~~~~
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 17, in bitonic_merge
    left=bitonic_merge(a[:n], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 18, in bitonic_merge
    right=bitonic_merge(a[n:], d)
  File "/Users/dona/Documents/master/ADA/programas/Ollama_api/generados/bit_7.py", line 20, in bitonic_merge
    left[i],right[i]=right[i],left[i]
    ~~~~~^~~~~~
IndexError: list index out of range

```

Casos correctos: 0/10

Codigo 8

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida: 54,37,-85,-60,-13,-1,42,16,-86,23,73,-94
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida: 14,-64,-17,9,10,-72,57,-95
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida: 46,10,-82,-1,-37,-29,9,16,-97,-84,86,-89,92,57,61,18,99,-100
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: 19,-64,-72,-42,-45,-28,-25,-21,-75,-74,25,-81,-58,-4,-80,29,-85
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: 36,5,-15,9,13,-16,-62,29,-81,6,55,-84,29,43,11,-85,76,-94
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: 92,20,14,-43,29,-61,31,54,-85,-22,95,-94
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: 63,-18,-73,29,-29,-29,87,75,35,-94
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: 23,21,-23,20,23,11,-35
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida: 68,-47,-32,-30,-19,15,30,0,-66,29,80,-12,88,91,-83
Resultado: INCORRECTO

```

```

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida: 55,4,-25,-51,-41,-71,-15,25,-94,52,56,-15,90,95,-97
Resultado: INCORRECTO

```

Casos correctos: 0/10

Codigo 9

Codigo 9

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt
Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt
Entrada: 14,-64,9,-72,10,57,-17,-95
Salida: -95
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt
Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18
Salida: -100
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: -85
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: -35

```
Salida: -100
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: -85
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: -94
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: -35
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida: -83
Resultado: CORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida: -97
Resultado: CORRECTO

Casos correctos: 10/10
```

Casos correctos: 10/10

Codigo 10

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_8.txt

Entrada: 42,-60,-85,37,-86,-94,-1,16,54,-13,73,23

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_9.txt

Entrada: 14,-64,9,-72,10,57,-17,-95

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_10.txt

Entrada: -97,-82,46,10,92,-1,9,-37,16,-100,86,-84,-29,57,99,-89,61,18

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt

Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt

Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt

Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt

Entrada: -73,87,63,-18,-29,29,-94,-29,35,75

Salida: Error: la lista debe ser de enteros separados por comas

Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_1.txt
Entrada: 19,-75,-42,-64,-72,29,-45,-21,25,-28,-25,-58,-85,-74,-81,-4,-80
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_2.txt
Entrada: 13,5,29,-94,76,9,-15,-16,43,36,-62,6,-81,-84,29,55,11,-85
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_3.txt
Entrada: 14,-85,29,20,92,-94,31,-43,-61,54,95,-22
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_7.txt
Entrada: -73,87,63,-18,-29,29,-94,-29,35,75
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_6.txt
Entrada: 20,23,-35,21,23,11,-23
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_4.txt
Entrada: -47,-30,-19,-83,88,30,-32,-66,15,-12,68,29,80,0,91
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Caso: /Users/dona/Documents/master/ADA/programas/Ollama_api/casos/caso_5.txt
Entrada: -25,4,-15,25,56,-94,-71,-51,55,-41,90,52,-97,-15,95
Salida: Error: la lista debe ser de enteros separados por comas
Resultado: INCORRECTO

Casos correctos: 0/10

Pass@ = 2.00/10

dona@192 programas %