Slike

```
\usepackage{graphicx}
...
\begin{figure}[!ht]
  \centering
  \includegraphics[width=0.4\textwidth]{mona-lisa.jpg}
  \caption{Mona Lisa}
  \label{sl:mona-lisa}
\end{figure}

Skrivnosten nasmešek lahko vidite na
sliki~\ref{sl:mona-lisa}.
```




Slika 1: Mona Lisa


Skrivnosten nasmešek lahko vidite na sliki 1.

Rastrske slike






152	99	42
122	76	38
101	62	42
126	108	40
96	82	36
79	68	41
108	85	38
80	64	35
67	55	42



RGB: zaslon seva svetlobo.



CMYK: črnilo vpija svetlobo.


Stiskanje z izgubami




PNG (1,8 MB)




JPG (309 KB)



JPG (31 KB)



`mandelbrot.jpg` (48 KB)




`mandelbrot.png` (241 KB)


Stiskanje brez izgub



$4 \times (255, 255, 255) \quad 1 \times (255, 0, 0) \quad 5 \times (255, 255, 255)$




`diagram.jpg` (24 KB)



`diagram.png` (23 KB)

Vektorske slike

```
<svg width="300" height="200">
  <line x1="0" y1="140" x2="300" y2="140"
        stroke="blue" stroke-width="6"/>
  <circle cx="150" cy="60" r="8"
          fill="blue"/>
</svg>
```






diagram.jpg




diagram.png






diagram.pdf

TikZ

```
\usetikzlibrary{intersections}
...
\begin{tikzpicture}
  \coordinate (T) at (0, 1.4);
  \draw[blue, very thick, name path=p] (-3, 0) -- (3, 0) node[right] {$p$};
  \draw[gray, name path=k] (T) ++(210:2) arc (210:330:2);
  \path[name intersections={of=p and k, by={A, B}}];
  \draw[gray, name path=m] (A) ++(-70:2) arc (-70:70:2);
  \draw[gray, name path=n] (B) ++(250:2) arc (250:110:2);
  \path[name intersections={of=m and n, by={C, T'}}];
  \draw[red, very thick] (T) -- (C);
  \fill[blue] (T) circle (2pt) node[above left] {$T$};
  \draw (A) circle (1.5pt) node[below left] {$A$};
  \draw (B) circle (1.5pt) node[below right] {$B$};
  \draw (C) circle (1.5pt) node[below right] {$C$};
\end{tikzpicture}
```




Premica TC je pravokotna na p.




`diagram.pdf`

Premica TC je pravokotna na p.



TikZ

```
\begin{tikzpicture}
  \coordinate (T) at (0, 1.4);
  \draw[blue, very thick, name path=p] (-3, 0) -- (3, 0) node[right] {$p$};
  \draw[gray, name path=k] (T) ++(210:2) arc (210:330:2);
  \path[name intersections={of=p and k, by={A, B}}];
  \draw[gray, name path=m] (A) ++(-70:2) arc (-70:70:2);
  \draw[gray, name path=n] (B) ++(250:2) arc (250:110:2);
  \path[name intersections={of=m and n, by={C, T'}}];
  \draw[red, very thick] (T) -- (C);
  \fill[blue] (T) circle (2pt) node[above left] {$P$};
  \draw (A) circle (1.5pt) node[below left] {$A$};
  \draw (B) circle (1.5pt) node[below right] {$B$};
  \draw (C) circle (1.5pt) node[below right] {$C$};
\end{tikzpicture}
```




Slabo

```
$ git diff pravokotnica.png
diff --git a/pravokotnica.png b/pravokotnica.png
index 1927dbc..8e6821d 100644
Binary files a/pravokotnica.png and b/pravokotnica.png differ
```


Dobro

```
$ git diff pravokotnica.tex
diff --git a/pravokotnica.tex b/pravokotnica.tex
index e330e92..6189458 100644
--- a/pravokotnica.tex
+++ b/pravokotnica.tex
@@ -7,7 +7,7 @@
   \draw[gray, name path=n] (B) ++(250:2) arc (250:110:2);
   \path[name intersections={of=m and n, by={C, T'}}];
   \draw[red, very thick] (T) -- (C);
-  \fill[blue] (T) circle (2pt) node[above left] {$T$};
+  \fill[blue] (T) circle (2pt) node[above left] {$P$};
   \draw (A) circle (1.5pt) node[below left] {$A$};
   \draw (B) circle (1.5pt) node[below right] {$B$};
   \draw (C) circle (1.5pt) node[below right] {$C$};
```

```
\begin{tikzpicture}
  \coordinate (T) at (0.8, 1.2);
  \draw[blue, very thick, name path=p] (-3, 0) -- (3, 0) node[right] {$p$};
  \draw[gray, name path=k] (T) ++(210:2) arc (210:330:2);
  \path[name intersections={of=p and k, by={A, B}}];
  \draw[gray, name path=m] (A) ++(-70:2) arc (-70:70:2);
  \draw[gray, name path=n] (B) ++(250:2) arc (250:110:2);
  \path[name intersections={of=m and n, by={C, T'}}];
  \draw[red, very thick] (T) -- (C);
  \fill[blue] (T) circle (2pt) node[above left] {$T$};
  \draw (A) circle (1.5pt) node[below left] {$A$};
  \draw (B) circle (1.5pt) node[below right] {$B$};
  \draw (C) circle (1.5pt) node[below right] {$C$};
\end{tikzpicture}
```



```
\begin{tikzpicture}
  \foreach \i in {1,...,12}
    \foreach \j in {\i,...,12}
      \draw[blue] (30*\i:2) -- (30*\j:2);
\end{tikzpicture}
```




TikZ & PGF
Manual for Version 3.1.11a