



LANGKAH-LANGKAH UPLOAD KE CPANEL


1. Buka CPanel cari Manage My Database lalu buka.



2. Selanjutnya buat database di New Database, Lalu Klik Create Database, dan klik Go Back.



3. Selanjutnya Add New User, isi username dan Password lalu klik Create User.



The screenshot shows the cPanel interface for adding a new database user. The 'Username' field contains 'uqbulle8_sekolah'. The 'Password' and 'Password (Again)' fields are filled with masked characters. The password strength is indicated as 'Very Strong (100/100)'. A red arrow points to the 'Create User' button.

Database Users

Add New User

Username:

Password:

Password (Again):


Strength: Very Strong (100/100)

[Create User](#)

Add User To Database

User:

4. Selanjutnya Add User to Database, pilih user dan database yang di buat tadi lalu klik Add.



The screenshot shows the cPanel interface for adding a user to a database. The 'User' dropdown menu is set to 'uqbulle8_sekolah' and the 'Database' dropdown menu is also set to 'uqbulle8_sekolah'. A red arrow points to the 'Add' button.

Add User To Database

User:

Database:

[Add](#)

Current Users

Users	Actions
uqbulle8_absen	Change Password Rename Delete
uqbulle8_newsekolah	Change Password Rename Delete
uqbulle8_sekolah	Change Password Rename Delete


5. Klik ALL PRIVILEGES lalu Klik Make Change.

The image displays two screenshots of the cPanel 'Manage My Databases' interface, illustrating the steps to grant all privileges to a user.


Top Screenshot: The 'Manage User Privileges' section is shown for user `digs8779_sekolah` and database `digs8779_sekolah`. The **ALL PRIVILEGES** checkbox is highlighted with a red box. Below it, a grid of individual privileges is visible, including ALTER, CREATE, DELETE, EVENT, ALTER ROUTINE, CREATE ROUTINE, CREATE TEMPORARY TABLES, CREATE VIEW, DROP, and EXECUTE.

Bottom Screenshot: The same interface is shown, but now all the individual privilege checkboxes (DELETE, EVENT, INDEX, LOCK TABLES, SELECT, TRIGGER, DROP, EXECUTE, INSERT, REFERENCES, SHOW VIEW, and UPDATE) are checked. The **Make Changes** button at the bottom is highlighted with a red box, indicating the final step to apply the changes.


6. Selanjutnya Kembali ke halaman Home CPANEL dengan cara klik Tool.




7. Selanjutnya klik phpMyAdmin.




8. Selanjutnya klik database yang di buat tadi, lalu klik Impor.




9. Klik Choose File dan cari file database yang dari mimin.







10. Selanjutnya schrol ke bawah lalu klik Impor.




11. Selanjutnya keluar dari phpMyAdmin dan Kembali ke halaman CPanel, dan klik File Manager.




12. Cari public_html lalu bukak dengan cara klik 2x.




13. Selanjutnya klik Upload.




14. Klik Select File dan cari file web yang mimin bagikan.




15. Tunggu upload sampai selesai dengan warna persentase upload berubah ke warna hijau, lalu klik go back.




16. Selanjutnya klik kanan pada file zip yang di upload barusan lalu klik Extract.



17. Klik Extract File.




18. Pastikan di dalam Folder public_html sudah seperti ini.




Kalau file dan Folder yang di atas masih di dalam Sebuah Folder, pindahkan File – file dan Folder - folder yang di atas ke Folder public-html sehingga saat Folder public_html di buka langsung tampil seperti tampilan diatas.

Untuk Cara Pemindahannya bisa liat pada obsen nomor 19 dan 20, kalau sudah pas abaikan saja.


19. Buka foldernya lalu pindahkan semua file keluar folder, dengan cara klik Select All , klik kanan pada isi folder lalu klik Move. Kalau folder hasil Extract tidak muncul silahkan refrest Browsernya.




20. Hapus nama folder lalu klik Move File. (disini mimin contohin dengan nama foldernya “contoh folder”).



21. Kembali ke public_html lalu bukak Folder absen lalu klik kanan pada file .env pilih edit.




22. Lalu setting seperti gambar dibawah ini.



```
25 # If you have trouble with `.` , you could also use `\_` .
26 # app_baseURL = ''
27 # app.forceGlobalSecureRequests = false
28 # app.CSPEnabled = false
29
30 #-----
31 # DATABASE
32 #-----
33
34 database.default.hostname = localhost
35 database.default.database = uqbulle8_newsekolah
36 database.default.username = uqbulle8_newsekolah
37 database.default.password = uqbulle8_newsekolah
38 database.default.DBDriver = MySQLi
39 database.default.DBPrefix =
40 database.default.port = 3306
41
42 # If you use MySQLi as tests, first update the values of Config\Database::$tests.
43 # database.tests.hostname = localhost
44 # database.tests.database = ci4_test
45 # database.tests.username = root
46 # database.tests.password = root
47 # database.tests.DBDriver = MySQLi
48 # database.tests.DBPrefix =
49 # database.tests.charset = utf8mb4
50 # database.tests.DBCollat = utf8mb4_general_ci
51 # database.tests.port = 3306
52
53 #-----
54 # ENCRYPTION
55 #-----
56
```

Lalu sesuaikan nama database, username user dan password user yang telah di buat tadi. Pada nomor **2** dan **3**

23. Lalu klik Save Changes. Dan silahkan cek menggunakan domain kakak di browser.



~ TERIMAKASIH ~