


# **Real Life Indifference Curves**





You are an expert in microeconomics.

I read the text as shown in the picture.

However, I don't understand.

Can you help to re-explain with a more beginner-friendly tone?

Please include some humor in your explanation.



Alright, let me break this down for you in a way that's simpler—and with a pinch of humor!

Imagine you're at a buffet (because food makes economics fun, right?). You're filling your plate with two favorite items: fried chicken (X) and chocolate cake (Y). You've got a fixed budget, like the amount of space left on your plate (let's call it **I**, your income).

The blue curve on the graph? That's like your "happiness boundary," also called the indifference curve  $(\mathbf{U}(\mathbf{X}, \mathbf{Y}) = \mathbf{u_0})$ . It shows all the combos of chicken and cake that give you the same level of satisfaction or happiness. For example, you might swap one piece of chicken for more cake, but your happiness stays the same.

Now, the red line? That's your budget line. It's like the buffet manager saying, "Hey, you can't overfill your plate!" It shows all the combinations of chicken and cake you can afford (or fit on your plate).

Here's where it gets fun. In the picture, you're at the bundle  $(X_0, Y_0)$ —maybe two chickens and one cake. But look! There's another point  $(X_1, Y_1)$  farther up the red line. That means more cake and more chicken —hello, more happiness! This new combo still fits your plate (stays within your budget), but it's on a higher happiness boundary (another blue curve above the first).

The moral of the story? You wouldn't stop at  $(X_0, Y_0)$  if  $(X_1, Y_1)$  is an option. Why settle for "meh" happiness when you can have "woohoo" happiness? That's why economists say  $(X_0, Y_0)$  can't be "optimal." It's like ordering plain toast at an all-you-can-eat buffet when there's pizza and ice cream.

So, always aim for the northeast—more chicken, more cake, and a happier you! (Just don't blame me if you overdo it on dessert.  $\bigcirc$ )



Is there any real case situations that behave like the indifference curve (U(X, Y) =  $u_0$ )?



Absolutely! Indifference curves pop up in many real-world situations where we need to balance two things to maximize happiness or utility. Let me give you some relatable examples:

## 1. Work-Life Balance (Classic Struggle!)

Imagine you're juggling work (X) and free time (Y). You want to be happy, but there's a trade-off:

- More work = more money (yay!), but less free time to enjoy it (boo!).
- More free time = relaxation and fun, but less money for that fun.

Your happiness (utility) stays the same if you find the perfect balance between work and free time. Each point on the indifference curve is a combo of work and free time that makes you equally satisfied.

## 2. Diet Choices (Healthy vs. Tasty)

You're trying to eat healthy (X) while indulging in your favorite junk food (Y):

- More salads = feeling good about your health, but less junk food fun.
- More pizza = sheer joy, but you're veering off your health goals.

You can swap between these in a way that keeps you equally happy. For instance, you might give up one cheat meal if you can have an extra bowl of salad that satisfies you.

# 3. Vacation Planning (Mountains vs. Beaches)

You're choosing between:

- Relaxing on the beach (X): Great for sunbathing but not much adventure.
- Hiking in the mountains (Y): Great for excitement but tiring.

Depending on your preferences, you can pick different combos—some more beach, some more hiking—that all bring you the same level of satisfaction. An indifference curve maps out all those possibilities.

## 4. Gadget Shopping (Price vs. Features)

You're buying a smartphone and balancing:

- Price (X): Lower is better for your wallet.
- Features (Y): More features make you happier.

You're indifferent if you find a budget phone with enough features or a premium phone with all the bells and whistles.

## 5. Coffee vs. Sleep (College Student Struggle)


If you've ever pulled an all-nighter:

- More coffee (X) means you stay awake, but you lose sleep.
- More sleep (Y) means you're rested but less productive.

Finding that magical combination—how many hours of sleep versus how many cups of coffee—is your indifference curve in action.

These examples show how indifference curves describe the trade-offs we face every day. They highlight how humans make choices, whether it's about time, food, money, or even caffeine levels!





I don't understand the explanation of the materials in this picture.

Especially on how the equations (17) and (18) are obtained.

Can you help to re-explain with more beginner-friendly style and more detailed steps?



Absolutely! Let's break this down step-by-step so it's easier to follow. I'll explain how equations (17) and (18) are obtained in a beginner-friendly manner.

## Step 1: Understanding the Lagrangian

The Lagrangian function is written as:

$$\mathcal{L}(X,Y,\lambda) = XY + \lambda(100 - X - 4Y)$$

Here's what each term means:

- 1. *XY*: This is the utility function you want to maximize.
- 2. 100-X-4Y: This is the budget constraint, rewritten in the form of =0. Think of it like saying, "The total budget is 100, so the cost of X and Y together must stay within this limit."
- 3.  $\lambda$ : This is the "Lagrange multiplier," which helps link the utility maximization to the budget constraint.

## **Step 2: First-Order Conditions (FOC)**

To find the optimal X and Y, we take partial derivatives of the Lagrangian with respect to X, Y, and  $\lambda$ , and set them equal to zero. These are the **FOC equations**:

1. 
$$\frac{\partial \mathcal{L}}{\partial X} = 0$$
:

$$\frac{\partial \mathcal{L}}{\partial X} = Y - \lambda = 0 \implies Y = \lambda$$

This is Equation (14).

2. 
$$\frac{\partial \mathcal{L}}{\partial Y} = 0$$
:

$$\frac{\partial \mathcal{L}}{\partial Y} = X - 4\lambda = 0 \implies X = 4\lambda$$

This is Equation (15).

3. 
$$\frac{\partial \mathcal{L}}{\partial \lambda} = 0$$
:

$$\frac{\partial \mathcal{L}}{\partial \lambda} = 100 - X - 4Y = 0$$

This is the budget constraint, which we'll use in a moment.

## Step 3: Dividing (15) by (14) to Get X=4Y (Equation 17)

From Equations (14) and (15), we know:

$$Y = \lambda$$
 and  $X = 4\lambda$ 

To eliminate  $\lambda$ , divide the second equation ( $X=4\lambda$ ) by the first equation ( $Y=\lambda$ ):

$$\frac{X}{Y} = \frac{4\lambda}{\lambda} \implies X = 4Y$$

This gives Equation (17).

# Step 4: Substituting X=4Y into the Budget Constraint to Get Equation (18)

Now, use the budget constraint:

$$100 - X - 4Y = 0$$

Substitute X=4Y into this equation:

$$100 - (4Y) - 4Y = 0$$

Simplify:

$$100 - 8Y = 0$$

Solve for Y:

$$Y = \frac{100}{8} = 12.5$$

# Step 5: Solve for $\boldsymbol{X}$

From X = 4Y, substitute Y = 12.5:

$$X = 4 \times 12.5 = 50$$

#### **Final Result**

The solution satisfies:

- 1. X=4Y (Equation 17).
- 2. X + 4Y = 100 (Equation 18).

## **Analogy**

Think of X as burgers and Y as fries. You're trying to maximize your satisfaction (utility) while sticking to a budget of \$100. The method above is like figuring out the best combo of burgers and fries that makes you happiest while keeping you on budget. The Lagrangian math helps you find that sweet spot!

Hope this makes it clearer (and maybe even a bit fun)! 😊



From the text, I don't understand the following statement: "Dividing (15) by (14), joint with the budget constraint"

What's the point and why?



Great question! Let's unpack this statement step-by-step and understand why it's done.

#### The Context of the Statement

In the text, the equations (14) and (15) come from the **First-Order Conditions (FOC)** of the Lagrangian:

- Equation (14):  $Y = \lambda$
- Equation (15):  $X=4\lambda$

The budget constraint is:

$$X + 4Y = 100$$

Now, the phrase "dividing (15) by (14), joint with the budget constraint" refers to a clever way of eliminating the Lagrange multiplier  $\lambda$  from the equations. The reason we do this is to focus only on X

## Step 1: Dividing (15) by (14)

We have:

- $X=4\lambda$  from (15)
- $Y = \lambda$  from (14)

Dividing these two equations:

$$\frac{X}{Y} = \frac{4\lambda}{\lambda}$$

The  $\lambda$ 's cancel out:

$$X = 4Y$$

This gives us a **relationship between** X and Y (Equation 17). This step is crucial because it allows us to express X in terms of Y, reducing the number of variables in the problem.

## **Step 2: Using the Budget Constraint**

Once we have X=4Y, we plug it into the budget constraint:

$$X + 4Y = 100$$

Substituting X=4Y into this:

$$4Y + 4Y = 100$$

Simplify:

$$8Y = 100$$

Solve for *Y*:

$$Y = 12.5$$

Now, using X=4Y, we find:

$$X = 4 \times 12.5 = 50$$

## Why Do We Divide (15) by (14)?

The main reason is **to eliminate**  $\lambda$  (the Lagrange multiplier). While  $\lambda$  is useful for solving the optimization problem, it's not something we care about in the final result. By dividing, we relate X and Y directly, which simplifies the problem and allows us to use the budget constraint effectively.

#### The Point of This Process



The whole point is to:

- 1. **Eliminate unnecessary variables:** We remove  $\lambda$  to focus on X and Y, the decision variables.
- 2. **Simplify the equations:** By expressing X in terms of Y (or vice versa), we reduce the problem to one variable, which makes solving much easier.
- 3. Ensure we stay within the budget constraint: Once X and Y are linked, the budget constraint gives the exact values of X and Y.

## **Analogy**

Think of  $\lambda$  as a middleman or translator. You initially need it to connect the utility function and the budget, but once you've established the relationship between X and Y (e.g., X=4Y), you no longer need the middleman. You go straight to solving for X and Y using the budget constraint.

### Summary

The statement "dividing (15) by (14), joint with the budget constraint" is just a fancy way of saying:

- 1. Use the first-order conditions to find a relationship between X and Y.
- 2. Plug this relationship into the budget constraint to solve for the exact values of X and Y.

It's a smart move to simplify the problem and focus on what really matters: the optimal X and Y.  $\stackrel{ extstyle }{\smile}$ 





```
Since we know the equation for the indifference curve at any level v for U(X,Y) = XY - Eq. (1)
- we can compute the MRS simply by taking the derivative of Y w.r.t X:
                                        MRS = \frac{dY}{dX} = -\frac{v}{X^2}
                                                                                                     (2)
```

From the explanation shown in the picture, do you know what is "w.r.t"? What does it mean "Y w.r.t X"?



Yes, "w.r.t" stands for "with respect to." In the context of the explanation, it's used to describe how one variable (in this case, Y) changes as another variable (X) changes.

### What Does "Y w.r.t X" Mean?

It means we are looking at the relationship between Y (the dependent variable) and X (the independent variable). Specifically, we're examining the **rate of change of** Y as X changes. This is done by taking the **derivative** of Y with respect to X, written mathematically as:

$$\frac{dY}{dX}$$

This tells us:

• How steep the curve is at a particular point.

ullet How Y changes when X changes by a small amount.

#### How It's Relevant Here

The formula U(X,Y)=XY (Equation 1) represents the utility or the indifference curve. To calculate the **Marginal Rate of Substitution (MRS)**—the rate at which we're willing to trade off one good (X) for another (Y)—we take the derivative of Y with respect to X (denoted as  $\frac{dY}{dX}$ ).

In the picture, they use this derivative to show:

$$MRS = rac{dY}{dX} = -rac{v}{X^2}$$

Where:

- v is the utility level (a constant along a particular indifference curve).
- The negative sign reflects the trade-off: as you consume more X, you give up Y.

### Analogy to Understand "w.r.t"

Think of a car driving up a hill. Let:

- X = distance driven horizontally (miles).
- Y = height of the hill (feet).

If you compute  $\frac{dY}{dX}$ , you're finding the slope of the hill (how steep it is at a given point). This tells you how much the height Y changes for every mile X you drive. Similarly, here we're seeing how Y (one good) changes with respect to X (the other good) along the curve.



4.4 Pitfalls

Our analysis so far is based on the tangency condition of MRS and relative prices. For some preferences this condition is not necessary or sufficient to guarantee that the point we determine is the optimal one.

Example 1. Suppose now that we maximize:  $\max_{X,Y} -X \cdot Y \text{ s.t. } X + 4Y \leq 100 \tag{19}$ which is our lead example with a minus in the utility function. In this case  $MRS(X,Y) = -\frac{-Y}{-X}$ so we will be solving the same system as before. The difference is that in this case we are solving for the minimum utility. The maximum utility in this case is achieved by  $X^* = Y^* = 0$ . This pitfall can be avoided by computing the second order condition.

Now please help to re-explain this.

Please highlight all the fancy terms and abbreviations.



Let's break this down and make sense of it step-by-step, especially highlighting the **fancy terms** and **abbreviations**.



## What's Happening in This Example?

The problem introduces a **pitfall** in using the **MRS** (**Marginal Rate of Substitution**) and the **tangency condition** as a method for solving optimization problems. The main takeaway here is that blindly using these conditions **doesn't always quarantee the optimal solution**.

Here's what they're trying to say:

## **Key Terms and Abbreviations:**

- 1. **Utility Function**: A mathematical expression that represents the "happiness" or "satisfaction" a person gets from consuming certain quantities of two goods (X and Y).
  - $\circ$  Normally,  $U(X,Y) = X \cdot Y$  would maximize happiness.
  - $\circ$  Here,  $U(X,Y)=-X\cdot Y$ , meaning **we're minimizing happiness** (we'll explain why this is weird below).
- 2. **MRS (Marginal Rate of Substitution):** This tells us the rate at which someone is willing to substitute one good (X) for another (Y) while staying equally happy.
  - Formula here:

$$MRS(X,Y) = -\frac{Y}{X}$$

• In this weird case with a negative utility function, it becomes:

$$MRS(X,Y) = -rac{-Y}{-X} = rac{Y}{X}$$

- 3. **Tangency Condition**: This is the idea that at the optimal point, the slope of the **indifference curve** (the curve that shows equal levels of happiness) is equal to the slope of the **budget line**. It's like saying: "You're spending your money perfectly efficiently for maximum happiness."
  - But here, the tangency condition **fails** because the utility function behaves differently.
- 4. **Budget Constraint**: This is the condition that limits how much of X and Y you can afford, given a total "budget" (in this case, 100):

$$X + 4Y < 100$$

5. **Second-Order Condition**: A mathematical check that ensures the solution you find is a **maximum** (highest point of happiness) and not a **minimum** (lowest point of happiness). Think of this as making sure you're climbing a hill, not falling into a valley.

#### What's the Problem Here?

In this example, the utility function is **negative**:  $-X \cdot Y$ . This means that instead of trying to maximize happiness, you're minimizing it (weird, right?).

- When you apply the **tangency condition**, you'll get a solution that satisfies the math, but instead of finding the happiest point, you could accidentally find the most miserable point.
- For example:

• If  $X^* = 0$  and  $Y^* = 0$ , you get the **maximum utility** for this bizarre negative utility function (because  $-0 \cdot 0 = 0$ ).

## Why Is This a Pitfall?

The **tangency condition** assumes that the utility function is set up for maximization. In this case, it fails because the utility function is flipped (negative).

This demonstrates the **pitfall** of relying on the tangency condition alone—it's not always enough. To avoid this, you need to compute the **second-order condition**, which checks whether the solution is a maximum or minimum.

## **Simple Analogy**

Imagine you're climbing a hill (normal utility function). The tangency condition helps you find the peak of the hill, where you're happiest. But now imagine you're in a weird upside-down world where you're stuck in a valley. The tangency condition might still work mathematically, but it leads you to the lowest point instead of the peak. That's why you need extra checks (the second-order condition) to figure out what's really going on.

## The Main Takeaway

- 1. Tangency condition (MRS = slope of the budget line) doesn't always give the **optimal solution** if the problem is set up strangely (like minimizing utility instead of maximizing it).
- 2. Use the **second-order condition** to double-check whether you're finding a maximum (happy peak) or a minimum (sad valley).
- 3. Be cautious with **negative utility functions**—they can flip your intuition upside down!

Does this make things clearer? 😊



The equation (19) is mathematical. How I read it in English?



Here's how you can read Equation (19) in plain English:

$$\max_{X,Y} - X \cdot Y \text{ s.t. } X + 4Y \leq 100$$

#### **Translation:**

"Maximize negative X times Y, subject to the constraint that X plus four times Y is less than or equal to 100."

Or even more conversationally:

"Find the values of X and Y that make  $-X\cdot Y$  as big as possible, while keeping the total of X and four times Y within 100."



## **Breaking It Down:**

- 1.  $\max_{X,Y} -X \cdot Y$ :
  - o "Maximize" means we're looking for the highest possible value.
  - $\circ$   $-X\cdot Y$  is the objective (what we're optimizing). In this case, it's a negative product of X and Y, which means we're minimizing their product in the usual sense (since multiplying by a negative flips the goal).
- 2. s.t. (Subject to):
  - This introduces the **constraint**, a condition that limits the possible solutions.
- 3.  $X + 4Y \le 100$ :
  - $\circ$  This says that X (the first good) and 4Y (four times the second good) together cannot exceed 100.

## Why It's a Bit Odd

Normally, you'd maximize  $X \cdot Y$  to find the *greatest happiness*. But since there's a minus sign  $(-X \cdot Y)$ , you're essentially working with a negative objective, which flips the usual logic. You're minimizing happiness here—something economists don't often talk about because it's counterintuitive!

So, when reading it, you might emphasize the oddity: **"Maximize negative** X **times** Y" to draw attention to the unusual setup.  $\bigcirc$ 



so, can you show what the "Second-Order Condition" look like?



Sure! Let's dive into what the **Second-Order Condition (SOC)** looks like and how it's applied. This is a mathematical check to ensure whether the solution you found is a **maximum** (the peak) or a **minimum** (the valley).

## 1. Why Do We Need the Second-Order Condition?

The **First-Order Conditions (FOC)** (e.g., setting derivatives equal to zero) only find the **critical points** (where the slope is zero). These points can be:

- A **maximum** (highest value, like the top of a hill),
- A **minimum** (lowest value, like the bottom of a valley),
- Or even a **saddle point** (neither a max nor a min).

To figure out **which one** it is, we use the **Second-Order Condition**.

### 2. The Second-Order Condition for Two Variables

For a utility function U(X,Y), the SOC involves analyzing the **Hessian matrix**, which is a matrix of second derivatives. The Hessian helps us understand the curvature of the function at the critical points.

#### The Hessian Matrix:

$$H = egin{bmatrix} rac{\partial^2 U}{\partial X^2} & rac{\partial^2 U}{\partial X \partial Y} \ rac{\partial^2 U}{\partial Y \partial X} & rac{\partial^2 U}{\partial Y^2} \end{bmatrix}$$

Where:

- $\begin{array}{l} \bullet \quad \frac{\partial^2 U}{\partial X^2} \text{ is the second derivative of } U \text{ with respect to } X. \\ \bullet \quad \frac{\partial^2 U}{\partial Y^2} \text{ is the second derivative of } U \text{ with respect to } Y. \\ \bullet \quad \frac{\partial^2 U}{\partial X \partial Y} \text{ (and } \frac{\partial^2 U}{\partial Y \partial X} \text{) are the mixed second derivatives.} \end{array}$

### **Determining Max, Min, or Saddle Point:**

• Compute the **determinant** of the Hessian: det(H).

$$\det(H) = \left(rac{\partial^2 U}{\partial X^2} \cdot rac{\partial^2 U}{\partial Y^2}
ight) - \left(rac{\partial^2 U}{\partial X \partial Y}
ight)^2$$

- Look at the signs of:
  - 1. The determinant  $\det(H)$ ,
  - 2. The leading principal minor  $\frac{\partial^2 U}{\partial X^2}$ .

#### **Rules:**

- 1. Maximum:
  - $\circ \det(H) > 0$
  - $\circ \frac{\partial^2 U}{\partial X^2} < 0$  (both eigenvalues of H are negative, meaning the curve bends down).
- 2. Minimum:

  - $\circ \stackrel{\partial^2 U}{\partial X^2} > 0$  (both eigenvalues of H are positive, meaning the curve bends up).
- 3. Saddle Point:
  - $\circ \det(H) < 0$  (mixed behavior—neither a max nor a min).

# 3. Applying the SOC to $U(X,Y) = -X \cdot Y$

For this specific example:

$$U(X,Y) = -X \cdot Y$$

First, compute the second derivatives:

- $\begin{array}{l} \bullet \ \ \frac{\partial^2 U}{\partial X^2} = 0 \ \mbox{(no curvature in } X \ \mbox{direction)}. \\ \bullet \ \ \frac{\partial^2 U}{\partial Y^2} = 0 \ \mbox{(no curvature in } Y \ \mbox{direction)}. \\ \bullet \ \ \frac{\partial^2 U}{\partial X \partial Y} = -1. \end{array}$

The Hessian matrix becomes:

$$H = \begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}$$

Compute the determinant:

$$\det(H) = (0 \cdot 0) - (-1)^2 = -1$$

Here:

•  $\det(H) < 0$ , meaning this is a **saddle point** (neither a max nor a min).

## 4. Key Insight for This Example

Since  $U(X,Y)=-X\cdot Y$  is a strange function (it's negative), you need to use the SOC to confirm whether the solution is:

- A maximum utility (if you flip the signs),
- A minimum utility (if you solve directly).

The SOC saves you from mistakenly thinking you've found a peak when it's actually a valley.

## **Summary**

The **Second-Order Condition** uses the Hessian matrix to analyze the curvature of the utility function at critical points. By checking the determinant and leading principal minors, you can determine if the point is a maximum, minimum, or saddle point. For  $U(X,Y)=-X\cdot Y$ , the SOC reveals a **saddle point**, so the solution needs extra care!  $\bigcirc$