

# **Bayesian Inference Explained**

#### ChatGPT said:



To solve the problem, the core concepts involved are:

- 1. **Bayesian Inference**: Updating the probability of a hypothesis based on new evidence.
- 2. **Prior Probability**: The initial belief about the likelihood of an event before considering new evidence.
- 3. **Conditional Probability**: The probability of an event given that another event has occurred.
- 4. **Complementary Events**: Events that are mutually exclusive and exhaustive, meaning one event happening excludes the other.

## **Detailed Steps to Obtain the Final Solution**

Let's go through the problem step by step, applying these concepts.

## 1. Identify the Events and Probabilities

- Let **O** represent the event that you left your wallet in the office.
- Let **F** represent the event that you left your wallet at your friend's place.
- Let Call represent the event that you receive a call from someone who found your wallet.

#### Given:

- P(O): Prior probability that you left your wallet in the office.
- P(F): Prior probability that you left your wallet at your friend's place.
- $P(Call^C|O)$ : Probability that you do **not** receive a call given that your wallet is in the office.
- $P(Call^C|F)$ : Probability that you do **not** receive a call given that your wallet is at your friend's place.

You want to find the updated probability that your wallet is in the office given that you have **not** received a call, i.e.,  $P(O|Call^C)$ .

### 2. Apply Bayes' Theorem

Bayes' Theorem states:

$$P(O|Call^C) = rac{P(Call^C|O) \cdot P(O)}{P(Call^C)}$$

Where  $P(Call^C)$  is the total probability of not receiving a call, which can be computed using the law of total probability:

$$P(Call^C) = P(Call^C|O) \cdot P(O) + P(Call^C|F) \cdot P(F)$$

So, substituting  $P(Call^C)$  into Bayes' Theorem:

$$P(O|Call^C) = rac{P(Call^C|O) \cdot P(O)}{P(Call^C|O) \cdot P(O) + P(Call^C|F) \cdot P(F)}$$

## 3. Plug in the Given Values

Let's assume the following values based on the problem description:

- P(O)=0.5: You initially think it's equally likely that your wallet is in the office or at your friend's place.
- P(F) = 0.5: Thus, P(F) = 1 P(O) = 0.5.
- $P(Call^C|O)=0.95$ : There's a 95% chance that you won't receive a call if your wallet is in the office.
- $P(Call^C|F)=0.8$ : There's an 80% chance that you won't receive a call if your wallet is at your friend's place.

## 4. Calculate the Posterior Probability

Now, substitute the values into the Bayes' formula:

$$P(O|Call^C) = rac{0.95 imes 0.5}{(0.95 imes 0.5) + (0.8 imes 0.5)}$$

Simplify the expression:

$$P(O|Call^C) = rac{0.475}{0.475 + 0.4} = rac{0.475}{0.875} pprox 0.543$$

### 5. Interpret the Result

The final result,  $P(O|Call^C) \approx 0.543$ , indicates that after considering the fact that you have not received a call, there is about a 54.3% chance that your wallet is in the office. This is an update from your prior belief (which was 50%) based on the new evidence (not receiving a call).

# **Summary**

- **Bayesian Inference** allows you to update your belief about where your wallet is based on the evidence (no call).
- The **Prior Probability** represents your initial belief before the evidence.
- The **Conditional Probability** accounts for how likely the evidence is depending on where your wallet is.
- By applying **Bayes' Theorem**, you obtain an updated (posterior) probability that your wallet is in the office, incorporating the fact that no one has called you.

Is this conversation helpful so far?