

# Assignment-1(using Kaggle dataset)

## 1) Load dataset into a SQL database

```
C:\Users\radha>"C:\Program Files\MySQL\MySQL Server 8.0\bin\mysql.exe" -u root -p superstore_db --default-character-set=latin1 -e "SELECT COUNT(*) AS total_
rows_loaded FROM superstore; SELECT MIN(order_date) AS first_order, MAX(order_date) AS last_order FROM superstore;"
Enter password: *****
+-----+
| total_rows_loaded |
+-----+
|          9994     |
+-----+
+-----+-----+
| first_order | last_order |
+-----+-----+
| 2014-01-03  | 2017-12-30 |
+-----+-----+
```

## 2) Explore table (schema, sample data)

```
mysql> SELECT COUNT(*) AS total_rows FROM superstore;
+-----+
| total_rows |
+-----+
|          9994 |
+-----+
1 row in set (0.05 sec)
```

```
mysql> DESCRIBE superstore;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| row_id         | int           | YES  |     | NULL    |       |
| order_id       | varchar(20)   | YES  |     | NULL    |       |
| order_date     | date         | YES  |     | NULL    |       |
| ship_date      | date         | YES  |     | NULL    |       |
| ship_mode      | varchar(50)   | YES  |     | NULL    |       |
| customer_id    | varchar(20)   | YES  |     | NULL    |       |
| customer_name  | varchar(100)  | YES  |     | NULL    |       |
| segment        | varchar(50)   | YES  |     | NULL    |       |
| country        | varchar(50)   | YES  |     | NULL    |       |
| city           | varchar(100)  | YES  |     | NULL    |       |
| state          | varchar(100)  | YES  |     | NULL    |       |
| postal_code    | varchar(20)   | YES  |     | NULL    |       |
| region         | varchar(50)   | YES  |     | NULL    |       |
| product_id     | varchar(30)   | YES  |     | NULL    |       |
| category       | varchar(50)   | YES  |     | NULL    |       |
| sub_category   | varchar(50)   | YES  |     | NULL    |       |
| product_name   | varchar(255)  | YES  |     | NULL    |       |
| sales          | decimal(12,4) | YES  |     | NULL    |       |
| quantity       | int           | YES  |     | NULL    |       |
| discount       | decimal(5,4)  | YES  |     | NULL    |       |
| profit         | decimal(12,4) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
21 rows in set (0.09 sec)
```

```
mysql> SELECT category,
->         ROUND(SUM(sales),2) AS total_sales,
->         ROUND(SUM(profit),2) AS total_profit
-> FROM superstore
-> GROUP BY category
-> ORDER BY total_sales DESC;
```

| category        | total_sales | total_profit |
|-----------------|-------------|--------------|
| Technology      | 836154.03   | 145454.95    |
| Furniture       | 741999.80   | 18451.27     |
| Office Supplies | 719047.03   | 122490.80    |

3 rows in set (0.01 sec)

```
mysql> SELECT region,
->         ROUND(SUM(sales),2) AS total_sales,
->         ROUND(SUM(profit),2) AS total_profit
-> FROM superstore
-> GROUP BY region
-> ORDER BY total_sales DESC;
```

| region  | total_sales | total_profit |
|---------|-------------|--------------|
| West    | 725457.82   | 108418.45    |
| East    | 678781.24   | 91522.78     |
| Central | 501239.89   | 39706.36     |
| South   | 391721.91   | 46749.43     |

4 rows in set (0.01 sec)

3) Apply WHERE filters (region, category, date, sales).

```
mysql> SELECT order_id, customer_name, region, sales, profit
-> FROM superstore
-> WHERE region = 'West';
```

| order_id       | customer_name      | region | sales     | profit   |
|----------------|--------------------|--------|-----------|----------|
| CA-2016-138688 | Darrin Van Huff    | West   | 14.6200   | 6.8714   |
| CA-2014-115812 | Brosina Hoffman    | West   | 48.8600   | 14.1694  |
| CA-2014-115812 | Brosina Hoffman    | West   | 7.2800    | 1.9656   |
| CA-2014-115812 | Brosina Hoffman    | West   | 907.1520  | 90.7152  |
| CA-2014-115812 | Brosina Hoffman    | West   | 18.5040   | 5.7825   |
| CA-2014-115812 | Brosina Hoffman    | West   | 114.9000  | 34.4700  |
| CA-2014-115812 | Brosina Hoffman    | West   | 1706.1840 | 85.3092  |
| CA-2014-115812 | Brosina Hoffman    | West   | 911.4240  | 68.3568  |
| CA-2016-161389 | Irene Maddox       | West   | 407.9760  | 132.5922 |
| CA-2014-167164 | Alejandro Grove    | West   | 55.5000   | 9.9900   |
| CA-2014-143336 | Zuschuss Donatelli | West   | 8.5600    | 2.4824   |
| CA-2014-143336 | Zuschuss Donatelli | West   | 213.4800  | 16.0110  |
| CA-2014-143336 | Zuschuss Donatelli | West   | 22.7200   | 7.3840   |
| CA-2015-106320 | Emily Burns        | West   | 1044.6300 | 240.2649 |
| CA-2016-121755 | Eric Hoffmann      | West   | 11.6480   | 4.2224   |
| CA-2016-121755 | Eric Hoffmann      | West   | 90.5700   | 11.7741  |
| CA-2016-101343 | Ruben Ausman       | West   | 77.8800   | 3.8940   |
| CA-2015-135545 | Kunst Miller       | West   | 13.9800   | 6.1512   |
| CA-2015-135545 | Kunst Miller       | West   | 25.8240   | 9.3612   |
| CA-2015-135545 | Kunst Miller       | West   | 146.7300  | 68.9631  |
| CA-2015-135545 | Kunst Miller       | West   | 79.7600   | 22.3328  |
| CA-2014-106376 | Brendan Sweed      | West   | 1113.0240 | 111.3024 |
| CA-2014-106376 | Brendan Sweed      | West   | 167.9680  | 62.9880  |
| CA-2014-139451 | Duane Noonan       | West   | 14.9000   | 4.1720   |
| CA-2014-139451 | Duane Noonan       | West   | 21.3900   | 6.2031   |
| CA-2016-109806 | Jim Sink           | West   | 20.1000   | 6.6330   |

```
mysql> SELECT order_id, category, sub_category, sales, quantity
-> FROM superstore
-> WHERE category = 'Technology';
```

| order_id       | category   | sub_category | sales     | quantity |
|----------------|------------|--------------|-----------|----------|
| CA-2014-115812 | Technology | Phones       | 907.1520  | 6        |
| CA-2014-115812 | Technology | Phones       | 911.4240  | 4        |
| CA-2014-143336 | Technology | Phones       | 213.4800  | 3        |
| CA-2016-121755 | Technology | Accessories  | 90.5700   | 3        |
| CA-2016-117590 | Technology | Phones       | 1097.5440 | 7        |
| CA-2015-117415 | Technology | Phones       | 371.1680  | 4        |
| CA-2017-120999 | Technology | Phones       | 147.1680  | 4        |
| CA-2016-118255 | Technology | Accessories  | 45.9800   | 2        |
| CA-2016-169194 | Technology | Accessories  | 45.0000   | 3        |
| CA-2016-169194 | Technology | Phones       | 21.8000   | 2        |
| CA-2016-105816 | Technology | Phones       | 1029.9500 | 5        |
| CA-2016-111682 | Technology | Accessories  | 30.0000   | 2        |
| CA-2015-135545 | Technology | Accessories  | 13.9800   | 2        |
| CA-2014-106376 | Technology | Phones       | 167.9680  | 4        |
| CA-2017-155558 | Technology | Accessories  | 19.9900   | 1        |
| CA-2016-109806 | Technology | Phones       | 73.5840   | 2        |
| CA-2016-158568 | Technology | Accessories  | 95.9760   | 3        |
| US-2015-156867 | Technology | Accessories  | 238.8960  | 6        |
| CA-2017-119004 | Technology | Accessories  | 74.1120   | 8        |
| CA-2017-119004 | Technology | Phones       | 27.9920   | 1        |
| CA-2015-129476 | Technology | Accessories  | 339.9600  | 5        |
| CA-2016-103730 | Technology | Phones       | 68.0400   | 7        |
| US-2017-164147 | Technology | Phones       | 59.9700   | 5        |
| CA-2016-114489 | Technology | Phones       | 384.4500  | 11       |
| CA-2016-114489 | Technology | Phones       | 149.9700  | 3        |
| CA-2016-158834 | Technology | Phones       | 203.1840  | 2        |
| CA-2016-114104 | Technology | Phones       | 944.9300  | 7        |
| CA-2015-119697 | Technology | Accessories  | 54.3840   | 2        |
| CA-2014-139892 | Technology | Machines     | 8159.9520 | 8        |
| CA-2014-139892 | Technology | Phones       | 143.9760  | 3        |
| CA-2014-166191 | Technology | Accessories  | 408.7440  | 7        |
| CA-2014-158274 | Technology | Phones       | 503.9600  | 4        |
| CA-2014-158274 | Technology | Phones       | 149.9500  | 5        |

```
mysql> SELECT order_id, order_date, customer_name, sales
-> FROM superstore
-> WHERE order_date >= '2017-01-01'
-> AND order_date < '2018-01-01';
```

| order_id       | order_date | customer_name      | sales    |
|----------------|------------|--------------------|----------|
| CA-2017-114412 | 2017-04-15 | Andrew Allen       | 15.5520  |
| US-2017-156909 | 2017-07-16 | Sandra Flanagan    | 71.3720  |
| CA-2017-107727 | 2017-10-19 | Matt Abelman       | 29.4720  |
| CA-2017-120999 | 2017-09-10 | Linda Cazamias     | 147.1680 |
| CA-2017-139619 | 2017-09-19 | Erin Smith         | 95.6160  |
| CA-2017-114440 | 2017-09-14 | Tracy Blumstein    | 19.0500  |
| US-2017-118038 | 2017-12-09 | Ken Brennan        | 1.2480   |
| US-2017-118038 | 2017-12-09 | Ken Brennan        | 9.7080   |
| US-2017-118038 | 2017-12-09 | Ken Brennan        | 27.2400  |
| US-2017-119662 | 2017-11-13 | Christopher Schild | 230.3760 |
| CA-2017-140088 | 2017-05-28 | Patrick O'Donnell  | 301.9600 |
| CA-2017-155558 | 2017-10-26 | Paul Gonzalez      | 19.9900  |
| CA-2017-155558 | 2017-10-26 | Paul Gonzalez      | 6.1600   |
| US-2017-109484 | 2017-11-06 | Roger Barcio       | 5.6820   |
| CA-2017-161018 | 2017-11-09 | Parhena Norris     | 96.5300  |
| CA-2017-157833 | 2017-06-17 | Katherine Ducich   | 51.3120  |
| CA-2017-119004 | 2017-11-23 | Janet Martin       | 74.1120  |
| CA-2017-119004 | 2017-11-23 | Janet Martin       | 27.9920  |
| CA-2017-119004 | 2017-11-23 | Janet Martin       | 3.3040   |
| CA-2017-146780 | 2017-12-25 | Cynthia Voltz      | 41.9600  |
| US-2017-107272 | 2017-11-05 | Troy Staebel       | 2.3880   |
| US-2017-107272 | 2017-11-05 | Troy Staebel       | 243.9920 |
| US-2017-164147 | 2017-02-02 | Dorothy Wardle     | 59.9700  |
| US-2017-164147 | 2017-02-02 | Dorothy Wardle     | 78.3040  |
| US-2017-164147 | 2017-02-02 | Dorothy Wardle     | 21.4560  |
| CA-2017-106180 | 2017-09-18 | Sally Hughsby      | 8.8200   |
| CA-2017-106180 | 2017-09-18 | Sally Hughsby      | 10.8600  |
| CA-2017-106180 | 2017-09-18 | Sally Hughsby      | 143.7000 |
| CA-2017-155376 | 2017-12-22 | Sandra Glassco     | 839.4300 |

4) Use GROUP BY for aggregations (sales, quantity, averages).

```
mysql> SELECT category,
-> ROUND(SUM(sales), 2) AS total_sales,
-> ROUND(SUM(profit), 2) AS total_profit
-> FROM superstore
-> GROUP BY category
-> ORDER BY total_sales DESC;
```

| category        | total_sales | total_profit |
|-----------------|-------------|--------------|
| Technology      | 836154.03   | 145454.95    |
| Furniture       | 741999.80   | 18451.27     |
| Office Supplies | 719047.03   | 122490.80    |

3 rows in set (0.04 sec)

```
mysql> SELECT region,
->         ROUND(SUM(sales), 2) AS total_sales,
->         ROUND(SUM(profit), 2) AS total_profit
-> FROM superstore
-> GROUP BY region
-> ORDER BY total_sales DESC;
```

| region  | total_sales | total_profit |
|---------|-------------|--------------|
| West    | 725457.82   | 108418.45    |
| East    | 678781.24   | 91522.78     |
| Central | 501239.89   | 39706.36     |
| South   | 391721.91   | 46749.43     |

4 rows in set (0.02 sec)

```
mysql> SELECT category,
->         SUM(quantity) AS total_quantity
-> FROM superstore
-> GROUP BY category
-> ORDER BY total_quantity DESC;
```

| category        | total_quantity |
|-----------------|----------------|
| Office Supplies | 22906          |
| Furniture       | 8028           |
| Technology      | 6939           |

3 rows in set (0.01 sec)

```
mysql> SELECT segment,
->         ROUND(AVG(sales), 2) AS avg_sales,
->         ROUND(AVG(profit), 2) AS avg_profit,
->         COUNT(*) AS total_orders
-> FROM superstore
-> GROUP BY segment
-> ORDER BY avg_sales DESC;
```

| segment     | avg_sales | avg_profit | total_orders |
|-------------|-----------|------------|--------------|
| Home Office | 240.97    | 33.82      | 1783         |
| Corporate   | 233.82    | 30.46      | 3020         |
| Consumer    | 223.73    | 25.84      | 5191         |

3 rows in set (0.02 sec)

## 5) Sort and limit results (top products, top categories).

```
mysql> SELECT product_name,
->      ROUND(SUM(sales), 2) AS total_sales
-> FROM superstore
-> GROUP BY product_name
-> ORDER BY total_sales DESC
-> LIMIT 10;
+-----+
--+-----+
| product_name |
| total_sales |
+-----+
+-----+
| Canon imageCLASS 2200 Advanced Copier |
| 61599.82 |
| Fellowes PB500 Electric Punch Plastic Comb Binding Machine with Manual Binding |
| 27453.38 |
| Cisco TelePresence System EX90 Videoconferencing Unit |
| 22638.48 |
| HON 5400 Series Task Chairs for Big and Tall |
| 21870.58 |
| GBC DocuBind TL300 Electric Binding System |
| 19823.48 |
| GBC Ibimaster 500 Manual ProClick Binding System |
| 19024.50 |
| Hewlett Packard LaserJet 3310 Copier |
| 18839.69 |
| HP Designjet T520 Inkjet Large Format Printer - 24" Color |
| 18374.90 |
| GBC DocuBind P400 Electric Binding System |
| 17965.07 |
| High Speed Automatic Electric Letter Opener |
| 17030.31 |
+-----+
--+-----+
10 rows in set (0.06 sec)
```

```
mysql> SELECT product_name,
->      ROUND(SUM(profit), 2) AS total_profit
-> FROM superstore
-> GROUP BY product_name
-> ORDER BY total_profit DESC
-> LIMIT 10;
+-----+
--+-----+
| product_name |
| total_profit |
+-----+
+-----+
| Canon imageCLASS 2200 Advanced Copier |
| 25199.93 |
| Fellowes PB500 Electric Punch Plastic Comb Binding Machine with Manual Binding |
| 7753.04 |
| Hewlett Packard LaserJet 3310 Copier |
| 6983.88 |
| Canon PC1060 Personal Laser Copier |
| 4570.93 |
| HP Designjet T520 Inkjet Large Format Printer - 24" Color |
| 4094.98 |
| Ativa V4110MDD Micro-Cut Shredder |
| 3772.95 |
| 3D Systems Cube Printer, 2nd Generation, Magenta |
| 3717.97 |
| Plantronics Savi W720 Multi-Device Wireless Headset System |
| 3696.28 |
| Ibico EPK-21 Electric Binding System |
| 3345.28 |
| Zebra ZM400 Thermal Label Printer |
| 3343.54 |
+-----+
--+-----+
10 rows in set (0.02 sec)
```

```
mysql> SELECT category,
->         ROUND(SUM(sales), 2) AS total_sales
-> FROM superstore
-> GROUP BY category
-> ORDER BY total_sales DESC;
```

| category        | total_sales |
|-----------------|-------------|
| Technology      | 836154.03   |
| Furniture       | 741999.80   |
| Office Supplies | 719047.03   |

3 rows in set (0.02 sec)

```
mysql> SELECT sub_category,
->         ROUND(SUM(sales), 2) AS total_sales
-> FROM superstore
-> GROUP BY sub_category
-> ORDER BY total_sales DESC
-> LIMIT 5;
```

| sub_category | total_sales |
|--------------|-------------|
| Phones       | 330007.05   |
| Chairs       | 328449.10   |
| Storage      | 223843.61   |
| Tables       | 206965.53   |
| Binders      | 203412.73   |

5 rows in set (0.01 sec)

```
mysql> SELECT sub_category,
->          ROUND(SUM(profit), 2) AS total_profit
-> FROM superstore
-> GROUP BY sub_category
-> ORDER BY total_profit ASC
-> LIMIT 5;
```

| sub_category | total_profit |
|--------------|--------------|
| Tables       | -17725.48    |
| Bookcases    | -3472.56     |
| Supplies     | -1189.10     |
| Fasteners    | 949.52       |
| Machines     | 3384.76      |

5 rows in set (0.01 sec)

6) Solve use cases (monthly trends, top customers, duplicates).

```
mysql> SELECT DATE_FORMAT(order_date, '%Y-%m') AS month,
->          ROUND(SUM(sales), 2) AS monthly_sales,
->          ROUND(SUM(profit), 2) AS monthly_profit,
->          COUNT(DISTINCT order_id) AS orders_placed
-> FROM superstore
-> GROUP BY month
-> ORDER BY month;
```

| month   | monthly_sales | monthly_profit | orders_placed |
|---------|---------------|----------------|---------------|
| 2014-01 | 14236.90      | 2450.19        | 32            |
| 2014-02 | 4519.89       | 862.31         | 28            |
| 2014-03 | 55691.01      | 498.73         | 71            |
| 2014-04 | 28295.35      | 3488.84        | 66            |
| 2014-05 | 23648.29      | 2738.71        | 69            |
| 2014-06 | 34595.13      | 4976.52        | 66            |
| 2014-07 | 33946.39      | -841.48        | 65            |
| 2014-08 | 27909.47      | 5318.11        | 72            |
| 2014-09 | 81777.35      | 8328.10        | 130           |
| 2014-10 | 31453.39      | 3448.26        | 78            |
| 2014-11 | 78628.72      | 9292.13        | 151           |
| 2014-12 | 69545.62      | 8983.57        | 141           |
| 2015-01 | 18174.08      | -3281.01       | 29            |
| 2015-02 | 11951.41      | 2813.85        | 36            |
| 2015-03 | 38726.25      | 9732.10        | 79            |
| 2015-04 | 34195.21      | 4187.50        | 72            |
| 2015-05 | 30131.69      | 4667.87        | 74            |
| 2015-06 | 24797.29      | 3335.56        | 68            |
| 2015-07 | 28765.33      | 3288.65        | 66            |
| 2015-08 | 36898.33      | 5355.81        | 68            |
| 2015-09 | 64595.92      | 8209.16        | 140           |
| 2015-10 | 31404.92      | 2817.37        | 87            |
| 2015-11 | 75972.56      | 12474.79       | 158           |

```
mysql> SELECT YEAR(order_date)          AS year,
->      ROUND(SUM(sales), 2)           AS annual_sales,
->      ROUND(SUM(profit), 2)          AS annual_profit,
->      COUNT(DISTINCT order_id)       AS total_orders
-> FROM superstore
-> GROUP BY year
-> ORDER BY year;
```

| year | annual_sales | annual_profit | total_orders |
|------|--------------|---------------|--------------|
| 2014 | 484247.50    | 49543.97      | 969          |
| 2015 | 470532.51    | 61618.60      | 1038         |
| 2016 | 609205.60    | 81795.17      | 1315         |
| 2017 | 733215.26    | 93439.27      | 1687         |

4 rows in set (0.02 sec)

```
mysql> SELECT customer_name,
->      ROUND(SUM(sales), 2) AS total_sales,
->      ROUND(SUM(profit), 2) AS total_profit,
->      COUNT(DISTINCT order_id) AS total_orders
-> FROM superstore
-> GROUP BY customer_id, customer_name
-> ORDER BY total_sales DESC
-> LIMIT 10;
```

| customer_name      | total_sales | total_profit | total_orders |
|--------------------|-------------|--------------|--------------|
| Sean Miller        | 25043.05    | -1980.74     | 5            |
| Tamara Chand       | 19052.22    | 8981.32      | 5            |
| Raymond Buch       | 15117.34    | 6976.10      | 6            |
| Tom Ashbrook       | 14595.62    | 4703.79      | 4            |
| Adrian Barton      | 14473.57    | 5444.81      | 10           |
| Ken Lonsdale       | 14175.23    | 806.86       | 12           |
| Sanjit Chand       | 14142.33    | 5757.41      | 9            |
| Hunter Lopez       | 12873.30    | 5622.43      | 6            |
| Sanjit Engle       | 12209.44    | 2650.68      | 11           |
| Christopher Conant | 12129.07    | 2177.05      | 5            |

10 rows in set (0.03 sec)

```
mysql> SELECT order_id, product_id,
-> COUNT(*) AS duplicate_count
-> FROM superstore
-> GROUP BY order_id, product_id
-> HAVING COUNT(*) > 1
-> LIMIT 10;
```

| order_id       | product_id      | duplicate_count |
|----------------|-----------------|-----------------|
| CA-2016-129714 | OFF-PA-10001970 | 2               |
| US-2016-123750 | TEC-AC-10004659 | 2               |
| CA-2016-137043 | FUR-FU-10003664 | 2               |
| CA-2017-152912 | OFF-ST-10003208 | 2               |
| US-2014-150119 | FUR-CH-10002965 | 2               |
| CA-2015-103135 | OFF-BI-10000069 | 2               |
| CA-2017-118017 | TEC-AC-10002006 | 2               |
| CA-2016-140571 | OFF-PA-10001954 | 2               |

8 rows in set (0.02 sec)

7) Validate results (row counts, data quality).

```
mysql> SELECT COUNT(*) AS total_rows
-> FROM superstore;
```

| total_rows |
|------------|
| 9994       |

1 row in set (0.09 sec)

```
mysql> SELECT
-> SUM(CASE WHEN order_id IS NULL THEN 1 ELSE 0 END) AS null_order_id,
-> SUM(CASE WHEN customer_id IS NULL THEN 1 ELSE 0 END) AS null_customer_id,
-> SUM(CASE WHEN order_date IS NULL THEN 1 ELSE 0 END) AS null_order_date,
-> SUM(CASE WHEN sales IS NULL THEN 1 ELSE 0 END) AS null_sales,
-> SUM(CASE WHEN profit IS NULL THEN 1 ELSE 0 END) AS null_profit,
-> SUM(CASE WHEN product_name IS NULL THEN 1 ELSE 0 END) AS null_product_name
-> FROM superstore;
```

| null_order_id | null_customer_id | null_order_date | null_sales | null_profit | null_product_name |
|---------------|------------------|-----------------|------------|-------------|-------------------|
| 0             | 0                | 0               | 0          | 0           | 0                 |

1 row in set (0.02 sec)

```
mysql> SELECT COUNT(*) AS negative_sales
-> FROM superstore
-> WHERE sales < 0;
+-----+
| negative_sales |
+-----+
|                0 |
+-----+
1 row in set (0.01 sec)
```

```
mysql> SELECT COUNT(*) AS invalid_discount
-> FROM superstore
-> WHERE discount < 0 OR discount > 1;
+-----+
| invalid_discount |
+-----+
|                0 |
+-----+
1 row in set (0.02 sec)
```

```
mysql> SELECT
-> COUNT(DISTINCT region) AS unique_regions,
-> COUNT(DISTINCT category) AS unique_categories,
-> COUNT(DISTINCT sub_category) AS unique_sub_categories,
-> COUNT(DISTINCT segment) AS unique_segments,
-> COUNT(DISTINCT ship_mode) AS unique_ship_modes,
-> COUNT(DISTINCT state) AS unique_states
-> FROM superstore;
+-----+-----+-----+-----+-----+-----+
| unique_regions | unique_categories | unique_sub_categories | unique_segments | unique_ship_modes | unique_states |
+-----+-----+-----+-----+-----+-----+
| 4 | 3 | 17 | 3 | 4 | 49 |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.03 sec)
```

```
mysql> SELECT MIN(order_date) AS first_order,
-> MAX(order_date) AS last_order
-> FROM superstore;
+-----+-----+
| first_order | last_order |
+-----+-----+
| 2014-01-03 | 2017-12-30 |
+-----+-----+
1 row in set (0.01 sec)
```