Day > Mor Date : 13	-4-2020 WT ASSIGNMENT QUESTIONS 174N1A0584 TIT'S B.Tech CSE-C Sec
er sellen en er en	Ulrite a code for below image using HTML Forms
distribution of the second of	wti. html - 57 x
	Name Email
	Phone Website
	Subject
and the property of the section of the	Message
Processing and the second seco	
o Adaly i a gold delini y Nejindend polend privêz madpoden	Send Menage
wt1.htm file	<pre><html></html></pre>
	<pre><body> <formaction "page.html"="" ==""></formaction></body></pre>
And the second s	<pre>< input type = "text" placeholder = "Name"/> < input type = text" placeholder = "Email"/> </pre>
economies and	<pre><input placeholder="Phone" type="text"/> <input placeholder="Nebsite" type="text"/> </pre>
	<pre><input placeholder="subject" size="45" type="text"/> </pre>
	<pre><textarea cols="45" name="message" placeholder="Message" rows="5"></pre></td></tr><tr><td></td><td><pre></pre> <pre></pre> <pre></pre> <pre> <input type = "submit" value = "send Message" > </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <</td></tr></tbody></table></textarea></pre>

Scanned with CamScanner

page him file your information is sent successfully a. How to weate dropdown list in himl Drop down list also known as drop down menu, allows user to choose one value from a list. Example: <html> < body > < h2> Select course < /h2> < form action = "page1.html"> < label for= "course" > choose your course: < llabel> < relect id = "course" name = "course" > < option value = " CSE " > CSE < (option > < option value = "ECE" > ECE </option > < option value = "EEE" > FEE </option> < option value = "BIO-TECH" > BIO-TECH < input type="submit"> </ form > < | body > </html> pagel html file your data has been received successfully - 0 x wtz.html => | CSE select course PCE charge your course: CSE Y-EEE BIO-TECH submit.

4.

3. Role of forms for designing web applications

A web form or a himl form on a web page allows a user to enter data that is sent to the server for processing. forms can resemble paper or data base forms because web users fill out the forms using check Boxes radio buttons or text fields.

Forms can be used to enter shipping or credit cand data to order a product or can be used to retrieve search results from a rearch engine.

HTML is the code that translates the design into what the browser can display. HTML is the base of any webpage. Designing starts from the HTML. The various tags elements in himl helps in building of the efficient pages and website.

In a HTML form, what is the purpose of the name attribute in an choim > tag ?

The name attribute specifies the name of an <input > element.

The name attribute is used to reference elements in a Javascript, or to reference from data after a form is submitted

syntax:

Linput name: "text">

Attribute Value

text specifies the name of the comput > element

```
4,5.
               code for below image using HTML form?
      Write
       Chtmlz
       < body >
       < form action = "pages html">
       < fieldset >
        <legend > user Information: allegend >
        <label for= "fname" > Ever name: 
        <input type = "text" id = "ename" name = "ename" ><br > <br > <br > <br > <br > 
        < label for = "epass"> forter password: </ habel > < b1 >
        cinput type - text id = epass name = epass > <bracker?
        <input type="submit" value = "submit">

A fieldset >
                            Pages. html file:-
                           your Information is stored successfully
        < 1 body >
        </ html>
      output:
                                      1
         wts. html.
             -user Information_
           Enter Name:
            kalyani
           Enter Password:
            asri
             submit
```