Solution

```
Creation of tables in columnar database
CREATE TABLE REGION (
    region_id INTEGER,
    region_desc VARCHAR(100));
CREATE TABLE SUBREGION (
  subregion id INTEGER,
    subregion_desc VARCHAR(100),
    region id INTEGER);
CREATE TABLE WAREHOUSE (
 code INTEGER,
    subregion_id INTEGER,
    region_id INTEGER);
CREATE TABLE BOOKS (
 isbn INTEGER,
 title VARCHAR(45),
 price NUMERIC(15,2));
CREATE TABLE YEAR T(
 year_id TINYINT,
 year f TINYINT );
```

```
CREATE TABLE MONTH T (
 month id TINYINT,
 month f TINYINT,
 year id );
CREATE TABLE DAY T (
Num day TINYINT,
day id TINYINT,
month id TINYINT );
CREATE TABLE FACTS TICKET (
 Sell by product TINYINT,
 Ticket number INTEGER,
 Books isbn INTEGER,
 Warehouse code INTEGER,
 Day id TINYINT );
You can use the insert code from past exercise and modify as
correspond:
INSERT INTO region(region id, region name) VALUES (1, 'america');
INSERT INTO region(region id, region name) VALUES (2,'europa');
INSERT INTO region(region id, region name) VALUES (3,'asia');
INSERT INTO region(region id, region name) VALUES (4,'africa');
INSERT INTO region(region id, region name) VALUES (5,'oceania');
-- inserts subregion
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (1,1,'north america');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (2,1,'central america');
```

```
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (3,1,'caribe');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (4,1,'south america');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (5,2,'north of europe');
INSERT INTO subregion(subregion id, region id, subregion name)
VALUES (6,2,'south of europe');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (7,2,'western europe');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (8,2,'eastern europe');
INSERT INTO subregion(subregion id, region id, subregion name)
VALUES (9,3,'northern of asia');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (10,3,'southern asia');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (11,3, 'eastern asia');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (12,3, 'central asia');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (13,3,'southeast asia');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (14,4, 'north africa');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (15,4,'southern africa');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (16,4,'west africa');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (17,4, 'east africa');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (18,4,'central africa');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (19,5, 'australia');
```

```
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (20,5, 'melanesia');
INSERT INTO subregion(subregion_id, region id, subregion name)
VALUES (21,5, 'micronesia');
INSERT INTO subregion (subregion id, region id, subregion name)
VALUES (22,5,'polynesia');
INSERT INTO year (year id, year) VALUES (1, '2017');
commit;
INSERT INTO month (month id, year id, month) VALUES
(1,1, 'january');
INSERT INTO month (month id, year id, month) VALUES
(2,1,'february');
INSERT INTO month (month id, year id, month) VALUES
(3,1,'march');
INSERT INTO month (month id, year id, month) VALUES
(4,1,'april');
INSERT INTO month (month id, year id, month) VALUES (5,1,'may');
INSERT INTO month (month id, year id, month) VALUES (6,1,'june');
INSERT INTO month (month id, year id, month) VALUES (7,1,'july');
INSERT INTO month (month id, year id, month) VALUES
(8,1, 'august');
INSERT INTO month (month id, year id, month) VALUES
(9,1, 'september');
INSERT INTO month (month id, year id, month) VALUES
(10,1,'october');
INSERT INTO month (month id, year id, month) VALUES
(11,1,'november');
INSERT INTO month (month id, year id, month) VALUES
(12,1,'december');
commit;
INSERT INTO day (day id, month id, day, num day) VALUES
(1,1, 'sunday',1);
INSERT INTO day (day id, month id, day, num day) VALUES
(2,1,'monday',2);
```

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(3,1,'tuesday',3);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (4,1,'wednesday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (5,1,'thursday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (6,1,'friday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (7,1,'saturday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (8,1,'sunday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (9,1,'monday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (10,1,'tuesday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (11,1,'wednesday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (12,1,'thursday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (13,1,'friday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (14,1,'saturday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (15,1,'sunday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (16,1,'monday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (17,1,'tuesday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (18,1,'wednesday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (19,1,'thursday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (20,1,'friday',20);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(21,1,'saturday',21);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (22,1,'sunday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (23,1,'monday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (24,1,'tuesday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (25,1,'wednesday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (26,1,'thursday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (27,1,'friday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (28,1,'saturday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (29,1,'sunday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (30,1,'monday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (31,1,'tuesday',31);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (32,2,'wednesday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (33,2,'thursday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (34,2,'friday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (35,2,'saturday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (36,2,'sunday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (37,2,'monday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (38,2,'tuesday',7);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(39,2,'wednesday',8);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (40,2,'thursday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (41,2,'friday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (42,2,'saturday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (43,2,'sunday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (44,2,'monday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (45,2,'tuesday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (46,2,'wednesday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (47,2,'thursday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (48,2,'friday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (49,2,'saturday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (50,2,'sunday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (51,2,'monday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (52,2,'tuesday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (53,2,'wednesday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (54,2,'thursday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (55,2,'friday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (56,2,'saturday',25);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(57,2,'sunday',26);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (58,2,'monday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (59,2,'tuesday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (60,3,'wednesday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (61,3,'thursday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (62,3,'friday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (63,3,'saturday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (64,3,'sunday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (65,3,'monday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (66,3,'tuesday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (67,3,'wednesday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (68,3,'thursday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (69,3,'friday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (70,3,'saturday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (71,3,'sunday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (72,3,'monday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (73,3,'tuesday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (74,3,'wednesday',15);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(75,3,'thursday',16);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (76,3,'friday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (77,3,'saturday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (78,3,'sunday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (79,3,'monday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (80,3,'tuesday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (81,3,'wednesday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (82,3,'thursday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (83,3,'friday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (84,3,'saturday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (85,3,'sunday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (86,3,'monday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (87,3,'tuesday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (88,3,'wednesday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (89,3,'thursday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (90,3,'friday',31);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (91,4,'saturday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (92,4,'sunday',2);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(93,4,'monday',3);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (94,4,'tuesday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (95,4,'wednesday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (96,4,'thursday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (97,4,'friday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (98,4,'saturday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (99,4,'sunday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (100,4,'monday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (101,4,'tuesday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (102,4,'wednesday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (103,4,'thursday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (104,4,'friday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (105,4,'saturday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (106,4,'sunday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (107, 4, 'monday', 17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (108,4,'tuesday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (109,4,'wednesday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (110,4,'thursday',20);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(111,4,'friday',21);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (112,4,'saturday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (113,4,'sunday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (114,4,'monday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (115,4,'tuesday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (116,4,'wednesday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (117,4,'thursday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (118,4,'friday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (119,4,'saturday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (120,4,'sunday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (121,5,'monday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (122,5,'tuesday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (123,5,'wednesday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (124,5,'thursday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (125,5,'friday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (126,5,'saturday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (127,5,'sunday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (128,5,'monday',8);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(129,5,'tuesday',9);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (130,5,'wednesday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (131,5,'thursday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (132,5,'friday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (133,5,'saturday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (134,5,'sunday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (135,5,'monday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (136,5,'tuesday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (137,5,'wednesday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (138,5,'thursday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (139,5,'friday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (140,5,'saturday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (141,5,'sunday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (142,5,'monday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (143,5,'tuesday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (144,5,'wednesday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (145,5,'thursday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (146,5,'friday',26);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(147,5,'saturday',27);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (148,5,'sunday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (149,5,'monday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (150,5,'tuesday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (151,5,'wednesday',31);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (152,6,'thursday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (153,6,'friday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (154,6,'saturday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (155,6,'sunday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (156,6,'monday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (157,6,'tuesday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (158,6,'wednesday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (159,6,'thursday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (160,6,'friday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (161,6,'saturday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (162,6,'sunday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (163,6,'monday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (164,6,'tuesday',13);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(165,6,'wednesday',14);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (166,6,'thursday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (167,6,'friday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (168,6,'saturday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (169,6,'sunday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (170,6,'monday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (171,6,'tuesday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (172,6,'wednesday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (173,6,'thursday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (174,6,'friday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (175,6,'saturday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (176,6,'sunday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (177,6,'monday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (178,6,'tuesday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (179,6,'wednesday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (180,6,'thursday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (181,6,'friday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (182,7,'saturday',1);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(183,7,'sunday',2);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (184,7,'monday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (185,7,'tuesday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (186,7,'wednesday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (187,7,'thursday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (188,7,'friday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (189,7,'saturday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (190,7,'sunday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (191,7,'monday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (192,7,'tuesday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (193,7,'wednesday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (194,7,'thursday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (195,7,'friday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (196,7,'saturday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (197,7,'sunday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (198,7,'monday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (199,7,'tuesday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (200,7,'wednesday',19);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(201,7,'thursday',20);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (202,7,'friday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (203,7,'saturday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (204,7,'sunday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (205,7,'monday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (206,7,'tuesday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (207,7,'wednesday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (208,7,'thursday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (209,7,'friday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (210,7,'saturday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (211,7,'sunday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (212,7,'monday',31);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (213,8,'tuesday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (214,8,'wednesday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (215,8,'thursday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (216,8,'friday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (217,8,'saturday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (218,8,'sunday',6);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(219,8,'monday',7);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (220,8,'tuesday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (221,8,'wednesday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (222,8,'thursday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (223,8,'friday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (224,8,'saturday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (225,8,'sunday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (226,8,'monday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (227,8,'tuesday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (228,8,'wednesday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (229,8,'thursday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (230,8,'friday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (231,8,'saturday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (232,8,'sunday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (233,8,'monday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (234,8,'tuesday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (235,8,'wednesday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (236,8,'thursday',24);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(237,8,'friday',25);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (238,8,'saturday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (239,8,'sunday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (240,8,'monday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (241,8,'tuesday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (242,8,'wednesday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (243,8,'thursday',31);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (244,9,'friday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (245,9,'saturday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (246,9,'sunday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (247,9,'monday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (248,9,'tuesday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (249,9,'wednesday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (250,9,'thursday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (251,9,'friday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (252,9,'saturday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (253,9,'sunday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (254,9,'monday',11);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(255,9,'tuesday',12);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (256,9,'wednesday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (257,9,'thursday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (258,9,'friday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (259,9,'saturday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (260,9,'sunday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (261,9,'monday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (262,9,'tuesday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (263,9,'wednesday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (264,9,'thursday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (265,9,'friday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (266,9,'saturday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (267,9,'sunday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (268,9,'monday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (269,9,'tuesday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (270,9,'wednesday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (271,9,'thursday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (272,9,'friday',29);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(273, 9, 'saturday', 30);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (274,10,'sunday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (275,10,'monday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (276,10,'tuesday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (277,10,'wednesday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (278,10,'thursday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (279,10,'friday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (280,10,'saturday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (281,10,'sunday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (282,10,'monday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (283,10,'tuesday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (284,10,'wednesday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (285,10,'thursday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (286,10,'friday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (287,10,'saturday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (288,10,'sunday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (289,10,'monday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (290,10,'tuesday',17);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(291,10,'wednesday',18);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (292,10,'thursday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (293,10,'friday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (294,10,'saturday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (295,10,'sunday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (296,10,'monday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (297,10,'tuesday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (298,10,'wednesday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (299,10,'thursday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (300,10,'friday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (301,10,'saturday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (302,10,'sunday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (303,10,'monday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (304,10,'tuesday',31);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (305,11,'wednesday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (306,11,'thursday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (307,11,'friday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (308,11,'saturday',4);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(309,11,'sunday',5);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (310,11,'monday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (311,11,'tuesday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (312,11,'wednesday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (313,11,'thursday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (314,11,'friday',10);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (315,11,'saturday',11);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (316,11,'sunday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (317,11,'monday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (318,11,'tuesday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (319,11,'wednesday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (320,11,'thursday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (321,11,'friday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (322,11,'saturday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (323,11,'sunday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (324,11,'monday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (325,11,'tuesday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (326,11,'wednesday',22);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(327,11,'thursday',23);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (328,11,'friday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (329,11,'saturday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (330,11,'sunday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (331,11,'monday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (332,11,'tuesday',28);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (333,11,'wednesday',29);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (334,11,'thursday',30);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (335,12,'friday',1);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (336,12,'saturday',2);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (337,12,'sunday',3);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (338,12,'monday',4);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (339,12,'tuesday',5);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (340,12,'wednesday',6);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (341,12,'thursday',7);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (342,12,'friday',8);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (343,12,'saturday',9);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (344,12,'sunday',10);

```
INSERT INTO day (day_id, month_id, day, num_day) VALUES
(345,12,'monday',11);
```

- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (346,12,'tuesday',12);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (347,12,'wednesday',13);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (348,12,'thursday',14);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (349,12,'friday',15);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (350,12,'saturday',16);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (351,12,'sunday',17);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (352,12,'monday',18);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (353,12,'tuesday',19);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (354,12,'wednesday',20);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (355,12,'thursday',21);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (356,12,'friday',22);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (357,12,'saturday',23);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (358,12,'sunday',24);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (359,12,'monday',25);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (360,12,'tuesday',26);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (361,12,'wednesday',27);
- INSERT INTO day (day_id, month_id, day, num_day) VALUES
 (362,12,'thursday',28);

```
(363, 12, 'friday', 29);
INSERT INTO day (day id, month id, day, num day) VALUES
(364,12,'saturday',30);
INSERT INTO day (day id, month id, day, num day) VALUES
(365, 12, 'sunday', 31);
commit;
--insert warehouse
INSERT INTO warehouse (code, subregion id) VALUES (1,1);
INSERT INTO warehouse (code, subregion id) VALUES (2,1);
INSERT INTO warehouse (code, subregion id) VALUES (3,2);
INSERT INTO warehouse (code, subregion id) VALUES (4,2);
INSERT INTO warehouse (code, subregion id) VALUES (5,3);
INSERT INTO warehouse (code, subregion id) VALUES (6,3);
INSERT INTO warehouse (code, subregion id) VALUES (7,4);
INSERT INTO warehouse (code, subregion id) VALUES (8,4);
INSERT INTO warehouse (code, subregion id) VALUES (9,5);
INSERT INTO warehouse (code, subregion id) VALUES (10,5);
INSERT INTO warehouse (code, subregion id) VALUES (11,6);
INSERT INTO warehouse (code, subregion id) VALUES (12,6);
INSERT INTO warehouse (code, subregion id) VALUES (13,7);
INSERT INTO warehouse (code, subregion id) VALUES (14,7);
INSERT INTO warehouse (code, subregion id) VALUES (15,8);
INSERT INTO warehouse (code, subregion id) VALUES (16,8);
INSERT INTO warehouse (code, subregion id) VALUES (17,9);
INSERT INTO warehouse (code, subregion id) VALUES (18,9);
INSERT INTO warehouse (code, subregion id) VALUES (19,10);
INSERT INTO warehouse (code, subregion id) VALUES (20,10);
INSERT INTO warehouse (code, subregion id) VALUES (22,11);
INSERT INTO warehouse (code, subregion_id) VALUES (21,11);
```

INSERT INTO day (day id, month id, day, num day) VALUES

```
INSERT INTO warehouse (code, subregion id) VALUES (23,12);
INSERT INTO warehouse (code, subregion id) VALUES (24,12);
INSERT INTO warehouse (code, subregion id) VALUES (25,13);
INSERT INTO warehouse (code, subregion id) VALUES (26,13);
INSERT INTO warehouse (code, subregion id) VALUES (27,14);
INSERT INTO warehouse (code, subregion id) VALUES (28,14);
INSERT INTO warehouse (code, subregion id) VALUES (29,15);
INSERT INTO warehouse (code, subregion id) VALUES (30,15);
INSERT INTO warehouse (code, subregion id) VALUES (31,16);
INSERT INTO warehouse (code, subregion id) VALUES (32,16);
INSERT INTO warehouse (code, subregion id) VALUES (33,17);
INSERT INTO warehouse (code, subregion id) VALUES (34,17);
INSERT INTO warehouse (code, subregion id) VALUES (35,18);
INSERT INTO warehouse (code, subregion id) VALUES (36,18);
INSERT INTO warehouse (code, subregion id) VALUES (37,19);
INSERT INTO warehouse (code, subregion id) VALUES (38,19);
INSERT INTO warehouse (code, subregion id) VALUES (39,20);
INSERT INTO warehouse (code, subregion id) VALUES (40,20);
INSERT INTO warehouse (code, subregion id) VALUES (41,21);
INSERT INTO warehouse (code, subregion id) VALUES (42,21);
INSERT INTO warehouse (code, subregion id) VALUES (43,22);
INSERT INTO warehouse (code, subregion id) VALUES (44,22);
-- inserts books
INSERT INTO books (isbn, title, price) VALUES (9706279301, 'A
Gentleman Never Keeps Score', 384.00);
INSERT INTO books (isbn, title, price) VALUES (9728304802, 'Texas
Glory',94.50);
INSERT INTO books (isbn, title, price) VALUES (9702833303, 'Rainy
day friends', 45.00);
INSERT INTO books (isbn, title, price) VALUES (9703859304, 'Crazy
Rich Asians', 1234.50);
```

INSERT INTO books (isbn, title, price) VALUES (9793937405, 'Tell me you are mine', 23.60);

INSERT INTO books (isbn, title, price) VALUES (9729473006, 'The spy and the traitor', 200.00);

INSERT INTO books (isbn, title, price) VALUES
(9703746207,'Paradaise Sky by Jose Lansdale',145.00);

INSERT INTO books (isbn, title, price) VALUES (9739482708, 'Meet Camaro from the Nigh Charter', 165.99);

INSERT INTO books (isbn, title, price) VALUES (9706279309, 'Book 9 for A Gentleman', 344.00);

INSERT INTO books (isbn, title, price) VALUES (9728304810, 'Book 10 for Texas', 84.50);

INSERT INTO books (isbn, title, price) VALUES (9702833311, 'Book 11 for Rainy day', 75.00);

INSERT INTO books (isbn, title, price) VALUES (9703859312, 'Book 12 for Crazy Rich Asians', 124.50);

INSERT INTO books (isbn, title, price) VALUES (9793937413, 'Book 13 for you', 23.60);

INSERT INTO books (isbn, title, price) VALUES (9729473014, 'Book 14 for the spy and the traitor', 240.00);

INSERT INTO books (isbn, title, price) VALUES (9793937413, 'Book 15 for the Sky ',135.00);

INSERT INTO books (isbn, title, price) VALUES (9739482716, 'Book 16 for the Nigh Charter', 125.99);

INSERT INTO books (isbn, title, price) VALUES (9706279317, 'Book 17 Keeps Score', 314.00);

INSERT INTO books (isbn, title, price) VALUES (9728304818, 'Book 18 Glory', 84.50);

INSERT INTO books (isbn, title, price) VALUES (9702833319, 'Book 19 day friends', 65.00);

INSERT INTO books (isbn, title, price) VALUES (9703859320, 'Book 20 Asians',1434.50);

INSERT INTO books (isbn, title, price) VALUES (9703859321, 'Book 21 for the Bible',1434.50);

```
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (52,14,9703859312,275,1);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (345,10,9703746207,48,1);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (314,7,9739482716,15,1);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (50,17,9703746215,56,1);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (6,37,9793937405,270,1);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (358,31,9703746207,96,2);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (223,8,9703746215,84,2);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (91,23,9703746207,16,2);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (142,24,9793937413,166,3);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (123,25,9706279301,180,3);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (339,23,9793937413,14,3);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (35,29,9702833319,287,3);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (167,22,9728304802,56,3);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (64,13,9706279301,90,4);
INSERT INTO facts_ticket (day_id, warehouse code, books isbn,
sell by product, ticket number) VALUES (219,18,9793937413,581,4);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (129,14,9729473014,637,6);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (60,16,9729473006,74,6);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (7,12,9706279301,210,7);
```

```
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (329,24,9728304810,84,7);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (344,38,9793937405,225,7);
INSERT INTO facts ticket (day id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (328,10,9739482716,105,7);
INSERT INTO facts ticket (day id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (239,32,9703859304,840,8);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (66,6,9793937405,225,8);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (44,30,9729473006,222,8);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (355,10,9703859320,198,9);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (54,13,9702833319,246,9);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (296,37,9703859304,240,10);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (49,18,9703859321,27,10);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (233,6,9729473014,364,11);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (88,5,9728304818,35,11);
INSERT INTO facts ticket (day id, warehouse code, books isbn,
sell by product, ticket number) VALUES (95,36,9728304810,72,11);
INSERT INTO facts_ticket (day_id, warehouse_code, books_isbn,
sell by product, ticket number) VALUES (341,21,9703746207,112,11);
THE QUERY SOLUTION:
Obtain total daily sales by product and subregion
SELECT s.subregion desc,
                d.day id,
                p.book isbn,
                SUM (sell by product) AS SALES_AMOUNT
```

FROM facts_ticket v

INNER JOIN warehouse t ON v.warehouse_code = t.code
INNER JOIN SUBREGION s ON t.subregion_id = s.subregion_id
INNER JOIN day d ON v.day_id = d.day_id
INNER JOIN books p ON v.books_isbn = p.isbn

GROUP BY s.subregion id, d.day id, p.isbn

ORDER BY s.subregion_id, d.day_id, p.isbn;