3. NPM vs NPX

▼ What is NPM?

- **NPM** stands for **Node Package Manager**.
- NPM is the **World's Largest Online Software Registry**.
- It is a JavaScript package manager and the default package manager for Node projects.
- NPM is installed when NodeJS is installed on a machine.
- **Using NPM**:
  If we need to execute a package using NPM, we first need to install it, and
  then we can execute it.
- **Installing a Package**:
- To install a package, we run the following command:

💡 npm install package_name

▼ What is NPX?

- **NPX** stands for **Node Package eXecute**.
- It is simply an NPM package runner.
- NPX allows you to run and use packages without having to install them locally or globally.
- It allows developers to access packages from the NPM registry without installing them.
- Uses it once and automatically deletes it after running.
- NPX is installed automatically with NPM version 5.2.0 and above.

▼ In short difference between NPM vs NPX

npm	npx
▪ **N**ode **P**ackage **M**anager.	▪ **N**ode **P**ackage **Ex**ecute. (Also known as **N**ode **P**ackage **R**unner.)
▪ Installed with Node.js. [***https://nodejs.org/en/download***]	▪ Installed with npm.(npm above 5.2.0 version) [*npm install -g npx*]
▪ It is World's largest software registry. **(https://www.npmjs.com)** And also includes a CLI tool named as *npm*.	▪ It is a CLI tool named as npx.
▪ Use to install/**M**anage packages.	▪ Use to e**X**ecute packages.
▪ To use a package, need to install it from the npm registry into the system. [Command to install locally: *npm install*] [Command to install globally: *npm install -g*]	▪ No need to install a package into the system. (Directly use a package from the npm registry) [Command to execute directly: *npx your-package-name*]
▪ It will look for package installed locally or globally in your machine.	▪ If a package is installed locally or globally in your machine, it will use that else it will take directly from npm registry.
▪ It Increases the node_modules size if we do not need the installed package (incase of testing purpose).	▪ It helps reducing the node_modules size if we do not need the installed package (incase of testing purpose).