
op Inventor
Screens:
Screen1
Phone (320 x 650)
Android 5+ (Material)
Display hidden components in Viewer
12:30
Screen1
Off/On
Scan Procedure
Screen1
Status: Disconnected
Device name
Connect Operation
Left
Right
Up
Down


#3287250
Projects
Connect
Build
Settings
Help
English
knnayak08@gmail.com
Screens:
Screen1
Designer
serviceUuid
characteristicUuid
signed
values
make a list
when Button5 .Click
do call BluetoothLE1 .WriteBytesWithResponse
when Button6 .Click
6e400001-b5a3-f393-e0a9-e50e24dcca9e
6e400002-b5a3-f393-e0a9-e50e24dcca9e
false
Show Warnings
Privacy Policy and Terms of Use
Accessibility: accessibility.mit.edu
Search

```
                    ue = ""          Up:", pos2)
        elif value == "4":
            if pos2 > 25:
                pos2 -= step
                mot2.duty(pos2)
                print("Mot2 Down:", pos2)
            value = ""

        sen_val = sen.value()
        print(sen_val)
        if sen_val == 0:
            print("Hit Detected!")
            buzz.value(1)
            time.sleep(0.1)
            buzz.value(0)
            time.sleep(0.1)
            buzz.value(1)
            time.sleep(0.1)
            buzz.value(0)
            time.sleep(0.1)
        else:
            buzz.value(0)

        time.sleep(0.01)
```

hell ×

```
Unable to connect to COM3: port not found

Process ended with exit code 1.
```

VerticalArrangen

Label1

VerticalArrangen

Label2

VerticalArrangen

Button2

name

Delete

Upload File ...

Width

Fill parent...

Image

None...

Shape

default

ShowFeedback

Text

Down

TextAlignment

center : 1

TextColor

characteristicUuid 6e400002-b5a3-f393-e0a9-e50e24dc

signed false

values make a list " 3 "

ytesWithResponse

serviceUuid " 6e400001-b5a3-f393-e0a9-e50e24dcca

characteristicUuid " 6e400002-b5a3-f393-e0a9-e50e24dcca

signed false

values make a list " 4 "




D
STAINLESS STEEL










220
35V
VT
220
35V
VT
60
55
50
45
40
35
30
25
40
30
D4 RX2 TX2 D5
D21
TX0
D23

C5
VIN GND D12
U5
U2
SILABS
CP2102
GPC093X
2A331
3V3 GND D5 R2 D4 R3 D2 R1
EN


Thonny - <untitled> @ 10 : 19
File Edit View Run Tools Help
<untitled> dc.motor.finalyproject.fc.py <untitled> *
from machine import Pin
import time
buzzer = Pin(34, Pin.OUT)
while True:
if sen_val == 0:
print("HIT DETECTED")
buzzer.value(1)
time.sleep(0.5)
buzzzer.va
Shell
Connection lost -- EOF
Use Stop/Restart to reconnect.
Process ended with exit code 1.
MicroPython (ESP32) • CP2102 USB to UART Bridge Controller @ COM11
Search
08 am
buzzer = Pin(
while True:
if sen_val
print(
buzzer.
time.sl
buzzer.v
time.sle
else:
buzzer.va
Shell
Unable to connect
Process e

asianpaints




GND
3.3V


C5
VIN GND D13 D12 D14
EN
U1
BOOT
U2
3V3 GND D15 D2 D4 RX2 TX2 D5


By Layer
Selected
Total Length
Current Layer
Search
Grid Status
10 / 100
Cmd




-9.8707 , -11.8419
15.4163 < 230.1875°
Selected
4
Total Length
32
Current Layer
0
Search

Library Browser Block List Layer List

```
@80
0
@0
@80,0
rm
Unknown command: rm
tm
Command: tm (modtrim)
Trim : trim, tm
Trim Two : trim2, tm2
Trim Two : trim2, tm2
Trim : trim, tm
Trim : trim, tm
@12,0
@0,4
@-12,0
@0,-4
```

Command:

Crea
tion
M.F.G. DATE :
JUNE 2018


Micro Servo
9g

MASTE
Design for


Library Browser
Block List
Layer List
Pen Palette
Specify next point
Back
Selected
0
Total Length
0
Current Layer
0
End Status
10 / 100
Ex
170.0000 , 30.0000
172.6268 < 349.9920°
@ 170.0000 , 30.0000
@ 172.6268 < 349.9920°
30°C
Sunny
Search
ENG
IN
14-04-2026


Notes
Date / /