

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Data Visualization with Power BI and Tableau


Practical – 8

Roll No.: T017	Name: Radhika Mali
Class: TYIT	Batch: 1
Date of Assignment: 27/08/2026	Date/Time of Submission: 27/08/2026


Aim: Performing Advanced Analytics using Trends, Clustering, and Forecasting

Steps:

1. Open Tableau Desktop and load Indian_Climate_Dataset_2024_2025.csv.
2. Open a new worksheet and rename it to Temperature vs Humidity Trends.
3. Drag Humidity (%) to the Columns shelf.
4. Drag Temperature_Avg (°C) to the Rows shelf.
5. In the top menu, go to Analysis and uncheck Aggregate Measures (so each data point is plotted individually rather than summed up).




2. Add a Linear Trend Line
 1. Switch to the Analytics pane on the left sidebar
 2. Under Model, drag Trend Line onto the canvas and drop it onto Linear.
 3. Hover over the trend line to observe the statistical popup:
 - o It displays the linear equation: $\text{Temperature_Avg} = a \times \text{Humidity} + b$
 - o It displays R^2 (coefficient of determination) and P-value (statistical significance).



3. Add an Exponential Trend Line for Non-Linear Measures (Rainfall vs. Humidity)


1. Open a new worksheet named Humidity vs Rainfall.
2. Drag Humidity (%) to Columns and Rainfall (mm) to Rows.
3. Uncheck Analysis Aggregate Measures.
4. From the Analytics pane, drag Trend Line onto Exponential (or right-click the canvas Trend Lines Show Trend Lines Edit Trend Lines and change the model to Exponential).



B: Customize and Analyze Trend Models


. Disaggregate Trend Lines by City

1. Open your Temperature vs Humidity Trends sheet from Part A (or create a duplicate).
2. Drag City from the Data pane onto Color on the Marks card.
3. Observe how coastal cities (like Mumbai or Chennai) show different slopes compared to inland cities (like Delhi or Jaipur).



2 Compare Different Model Types (Polynomial & Logarithmic)


1. Right-click on any trend line in the view and select Edit Trend Lines...
2. In the options dialog, experiment with switching the Model Type: o Linear
3. Select Polynomial (Degree 2) and click OK to observe how well a curved line fits seasonal fluctuations.



3. Access Full Statistical Summaries (Describe Model)

1. Right-click anywhere on the chart background or trend line and select Describe Trend Line... o This shows a quick overview of formula equations, R

2 and P-value per city.



2. Next, right-click and select Describe Trend Model... o A detailed window will pop up showing the ANOVA table, Degrees of



Freedom, Sum of Squared Errors (SSE), and F-statistic.

3. Review these metrics to see which city's model explains the highest variance (R²)

C: Perform Clustering on Datasets


1. Build a Multi-Metric Scatter Plot Matrix

1. Open a new worksheet and name it Climate & AQI Clusters.
2. Drag AQI to Columns.
3. Drag Temperature_Avg (°C) to Rows.
4. In the top menu, go to Analysis and uncheck "Aggregate Measures".
5. Drag City to Detail on the Marks card (so points represent individual city-day observations).





2. Apply Built-in Tableau Clustering

1. Switch to the Analytics pane on the left sidebar.
2. Under Model, drag Cluster directly onto the canvas.
3. A Clusters dialog box will appear on the right side of the view.
4. Drag additional variables into the Variables box to create a multi-variable cluster model (If you can't find Variable box Right Click Clusters in Marks Card, click on Edit Clusters and drag and drop the variables on the box): o AQI
5. Under Number of Clusters, leave it as Automatic (Tableau will calculate the optimal number using K-means), or type 3 or 4 to explicitly create 3 or 4 distinct climate groups.
6. Close the cluster popup window. Tableau will color-code every data point by its assigned cluster (e.g., Cluster 1, Cluster 2, Cluster 3).




3. Analyze Cluster Profiles & Save as Dimension

1. Right-click on the Clusters field in the Marks card (or legend) and select Describe Clusters...
2. In the popup window, review two key tabs:
 - o Summary: Shows the mean value of each metric (AQI, Temperature, Humidity, Wind Speed) for each cluster.




D: Analyze Distributions using Built-in Tools

1. Create a Box Plot for Temperature Distributions by City
1. Open a new worksheet and name it Temperature Distributions.
2. Drag City to Columns.
3. Drag Temperature_Max (°C) to Rows.
4. Tableau will default to SUM(Temperature_Max). Right-click the Temperature_Max pill on Rows Measure (Sum) change it to Dimension (or go to Analysis menu and uncheck "Aggregate Measures").
5. Switch to the Analytics pane on the left sidebar.
6. Under Custom, drag Box Plot onto the canvas and drop it on the chart.
7. Hover over any box plot to inspect key statistical metrics:
 - o Upper Whisker / Maximum: Upper



2. Build an AQI Histogram & Quantile/Percentile View


1. Open a new worksheet named AQI Histogram.
2. From the Data Pane, click on AQI.
3. Open the Show Me panel in the top-right corner of Tableau.
4. Select the Histogram icon. (Tableau will automatically create an AQI (bin) dimension and place AQI (bin) on Columns and CNT(AQI) on Rows).
5. Drag City to Color on the Marks card to see how air quality distributions stack across cities.



E: Apply Forecasting Techniques



. Set Up a Time Series Line Chart

1. Open a new worksheet and name it Temperature Forecast.
2. Drag Date to Columns.
 - o Note: Tableau will default to YEAR(Date). Click the dropdown arrow on the Date pill and change it to continuous Month (the second Month option in the menu, which displays as Month Year, e.g., May 2024).
3. Drag Temperature_Max (°C) to Rows (ensure it is set to AVG(Temperature_Max)).
4. Drag city into a filter and select 3-4 city (eg; mum, delhi...etc)
2. Enable tableau forecasting
 1. swith to analytic pale (left side)
 2. under model, drag forecast into canvas.




3. Customize & Analyze the Forecast

1. Right-click anywhere on the chart canvas select Forecast Forecast Options.
2. Under Forecast Length, set it to Exactly 6 Months into the future.
3. Under Prediction Interval, verify it is set to 95%.




4. To evaluate the mathematical quality of the forecast: o Right-click the chart - Forecast Describe Forecast.





F: Compare different Statistical Models


1. Set Up the Comparison View
1. Open a new worksheet named Model Comparison. 2. Drag Temperature_Max (°C) to Columns (set to Continuous Dimension or AVG).
3. Drag AQI to Rows (set to Continuous Dimension or AVG).
4. Drag City to Detail on the Marks card to scatter plot individual city readings.



2. Add and Swap Statistical Models

1. Open the Analytics Pane on the left.
2. Drag Trend Line onto the canvas and drop it on Linear.
3. Hover over the trend line and note the R² and p-value.
4. Right-click the trend line Edit Trend Lines....
5. Switch the Model Type through the options: Polynomial (Degree 2 or 3):
6. Compare the R² value for each model type. The model with the higher R² and a p-value < 0.05 provides the best fit.







G: Export and Interpret Statistical Results

1. Export the Statistical Model Description

1. On your any worksheet (or any trend/forecast sheet), right-click the trend line or canvas.
2. Select Describe Trend Model... (or Describe Forecast... if on a forecast sheet).
3. In the pop-up window, click Copy at the bottom (or click Export to save as a text file).
4. You now have the full ANOVA summary table and parameter estimates copied to your Clipboard!



2. Interpret the Key Output Metrics

When reviewing or documenting your exported statistics, highlight these 3 core findings:

1. Equation Parameters: Look at the formula coefficients (intercept and slope).
2. R² Example: An $R^2 = 0.74$ means 74% of the variance in AQI is explained by Temperature changes.
3. p-Value: A p-value < 0.0001 indicates the relationship is statistically significant (unlikely to occur by random chance).

