

Module 8: Container Management Tools

Demo Document 1

edureka!

edureka!

© Brain4ce Education Solutions Pvt. Ltd.

To Push An Image Into ECR

Step 1: Install Docker in your EC2 machine

- Launch an Amazon EC2 machine
- Install docker by typing the below code

```
sudo yum install docker
```

- Start docker by

```
sudo service docker start
```

```
[ec2-user@ip-172-31-47-107 ~]$ sudo service docker start
Starting cgconfig service: [ OK ]
Starting docker: [ OK ]
```

- Add the ec2-user to the docker group so that execute docker commands without sudo

```
sudo usermod -a -G docker ec2-user
```

- Verify the user is added or not by running the below command

```
docker info
```

```
[ec2-user@ip-172-31-47-107 ~]$ sudo usermod -a -G docker ec2-user
[ec2-user@ip-172-31-47-107 ~]$ docker info
Got permission denied while trying to connect to the Docker daemon socket at unix:///var/run/docker.sock
: Get http://%2Fvar%2Frun%2Fdocker.sock/v1.38/info: dial unix /var/run/docker.sock: connect: permission
denied
[ec2-user@ip-172-31-47-107 ~]$
```

Step 2: Create a Dockerfile

- Create a Dockerfile by typing the below codes

```
nano Dockerfile
```

```
FROM ubuntu:16.04

# Install dependencies
RUN apt-get update
RUN apt-get -y install apache2

# Install apache and write hello world message
RUN echo 'Hello World!' > /var/www/html/index.html

# Configure apache
RUN echo '. /etc/apache2/envvars' > /root/run_apache.sh
RUN echo 'mkdir -p /var/run/apache2' >> /root/run_apache.sh
RUN echo 'mkdir -p /var/lock/apache2' >> /root/run_apache.sh
RUN echo '/usr/sbin/apache2 -D FOREGROUND' >> /root/run_apache.sh
RUN chmod 755 /root/run_apache.sh

EXPOSE 80

CMD /root/run_apache.sh
```

Step 3: Build a Docker Image from Dockerfile

- Build a Docker image by

```
sudo su
```

```
docker build -t hello-world .
```

```
[ec2-user@ip-172-31-47-107 ~]$ sudo su
[root@ip-172-31-47-107 ec2-user]# docker build -t hello-world .
Sending build context to Docker daemon 8.704kB
Step 1/11 : FROM ubuntu:16.04
16.04: Pulling from library/ubuntu
7b722c1070cd: Pull complete
5fbf74db61f1: Pull complete
ed41cb72e5c9: Pull complete
7ea47a67709e: Pull complete
Digest: sha256:e4a134999bea4abb4a27bc437e6118fdddfb172e1b9d683129b74d254af51675
Status: Downloaded newer image for ubuntu:16.04
--> 7e87e2b3bf7a
Step 2/11 : RUN apt-get update
--> Running in d9ec3f01fc42
Get:1 http://security.ubuntu.com/ubuntu xenial-security InRelease [109 kB]
Get:2 http://archive.ubuntu.com/ubuntu xenial InRelease [247 kB]
Get:3 http://security.ubuntu.com/ubuntu xenial-security/main amd64 Packages [795 kB]
Get:4 http://security.ubuntu.com/ubuntu xenial-security/restricted amd64 Packages [12.7 kB]
```


```
docker images --filter reference=hello-world
```

```
[root@ip-172-31-47-107 ec2-user]# docker images --filter reference=hello-world
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
hello-world	latest	c8fb6904fbd5	3 minutes ago	241MB

- Build the image into docker container by

```
docker run -p 80:80 hello-world
```



Step 4: Create an ECR repository

- Navigate to your ECS service in the console
- In the Left Dashboard, Select ECR Repository
- Click on Create Repository
- Give a name for your repository and click on create

A screenshot of the AWS Management Console 'Create repository' form. The form is titled 'Create repository' and has a section for 'Repository configuration'. Under this section, there is a 'Repository name' field. The text '245376966395.dkr.ecr.us-east-2.amazonaws.com/' is entered, followed by 'container_demo' in the input field. A note below the field states: 'A namespace can be included with your repository name (e.g. namespace/repo-name)'. At the bottom right of the form, there are two buttons: 'Cancel' and 'Create repository'.

Step 5: Tag and push your image into repository through AWS CLI

- Configure your AWS CLI to the region you have create the repository

```
aws configure
```

- Tag your repository by

```
docker tag hello-world aws_account_id.dkr.ecr.us-east-2.amazonaws.com/repository_name
```

Repositories (2)			View push commands	Delete
<input type="text" value="Find Repositories"/>				
	Repository name ▲	URI		
<input type="radio"/>	conatiner-demo	245376966395.dkr.ecr.us-east-2.amazonaws.com/conatiner-demo		

- Get the authentication before you push into repository

```
aws ecr get-login --no-include-email
```

```
docker login -u AWS -p <your_token_which_is_massive>
```

- Push the image to Amazon ECR

```
docker push aws_account_id.dkr.ecr.us-east-2.amazonaws.com/repository_name
```

```
[root@ip-172-31-47-107 ec2-user]# docker push 245376966395.dkr.ecr.us-east-2.amazonaws.com/conatiner-demo
The push refers to repository [245376966395.dkr.ecr.us-east-2.amazonaws.com/conatiner-demo]
ed946f5390f8: Pushed
d85f529ac8e8: Pushed
84a6c2161bfb: Pushed
e1d43d248e6e: Pushed
feb52d90f50c: Pushed
50b09bc88776: Pushed
c4be77119969: Pushed
efc2c285ab6e: Pushed
68dda0c9a8cd: Pushed
f67191ae09b8: Pushed
b2fd8b4c3da7: Pushed
0de2edf7bff4: Pushed
latest: digest: sha256:55361d1b08031003d16014a7258271411585e936c1b7cb050e091c5bd6e9303f size: 2816
```

Images (1)

Find Images

1

Image tag

latest

Image URI

245376966395.dkr.ecr.us-east-2.amazonaws.com/conatiner-demo:latest

Pushed at

03/11/19, 4:23:25 PM

Digest

sha256:55361d1b0...

Size (MB)

95.77

- Thus, you have successfully pushed an image into Repository