```
require once('../class.phpmailer.php');
01.
02.
03. $mail
                      = new PHPMailer(); // defaults to using php
      "mail()"
04.
05.
    $bodv
                      = file get contents('contents.html');
                      = eregi replace("[\]",'',$body);
   $body
06.
07.
08. $mail->AddReplyTo("name@yourdomain.com","First Last");
09.
10. $mail->SetFrom('name@yourdomain.com', 'First Last');
11.
12. $mail->AddReplyTo("name@yourdomain.com","First Last");
13.
14. $address = "whoto@otherdomain.com";
15. $mail->AddAddress($address, "John Doe");
16.
17.
    $mail->Subject = "PHPMailer Test Subject via mail(),
      basic";
18.
19.
    $mail->AltBody = "To view the message, please use an HTML"
      compatible email viewer!"; // optional, comment out and
      test
20.
21. $mail->MsgHTML($body);
22.
23. $mail->AddAttachment("images/phpmailer.gif");
      attachment
24. $mail->AddAttachment("images/phpmailer mini.gif"); //
      attachment
25.
26. if(!$mail->Send()) {
     echo "Mailer Error: " . $mail->ErrorInfo;
27.
28. } else {
    echo "Message sent!";
29.
30. }
```

1 of 1 04/03/2015 06:53 PM