

Accepted Manuscript

Harris hawks optimization: Algorithm and applications

Ali Asghar Heidari, Seyedali Mirjalili, Hossam Faris, Ibrahim Aljarah,
Majdi Mafarja, Huiling Chen



PII: S0167-739X(18)31353-0

DOI: <https://doi.org/10.1016/j.future.2019.02.028>

Reference: FUTURE 4781

To appear in: *Future Generation Computer Systems*

Received date: 2 June 2018

Revised date: 29 December 2018

Accepted date: 18 February 2019

Please cite this article as: A.A. Heidari, S. Mirjalili, H. Faris et al., Harris hawks optimization: Algorithm and applications, *Future Generation Computer Systems* (2019), <https://doi.org/10.1016/j.future.2019.02.028>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Harris Hawks Optimization: Algorithm and Applications

Ali Asghar Heidari^a, Seyedali Mirjalili^b, Hossam Faris^c, Ibrahim Aljarah^c, Majdi Mafarja^d,
Huiling Chen ^{*e}

^a*School of Surveying and Geospatial Engineering, University of Tehran, Tehran, Iran*
as_heidari@ut.ac.ir

^b*School of Information and Communication Technology, Griffith University, Nathan, Brisbane, QLD 4111, Australia*

seyedali.mirjalili@griffithuni.edu.au

^c*King Abdullah II School for Information Technology, The University of Jordan, Amman, Jordan*
{i.aljarah,hossam.faris}@ju.edu.jo

^d*Department of Computer Science, Birzeit University, POBox 14, West Bank, Palestine*
mmafarja@birzeit.edu

^e*Department of Computer Science, Wenzhou University, Wenzhou 325035, China*
chenhuiling.jlu@gmail.com

Abstract

In this paper, a novel population-based, nature-inspired optimization paradigm is proposed, which is called Harris Hawks Optimizer (HHO). The main inspiration of HHO is the cooperative behavior and chasing style of Harris' hawks in nature called surprise pounce. In this intelligent strategy, several hawks cooperatively pounce a prey from different directions in an attempt to surprise it. Harris hawks can reveal a variety of chasing patterns based on the dynamic nature of scenarios and escaping patterns of the prey. This work mathematically mimics such dynamic patterns and behaviors to develop an optimization algorithm. The effectiveness of the proposed HHO optimizer is checked, through a comparison with other nature-inspired techniques, on 29 benchmark problems and several real-world engineering problems. The statistical results and comparisons show that the HHO algorithm provides very promising and occasionally competitive results compared to well-established metaheuristic techniques.

Keywords:

Nature-inspired computing, Harris hawks optimization algorithm, Swarm intelligence, Optimization, Metaheuristic

1 Introduction

Many real-world problems in machine learning and artificial intelligence have generally a continuous, discrete, constrained or unconstrained nature [1, 2]. Due to these characteristics, it is hard to tackle some classes of problems using conventional mathematical programming approaches such as conjugate gradient, sequential quadratic programming, fast steepest, and quasi-Newton methods [3, 4]. Several types of research have verified that these methods are not efficient enough or always efficient in dealing with many larger-scale real-world multimodal, non-continuous, and non-differentiable problems [5]. Accordingly, metaheuristic algorithms have been designed and utilized for tackling many problems as competitive alternative solvers, which is because of their

*Corresponding author: Huiling Chen (chenhuiling.jlu@gmail.com)

9 simplicity and easy implementation process. In addition, the core operations of these methods do
 10 not rely on gradient information of the objective landscape or its mathematical traits. However,
 11 the common shortcoming for the majority of metaheuristic algorithms is that they often show
 12 a delicate sensitivity to the tuning of user-defined parameters. Another drawback is that the
 13 metaheuristic algorithms may not always converge to the global optimum. [6]

14 In general, metaheuristic algorithms have two types [7]; single solution-based (i.g. Simulated
 15 Annealing (SA) [8]) and population-based (i.g. Genetic Algorithm (GA, [9])). As the name indicates,
 16 in the former type, only one solution is processed during the optimization phase, while in
 17 the latter type, a set of solutions (i.e. population) are evolved in each iteration of the optimization
 18 process. Population-based techniques can often find an optimal or suboptimal solution that
 19 may be same with the exact optimum or located in its neighborhood. Population-based meta-
 20 heuristic (P-metaheuristics) techniques mostly mimic natural phenomena [10, 11, 12, 13]. These
 21 algorithms start the optimization process by generating a set (population) of individuals, where
 22 each individual in the population represents a candidate solution to the optimization problem. The
 23 population will be evolved iteratively by replacing the current population with a newly generated
 24 population using some often stochastic operators [14, 15]. The optimization process is proceeded
 25 until satisfying a stopping criteria (i.e. maximum number of iterations) [16, 17].

26 Based on the inspiration, P-metaheuristics can be categorized in four main groups [18, 19] (see
 27 Fig. 1): Evolutionary Algorithms (EAs), Physics-based, Human-based, and Swarm Intelligence
 28 (SI) algorithms. EAs mimic the biological evolutionary behaviors such as recombination, mutation,
 29 and selection. The most popular EA is the GA that mimics the Darwinian theory of evolution [20].
 30 Other popular examples of EAs are Differential Evolution (DE) [21], Genetic Programming (GP)
 31 [20], and Biogeography-Based Optimizer (BBO) [22]. Physics-based algorithms are inspired by the
 32 physical laws. Some examples of these algorithms are Big-Bang Big-Crunch (BBC) [23], Central
 33 Force Optimization (CFO) [24], and Gravitational Search Algorithm (GSA) [25]. Salcedo-Sanz
 34 [26] has deeply reviewed several physics based optimizers. The third category of P-metaheuristics
 35 includes the set of algorithms that mimic some human behaviors. Some examples of the human-
 36 based algorithms are Tabu Search (TS) [27], Socio Evolution and Learning Optimization (SELO)
 37 [28], and Teaching Learning Based Optimization(TLBO) [29]. As the last class of P-metaheuristics,
 38 SI algorithms mimic the social behaviors (e.g. decentralized, self-organized systems) of organisms
 39 living in swarms, flocks, or herds [30, 31]. For instance, the birds flocking behaviors is the main
 40 inspiration of the Particle Swarm Optimization (PSO) proposed by Eberhart and Kennedy [32].
 41 In PSO, each particle in the swarm represents a candidate solution to the optimization problem.
 42 In the optimization process, each particle is updated with regard to the position of the global best
 43 particle and its own (local) best position. Ant Colony Optimization (ACO) [33], Cuckoo Search
 44 (CS) [34], and Artificial Bee Colony (ABC) are other examples of the SI techniques.

45 Regardless of the variety of these algorithms, there is a common feature: the searching steps
 46 have two phases: exploration (diversification) and exploitation (intensification) [26]. In the ex-
 47 ploration phase, the algorithm should utilize and promote its randomized operators as much as
 48 possible to deeply explore various regions and sides of the feature space. Hence, the exploratory
 49 behaviors of a well-designed optimizer should have an enriched-enough random nature to effi-
 50 ciently allocate more randomly-generated solutions to different areas of the problem topography
 51 during early stages of the searching process [35]. The exploitation stage is normally performed after
 52 the exploration phase. In this phase, the optimizer tries to focus on the neighborhood of better-
 53 quality solutions located inside the feature space. It actually intensifies the searching process in
 54 a local region instead of all-inclusive regions of the landscape. A well-organized optimizer should
 55 be capable of making a reasonable, fine balance between the exploration and exploitation tenen-




Figure 1: Classification of meta-heuristic techniques (meta-heuristic diamond)

56 cies. Otherwise, the possibility of being trapped in local optima (LO) and immature convergence
 57 drawbacks increases.

58 We have witnessed a growing interest and awareness in the successful, inexpensive, efficient
 59 application of EAs and SI algorithms in recent years. However, referring to No Free Lunch (NFL)
 60 theorem [36], all optimization algorithms proposed so-far show an equivalent performance on
 61 average if we apply them to all possible optimization tasks. According to NFL theorem, we cannot
 62 theoretically consider an algorithm as a general-purpose universally-best optimizer. Hence, NFL
 63 theorem encourages searching for developing more efficient optimizers. As a result of NFL theorem,
 64 besides the widespread studies on the efficacy, performance aspects and results of traditional EAs
 65 and SI algorithms, new optimizers with specific global and local searching strategies are emerging
 66 in recent years to provide more variety of choices for researchers and experts in different fields.

67 In this paper, a new nature-inspired optimization technique is proposed to compete with other
 68 optimizers. The main idea behind the proposed optimizer is inspired from the cooperative be-
 69 haviors of one of the most intelligent birds, Harris' Hawks, in hunting escaping preys (rabbits in
 70 most cases) [37]. For this purpose, a new mathematical model is developed in this paper. Then, a
 71 stochastic metaheuristic is designed based on the proposed mathematical model to tackle various
 72 optimization problems.

73 The rest of this research is organized as follows. Section 2 represents the background inspiration
 74 and info about the cooperative life of Harris' hawks. Section 3 represents the mathematical model
 75 and computational procedures of the HHO algorithm. The results of HHO in solving different
 76 benchmark and real-world case studies are presented in Section 4. Finally, Section 6 concludes the
 77 work with some useful perspectives.

78 2 Background

79 In 1997, Louis Lefebvre proposed an approach to measure the avian "IQ" based on the observed
 80 innovations in feeding behaviors [38]. Based on his studies [38, 39, 40, 41], the hawks can be listed
 81 amongst the most intelligent birds in nature. The Harris' hawk (*Parabuteo unicinctus*) is a well-
 82 known bird of prey that survives in somewhat steady groups found in southern half of Arizona,
 83 USA [37]. Harmonized foraging involving several animals for catching and then, sharing the slain

animal has been persuasively observed for only particular mammalian carnivores. The Harris's hawk is distinguished because of its unique cooperative foraging activities together with other family members living in the same stable group while other raptors usually attack to discover and catch a quarry, alone. This avian desert predator shows evolved innovative team chasing capabilities in tracing, encircling, flushing out, and eventually attacking the potential quarry. These smart birds can organize dinner parties consisting of several individuals in the non-breeding season. They are known as truly cooperative predators in the raptor realm. As reported by Bednarz [37] in 1998, they begin the team mission at morning twilight, with leaving the rest roosts and often perching on giant trees or power poles inside their home realm. They know their family members and try to be aware of their moves during the attack. When assembled and party gets started, some hawks one after the other make short dives and then, land on rather high perches. In this manner, the hawks occasionally will perform a "leapfrog" motion all over the target site and they rejoin and split several times to actively search for the covered animal, which is usually a rabbit².

The main tactic of Harris' hawks to capture a prey is "surprise pounce", which is also known as "seven kills" strategy. In this intelligent strategy, several hawks try to cooperatively attack from different directions and simultaneously converge on a detected escaping rabbit outside the cover. The attack may rapidly be completed by capturing the surprised prey in few seconds, but occasionally, regarding the escaping capabilities and behaviors of the prey, the seven kills may include multiple, short-length, quick dives near the prey during several minutes. Harris' hawks can demonstrate a variety of chasing styles dependent on the dynamic nature of circumstances and escaping patterns of a prey. A switching tactic occurs when the best hawk (leader) stoops at the prey and get lost, and the chase will be continued by one of the party members. These switching activities can be observed in different situations because they are beneficial for confusing the escaping rabbit. The main advantage of these cooperative tactics is that the Harris' hawks can pursue the detected rabbit to exhaustion, which increases its vulnerability. Moreover, by perplexing the escaping prey, it cannot recover its defensive capabilities and finally, it cannot escape from the confronted team besiege since one of the hawks, which is often the most powerful and experienced one, effortlessly captures the tired rabbit and shares it with other party members. Harris' hawks and their main behaviors can be seen in nature, as captured in Fig. 2.



(a) *Parabuteo unicinctus*

(b) Surprise pounce

Figure 2: Harris's hawk and their behaviors³

²Interested readers can refer to the following documentary videos: (a) <https://bit.ly/2Qew2qN>, (b) <https://bit.ly/2qsh8C1>, (c) <https://bit.ly/2P70MvH>, (d) <https://bit.ly/2DosJdS>

³These images were obtained from (a) <https://bit.ly/2qAs0Db> (b) <https://bit.ly/2zBFo91>

114 **3 Harris hawks optimization (HHO)**

115 In this section, we model the exploratory and exploitative phases of the proposed HHO in-
 116 spired by the exploring a prey, surprise pounce, and different attacking strategies of Harris hawks.
 117 HHO is a population-based, gradient-free optimization technique; hence, it can be applied to any
 118 optimization problem subject to a proper formulation. Figure 3 shows the phases of HHO, which
 119 are described in the next subsections.




Figure 3: Different phases of HHO

120 **3.1 Exploration phase**

121 In this part, the exploration mechanism of HHO is proposed. If we consider the nature of
 122 Harris' hawks, they can track and detect the prey by their powerful eyes, but occasionally the
 123 prey cannot be seen easily. Hence, the hawks wait, observe, and monitor the desert site to detect
 124 a prey maybe after several hours. In HHO, the Harris' hawks are the candidate solutions and the
 125 best candidate solution in each step is considered as the intended prey or nearly the optimum. In
 126 HHO, the Harris' hawks perch randomly on some locations and wait to detect a prey based on two
 127 strategies. If we consider an equal chance q for each perching strategy, they perch based on the
 128 positions of other family members (to be close enough to them when attacking) and the rabbit,
 129 which is modeled in Eq. (1) for the condition of $q < 0.5$, or perch on random tall trees (random
 130 locations inside the group's home range), which is modeled in Eq. (1) for condition of $q \geq 0.5$.

$$X(t+1) = \begin{cases} X_{rand}(t) - r_1 |X_{rand}(t) - 2r_2 X(t)| & q \geq 0.5 \\ (X_{rabbit}(t) - X_m(t)) - r_3(LB + r_4(UB - LB)) & q < 0.5 \end{cases} \quad (1)$$

where $X(t+1)$ is the position vector of hawks in the next iteration t , $X_{rabbit}(t)$ is the position of rabbit, $X(t)$ is the current position vector of hawks, r_1, r_2, r_3, r_4 , and q are random numbers inside $(0,1)$, which are updated in each iteration, LB and UB show the upper and lower bounds of variables, $X_{rand}(t)$ is a randomly selected hawk from the current population, and X_m is the average

position of the current population of hawks. We proposed a simple model to generate random locations inside the group's home range (LB , UB). The first rule generates solutions based on a random location and other hawks. In second rule of Eq. (1), we have the difference of the location of best so far and the average position of the group plus a randomly-scaled component based on range of variables, while r_3 is a scaling coefficient to further increase the random nature of rule once r_4 takes close values to 1 and similar distribution patterns may occur. In this rule, we add a randomly scaled movement length to the LB . Then, we considered a random scaling coefficient for the component to provide more diversification trends and explore different regions of the feature space. It is possible to construct different updating rules, but we utilized the simplest rule, which is able to mimic the behaviors of hawks. The average position of hawks is attained using Eq. (2):

$$X_m(t) = \frac{1}{N} \sum_{i=1}^N X_i(t) \quad (2)$$

where $X_i(t)$ indicates the location of each hawk in iteration t and N denotes the total number of hawks. It is possible to obtain the average location in different ways, but we utilized the simplest rule.

3.2 Transition from exploration to exploitation

The HHO algorithm can transfer from exploration to exploitation and then, change between different exploitative behaviors based on the escaping energy of the prey. The energy of a prey decreases considerably during the escaping behavior. To model this fact, the energy of a prey is modeled as:

$$E = 2^{F_0} \left(1 - \frac{t}{T}\right) \quad (3)$$

where E indicates the escaping energy of the prey, T is the maximum number of iterations, and F_0 is the initial state of its energy. In HHO, F_0 randomly changes inside the interval (-1, 1) at each iteration. When the value of F_0 decreases from 0 to -1, the rabbit is physically flagging, whilst when the value of F_0 increases from 0 to 1, it means that the rabbit is strengthening. The dynamic escaping energy $|E|$ has a decreasing trend during the iterations. When the escaping energy $|E| \geq 1$, the hawks search different regions to explore a rabbit location, hence, the HHO performs the exploration phase, and when $|E| < 1$, the algorithm try to exploit the neighborhood of the solutions during the exploitation steps. In short, exploration happens when $|E| \geq 1$, while exploitation happens in later steps when $|E| < 1$. The time-dependent behavior of E is also demonstrated in Fig. 4.

3.3 Exploitation phase

In this phase, the Harris' hawks perform the surprise pounce (*seven kills* as called in [37]) by attacking the intended prey detected in the previous phase. However, preys often attempt to escape from dangerous situations. Hence, different chasing styles occur in real situations. According to the escaping behaviors of the prey and chasing strategies of the Harris' hawks, four possible strategies are proposed in the HHO to model the attacking stage.

The preys always try to escape from threatening situations. Suppose that r is the chance of a prey in successfully escaping ($r < 0.5$) or not successfully escaping ($r \geq 0.5$) before surprise pounce. Whatever the prey does, the hawks will perform a hard or soft besiege to catch the prey. It means that they will encircle the prey from different directions softly or hard depending on the retained energy of the prey. In real situations, the hawks get closer and closer to the intended prey to




Figure 4: Behavior of E during two runs and 500 iterations

increase their chances in cooperatively killing the rabbit by performing the surprise pounce. After several minutes, the escaping prey will lose more and more energy; then, the hawks intensify the besiege process to effortlessly catch the exhausted prey. To model this strategy and enable the HHO to switch between soft and hard besiege processes, the E parameter is utilized.

In this regard, when $|E| \geq 0.5$, the soft besiege occurs, and when $|E| < 0.5$, the hard besiege occurs.

3.3.1 Soft besiege

When $r \geq 0.5$ and $|E| \geq 0.5$, the rabbit still has enough energy, and try to escape by some random misleading jumps but finally it cannot. During these attempts, the Harris' hawks encircle it softly to make the rabbit more exhausted and then perform the surprise pounce. This behavior is modeled by the following rules:

$$X(t+1) = X(t) - E |JX_{rabbit}(t) - X(t)| \quad (4)$$

$$\Delta X(t) = X_{rabbit}(t) - X(t) \quad (5)$$

where $\Delta X(t)$ is the difference between the position vector of the rabbit and the current location in iteration t , r_5 is a random number inside $(0,1)$, and $J = 2(1 - r_5)$ represents the random jump strength of the rabbit throughout the escaping procedure. The J value changes randomly in each iteration to simulate the nature of rabbit motions.

3.3.2 Hard besiege

When $r \geq 0.5$ and $|E| < 0.5$, the prey is so exhausted and it has a low escaping energy. In addition, the Harris' Hawks hardly encircle the intended prey to finally perform the surprise pounce. In this situation, the current positions are updated using Eq. (6):

$$X(t+1) = X_{rabbit}(t) - E |\Delta X(t)| \quad (6)$$

A simple example of this step with one hawk is depicted in Fig. 5.

3.3.3 Soft besiege with progressive rapid dives

When still $|E| \geq 0.5$ but $r < 0.5$, the rabbit has enough energy to successfully escape and still a soft besiege is constructed before the surprise pounce. This procedure is more intelligent than the previous case.




Figure 5: Example of overall vectors in the case of hawks' besiege

To mathematically model the escaping patterns of the prey and *leapfrog movements* (as called in [37]), the levy flight (LF) concept is utilized in the HHO algorithm. The LF is utilized to mimic the real zigzag deceptive motions of preys (particularly rabbits) during escaping phase and irregular, abrupt, and rapid dives of hawks around the escaping prey. Actually, hawks perform several team rapid dives around the rabbit and try to progressively correct their location and directions with regard to the deceptive motions of prey. This mechanism is also supported by real observations in other competitive situations in nature. It has been confirmed that LF-based activities are the optimal searching tactics for foragers/predators in non-destructive foraging conditions [42, 43]. In addition, it has been detected the LF-based patterns can be detected in the chasing activities of animals like monkeys and sharks [44, 45, 46, 47]. Hence, the LF-based motions were utilized within this phase of HHO technique.

Inspired by real behaviors of hawks, we supposed that they can progressively select the best possible dive toward the prey when they wish to catch the prey in the competitive situations. Therefore, to perform a soft besiege, we supposed that the hawks can evaluate (decide) their next move based on the following rule in Eq. (7):

$$Y = X_{\text{rabbit}}(t) + E |JX_{\text{rabbit}}(t) - X(t)| \quad (7)$$

Then, they compare the possible result of such a movement to the previous dive to detect that will it be a good dive or not. If it was not reasonable (when they see that the prey is performing more deceptive motions), they also can to perform irregular, abrupt, and rapid dives when approaching the rabbit. We supposed that they will dive based on the LF-based patterns using the following rule:

$$Z = Y + S \times LF(D) \quad (8)$$

where D is the dimension of problem and S is a random vector by size $1 \times D$ and LF is the levy flight function, which is calculated using Eq. (9) [48]:

$$LF(x) = 0.01 \times \frac{u \times \sigma}{|v|^{\frac{1}{\beta}}}, \sigma = \left(\frac{\Gamma(1 + \beta) \times \sin(\frac{\pi\beta}{2})}{\Gamma(\frac{1+\beta}{2}) \times \beta \times 2^{(\frac{\beta-1}{2})}} \right)^{\frac{1}{\beta}} \quad (9)$$

where $u, v \in \mathbb{R}$ random values inside $(0,1)$, β is a default constant set to 1.5.

Hence, the final strategy for updating the positions of hawks in the soft besiege phase can be performed by Eq. (10):

$$X(t+1) = \begin{cases} Y & \text{if } F(Y) < F(X(t)) \\ Z & \text{if } F(Z) < F(X(t)) \end{cases} \quad (10)$$

189 where Y and Z are obtained using Eqs.(7) and (8).

190 A simple illustration of this step for one hawk is demonstrated in Fig. 6. Note that the
 191 position history of LF-based leapfrog movement patterns during some iterations are also recorded
 192 and shown in this illustration. The colored dots are the location footprints of LF-based patterns
 193 in one trial and then, the HHO reaches to the location Z . In each step, only the better position
 194 Y or Z will be selected as the next location. This strategy is applied to all search agents.




Figure 6: Example of overall vectors in the case of soft besiege with progressive rapid dives

195 3.3.4 Hard besiege with progressive rapid dives

When $|E| < 0.5$ and $r < 0.5$, the rabbit has not enough energy to escape and a hard besiege is constructed before the surpriseponce to catch and kill the prey. The situation of this step in the prey side is similar to that in the soft besiege, but this time, the hawks try to decrease the distance of their average location with the escaping prey. Therefore, the following rule is performed in hard besiege condition:

$$X(t+1) = \begin{cases} Y & \text{if } F(Y) < F(X(t)) \\ Z & \text{if } F(Z) < F(X(t)) \end{cases} \quad (11)$$

196 where Y and Z are obtained using new rules in Eqs.(12) and (13).


$$Y = X_{\text{rabbit}}(t) - E |JX_{\text{rabbit}}(t) - X_m(t)| \quad (12)$$

$$Z = Y + S \times LF(D) \quad (13)$$


197 where $X_m(t)$ is obtained using Eq. (2). A simple example of this step is demonstrated in Fig. 7.
 198 Note that the colored dots are the location footprints of LF-based patterns in one trial and only
 199 Y or Z will be the next location for the new iteration.

200 3.4 Pseudocode of HHO

201 The pseudocode of the proposed HHO algorithm is reported in Algorithm 1.



(a) The process in 2D space



(b) The process in 3D space

Figure 7: Examples of overall vectors in the case of hard besiege with progressive rapid dives in 2D and 3D space.

Algorithm 1 Pseudo-code of HHO algorithm

Return X_{rabbit}

202 3.5 Computational complexity

Note that the computational complexity of the HHO mainly depends on three processes: initialization, fitness evaluation, and updating of laws. Note that with N hawks, the computational complexity of the initialization process is $\mathcal{O}(N)$. The computational complexity of the updating mechanism is $\mathcal{O}(T \times N) + \mathcal{O}(T \times N \times D)$, which is composed of searching for the best location and updating the location vector of all hawks, where T is the maximum number of iterations and D is the dimension of specific problems. Therefore, computational complexity of HHO is $\mathcal{O}(N \times (T + TD + 1))$.

4 Experimental results and discussions

211 4.1 Benchmark set and compared algorithms

In order to investigate the efficacy of the proposed HHO optimizer, a well-studied set of diverse benchmark functions are selected from literature [49, 50]. This benchmark set covers three main groups of benchmark landscapes: unimodal (UM), multimodal (MM), and composition (CM). The UM functions (F1-F7) with unique global best can reveal the exploitative (intensification) capacities of different optimizers, while the MM functions (F8-F23) can disclose the exploration (diversification) and LO avoidance potentials of algorithms. The mathematical formulation and characteristics of UM and MM problems are shown in Tables 16, 17, and 18 in Appendix A. The third group problems (F24-F29) are selected from IEEE CEC 2005 competition [51] and covers hybrid composite, rotated and shifted MM test cases. These CM cases are also utilized in many papers and can expose the performance of utilized optimizers in well balancing the exploration

²²² and exploitation inclinations and escaping from LO in dealing with challenging problems. Details
²²³ of the CM test problems are also reported in Table 19 in Appendix A. Figure 8 demonstrates three
²²⁴ of composition test problems.

The results and performance of the proposed HHO is compared with other well-established optimization techniques such as the GA [22], BBO [22], DE [22], PSO [2], CS [34], TLBO [29], BA/BAT [52], FPA [53], FA [54], GWO [55], and MFO [56] algorithms based on the best, worst, standard deviation (STD) and average of the results (AVG). These algorithms cover both recently proposed techniques such as MFO, GWO, CS, TLBO, BAT, FPA, and FA and also, relatively the most utilized optimizers in the field like the GA, DE, PSO, and BBO algorithms.

As recommended by Derrac et al. [57], the non-parametric Wilcoxon statistical test with 5% degree of significance is also performed along with experimental assessments to detect the significant differences between the attained results of different techniques.




Figure 8: Demonstration of composition test functions

234 4.2 Experimental setup

All algorithms were implemented under Matlab 7.10 (R2010a) on a computer with a Windows 7 64-bit professional and 64 GB RAM. The swarm size and maximum iterations of all optimizers are set to 30 and 500, respectively. All results are recorded and compared based on the average performance of optimizers over 30 independent runs.

The settings of GA, PSO, DE and BBO algorithms are same with those set by Dan Simon in the original work of BBO [22], while for the BA [52], FA [58], TLBO [29], GWO [55], FPA [53], CS [34], and MFO [56], the parameters are same with the recommended settings in the original works. The used parameters are also reported in Table 1.

4.3 Qualitative results of HHO

The qualitative results of HHO for several standard unimodal and multimodal test problems are demonstrated in Figs. 9-11. These results include four well-known metrics: search history, the trajectory of the first hawk, average fitness of population, and convergence behavior. In addition, the escaping energy of the rabbit is also monitored during iterations. The search history diagram reveals the history of those positions visited by artificial hawks during iterations. The map of the trajectory of the first hawk monitors how the first variable of the first hawk varies during the steps of the process. The average fitness of hawks monitors how the average fitness of whole population varies during the process of optimization. The convergence metric also reveals how the fitness value of the rabbit (best solution) varies during the optimization. Note that the diagram of escaping energy demonstrates how the energy of rabbit varies during the simulation.




Figure 9: Qualitative results for unimodal F1, F3, and F4 problems




Figure 10: Qualitative results for F7, F9, and F10 problems

Table 1: The parameter settings

Algorithm	Parameter	Value
DE	Scaling factor	0.5
	Crossover probability	0.5
PSO	Topology fully connected	
	Inertia factor	0.2
	c_1	1
TLBO	c_2	1
	Teaching factor T	1, 2
	GWO	[0]
MFO	Convergence constant a	[-1, 1]
	Spiral factor b	1
	CS	
BA	Discovery rate of alien solutions p_a	0.25
	Q_{min}	0
	Q_{max}	2
	A Loudness	0.5
FA	r	0.5
	α	0.5
	β	0.2
FPA	γ	1
	Probability switch p	0.8
	BBO	
BBO	Habitat modification probability	1
	Immigration probability m	[0,1]
	Step size	1
	Max immigration (I) and Max emigration (E)	1
	Mutation probability	0.005




Figure 11: Qualitative results for F13 problem

From the history of sampled locations in Figs. 9-11, it can be observed that the HHO reveals a similar pattern in dealing with different cases, in which the hawks attempts to initially boost the diversification and explore the favorable areas of solution space and then exploit the vicinity of the best locations. The diagram of trajectories can help us to comprehend the searching behavior of the foremost hawk (as a representative of the rest of hawks). By this metric, we can check if the foremost hawk faces abrupt changes during the early phases and gradual variations in the concluding steps. Referring to Van Den Bergh and Engelbrecht [59], these activities can guarantee that a P-metaheuristic finally converges to a position and exploit the target region.

As per trajectories in Figs. 9-11, we see that the foremost hawk start the searching procedure with sudden movements. The amplitude of these variations covers more than 50% of the solution space. This observation can disclose the exploration propensities of the proposed HHO. As times passes, the amplitude of these fluctuations gradually decreases. This point guarantees the transition of HHO from exploratory trends to exploitative steps. Eventually, the motion pattern of the first hawk becomes very stable which shows that the HHO is exploiting the promising regions during the concluding steps. By monitoring the average fitness of the population, the next measure, we can notice the reduction patterns in fitness values when the HHO enriches the excellence of the randomized candidate hawks. Based on the diagrams demonstrated in Figs. 9-11, the HHO can enhance the quality of all hawks during half of the iterations and there is an accelerating decreasing pattern in all curves. Again, the amplitude of variations of fitness results decreases by more iteration. Hence, the HHO can dynamically focus on more promising areas during iterations. According to convergence curves in Fig. Figs. 9-11 which shows the average fitness of best hawk found so far, we can detect accelerated decreasing patterns in all curves, especially after half of the iteration. We can also detect the estimated moment that the HHO shift from exploration to exploitation. In this regard, it is observed that the HHO can reveal an accelerated convergence trend.

4.4 Scalability analysis

In this section, a scalability assessment is utilized to investigate the impact of dimension on the results of HHO. This test has been utilized in the previous studies and it can reveal the impact of dimensions on the quality of solutions for the HHO optimizer to recognize its efficacy not only for problems with lower dimensions but also for higher dimension tasks. In addition, it reveals how a P-metaheuristic can preserve its searching advantages in higher dimensions. For this experiment, the HHO is utilized to tackle the scalable UM and MM F1-F13 test cases with 30, 100, 500, and 1000 dimensions. The average error AVG and STD of the attained results of all optimizers over 30 independent runs at 500 iterations are recorded and compared for each dimension. Table 2 reveals the results of HHO versus other methods in dealing with F1-F13 problems with different dimensions. The scalability results for all techniques are also illustrated in Fig. 12. Note that the detailed results of all techniques are reported in the next parts.

As it can be seen in Table 2, the HHO can expose excellent results in all dimensions and its performance remains consistently superior when realizing cases with many variables. As per curves in Fig. 12, it is observed that the optimality of results and the performance of other methods significantly degrade by increasing the dimensions. This reveals that HHO is capable of maintaining a good balance between the exploratory and exploitative tendencies on problems with many variables.




Figure 12: Scalability results of the HHO versus other methods in dealing with the F1-F13 cases with different dimensions

Table 2: Results of HHO for different dimensions of scalable F1-F13 problems

Problem/D	Metric	30	100	500	1000
F1	AVG	3.95E-97	1.91E-94	1.46E-92	1.06E-94
	STD	1.72E-96	8.66E-94	8.01E-92	4.97E-94
F2	AVG	1.56E-51	9.98E-52	7.87E-49	2.52E-50
	STD	6.98E-51	2.66E-51	3.11E-48	5.02E-50
F3	AVG	1.92E-63	1.84E-59	6.54E-37	1.79E-17
	STD	1.05E-62	1.01E-58	3.58E-36	9.81E-17
F4	AVG	1.02E-47	8.76E-47	1.29E-47	1.43E-46
	STD	5.01E-47	4.79E-46	4.11E-47	7.74E-46
F5	AVG	1.32E-02	2.36E-02	3.10E-01	5.73E-01
	STD	1.87E-02	2.99E-02	3.73E-01	1.4E+00
F6	AVG	1.15E-04	5.12E-04	2.94E-03	3.61E-03
	STD	1.56E-04	6.77E-04	3.98E-03	5.3E-03
F7	AVG	1.40E-04	1.85E-04	2.51E-04	1.41E-04
	STD	1.07E-04	4.06E-04	2.43E-04	1.63E-04
F8	AVG	-1.25E+04	-4.19E+04	-2.09E+05	-1.19E+05
	STD	1.47E+02	2.82E+00	2.84E+01	1.03E+02
F9	AVG	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	STD	0.00E+00	0.00E+00	0.00E+00	0.00E+00
F10	AVG	8.88E-16	8.88E-16	8.88E-16	8.88E-16
	STD	4.01E-31	4.01E-31	4.01E-31	4.01E-31
F11	AVG	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	STD	0.00E+00	0.00E+00	0.00E+00	0.00E+00
F12	AVG	7.35E-06	4.23E-06	1.41E-06	1.02E-06
	STD	1.19E-05	5.25E-06	1.4E-06	1.16E-06
F13	AVG	1.57E-04	9.15E-05	3.44E-04	8.41E-04
	STD	2.15E-04	1.26E-04	4.75E-04	1.18E-03

297 4.5 Quantitative results of HHO and discussion

298 In this section, the results of HHO are compared with those of other optimizers for different
 299 dimensions of F1-F13 test problems in addition to the F14-F29 MM and CM test cases. Note
 300 that the results are presented for 30, 100, 500, and 1000 dimensions of the scalable F1-F13 prob-
 301 lems. Tables 3-6 show the obtained results for HHO versus other competitors in dealing with
 302 scalable functions. Table 8 also reveals the performance of algorithms in dealing with F14-F29
 303 test problems. In order to investigate the significant differences between the results of proposed
 304 HHO versus other optimizers, Wilcoxon rank-sum test with 5% degree is carefully performed here
 305 [57]. Tables 20, 21, 22, 23, and 24 in Appendix B show the attained p-values of the Wilcoxon
 306 rank-sum test with 5% significance.

307 As per result in Table 3, the HHO can obtain the best results compared to other competitors
 308 on F1-F5, F7, and F9-F13 problems. The results of HHO are considerably better than other
 309 algorithms in dealing with 30% of these 30-dimensional functions, demonstrating the superior
 310 performance of this optimizer. According to p-values in Table 20, it is detected that the observed
 311 differences in the results are statistically meaningful for all cases. From Table 4, when we have a
 312 100-dimensional search space, the HHO can considerably outperform other techniques and attain
 313 the best results for 92.3% of F1-F13 problems. It is observed that the results of HHO are again
 314 remarkably better than other techniques. With regard to p-values in Table 21, it is detected that
 315 the solutions of HHO are significantly better than those realized by other techniques in almost
 316 all cases. From Table 5, we see that the HHO can attain the best results in terms of AVG and
 317 STD in dealing with 12 test cases with 500 dimensions. By considering p-values in Table 22, it is
 318 recognized that the HHO can significantly outperform other optimizers in all cases. As per results
 319 in Table 6, similarly to what we observed in lower dimensions, it is detected that the HHO has
 320 still a remarkably superior performance in dealing with F1-F13 test functions compared to GA,
 321 PSO, DE, BBO, CS, GWO, MFO, TLBO, BAT, FA, and FPA optimizers. The statistical results
 322 in Table 23 also verify the significant gap between the results of HHO and other optimizers in

almost all cases. It is seen that the HHO has reached the best global optimum for F9 and F11 cases in any dimension.

Table 3: Results of benchmark functions (F1-F13), with 30 dimensions.

Benchmark	HHO	GA	PSO	BBO	FPA	GWO	BAT	FA	CS	MFO	T	BO	DE
F1	AVG 3.95E-97	1.03E+03	1.83E+04	7.59E+01	2.01E+03	1.18E-27	6.59E+04	7.11E-03	9.06E-04	1.01E-23	17E-89	1.33E-03	
	STD	1.72E-96	5.79E+02	3.01E+03	2.75E+01	5.60E+02	1.47E-27	7.51E+03	3.21E-03	4.55E-04	3.05E+00	3.14E-89	5.92E-04
F2	AVG 1.56E-51	2.47E+01	3.58E+02	1.36E-03	3.22E+01	9.71E-17	2.71E+08	4.34E-01	1.49E-01	3.1E-01	2.1E-45	6.83E-03	
	STD	6.98E-51	5.68E+00	1.35E+03	7.45E-03	5.55E+00	5.60E-01	1.30E+09	1.84E-01	2.79E-02	2.06E-17	3.11E-45	2.06E-03
F3	AVG 1.92E-63	2.65E+04	4.05E+04	1.21E+04	1.41E+03	5.12E-05	1.38E+05	1.66E+03	2.10E-01	2.3E+04	3.1E-18	3.97E+04	
	STD	1.05E-62	3.44E+03	8.21E+03	2.69E+03	5.59E+02	2.03E-04	4.72E+04	6.72E-02	5.69E-07	1.4E-04	8.04E-18	5.37E+03
F4	AVG 1.02E-47	5.17E+01	4.39E+01	3.02E+01	2.38E+01	1.24E-06	8.51E+01	1.11E-01	9.65E-17	7.30E+01	1.68E-36	1.15E+01	
	STD	5.01E-47	1.05E+01	3.64E+00	4.39E+00	2.77E+00	1.94E-06	2.95E+00	4.75E-02	1.94E-02	1.06E+00	1.47E-36	2.37E+00
F5	AVG 1.32E-02	1.95E+04	1.96E+07	1.82E+03	3.17E+05	2.70E+01	2.10E+08	7.97E+01	2.76E+01	1.7E+03	2.54E+01	1.06E+02	
	STD	1.87E-02	1.31E+04	6.25E+06	9.40E+02	1.75E+05	7.78E-01	4.17E+07	7.39E+01	1.1E-01	2.26E-04	4.26E-01	1.01E+02
F6	AVG 1.15E-04	9.01E+02	1.87E+04	6.71E+01	1.70E+03	8.44E-01	6.69E+04	6.94E-03	3.13E-03	6.8E+03	3.29E-05	1.44E-03	
	STD	1.56E-04	2.84E+02	2.92E+03	2.20E+01	3.13E+02	3.18E-01	5.87E+03	3.61E-03	1.30E-03	3.4E+03	8.65E-05	5.38E-04
F7	AVG 1.40E-04	1.91E+01	1.07E+01	2.91E+01	3.41E+01	1.70E-03	4.57E+01	6.62E-02	7.0E-02	1.0E+00	1.16E-03	5.24E-02	
	STD	1.07E-04	1.50E+01	3.05E+00	1.83E-03	1.10E-01	1.06E-03	7.82E+00	4.23E-00	2.21E-01	9.21E+00	3.63E-04	1.37E-02
F8	AVG -1.25E+04	-1.26E+04	-3.86E+03	-1.24E+04	-6.45E+03	-5.97E+03	-2.33E+03	-5.8E+03	-5.8E+03	-1.25E+19	-8.48E+03	-7.76E+03	-6.82E+03
	STD	1.47E+02	4.51E+00	2.49E+01	3.50E+01	3.03E+02	7.18E+02	2.96E+02	1.1E+03	1.7E+20	7.98E+02	1.04E+03	3.94E+02
F9	AVG 0.00E+00	9.04E+00	2.87E+02	0.00E+00	1.82E+02	2.19E+00	1.92E+02	3.8E-02	1.51E-01	1.59E+02	1.40E+01	1.58E+02	
	STD	0.00E+00	4.58E+00	1.95E+01	0.00E+00	1.24E+01	3.69E+00	3.56E+01	1.12E+01	1.25E+00	3.21E+01	5.45E+00	1.17E+01
F10	AVG 8.88E-16	1.36E+01	1.75E+01	2.13E+00	7.14E+00	1.03E-13	1.92E+01	4.5E-02	3.29E-02	1.74E+01	6.45E-15	1.21E-02	
	STD	4.01E-31	1.51E+00	3.67E-01	3.53E-01	1.08E+00	1.70E-14	2.43E-01	1.20E-02	7.93E-03	4.95E+00	1.79E-15	3.30E-03
F11	AVG 0.00E+00	1.01E+01	1.70E+02	1.46E+00	1.73E+01	4.76E-03	6.01E-22	4.23E-03	4.29E-05	3.10E+01	0.00E+00	3.52E-02	
	STD	0.00E+00	2.43E+00	3.17E+01	1.69E-01	3.63E+00	8.57E-03	5.50E+00	1.29E-03	2.00E-05	5.94E+01	0.00E+00	7.20E-02
F12	AVG 2.08E-06	4.77E+00	1.51E+07	6.68E-01	3.05E+02	4.83E-02	4.1E-08	3.1E-02	5.57E-05	2.46E+02	7.35E-06	2.25E-03	
	STD	1.19E-05	1.56E+00	9.88E+00	2.62E+00	1.04E+03	2.12E-02	1.54E+00	1.76E-04	4.96E-05	1.21E+03	7.45E-06	1.70E-03
F13	AVG 1.57E-04	1.52E+01	5.73E+07	1.82E+00	9.59E+04	5.96E-01	9.40E+08	7.0E-03	8.19E-03	2.73E+07	7.89E-02	9.12E-03	
	STD	2.15E-04	4.52E+00	2.68E+07	3.41E-01	1.46E+05	2.23E-01	6.00E+08	9.62E-04	6.74E-03	1.04E+08	8.78E-02	1.16E-02

Table 4: Results of benchmark functions (F1-F13), with 100 dimensions.

Benchmark	HHO	GA	PSO	BBO	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE	
F1	AVG 1.91E-94	5.41E+04	1.06E+05	2.85E+03	1.39E+04	6.59E-12	2.72E+05	3.05E-01	3.17E-01	6.20E+04	3.62E-81	8.26E+03	
	STD	8.66E-94	1.42E+04	8.47E+03	4.49E+02	2.71E-00	1.42E+04	5.60E-02	5.28E-02	1.25E+04	4.14E-81	1.32E+03	
F2	AVG 9.98E-52	2.53E+02	6.06E+23	1.59E+01	1.01E+02	3.11E-08	6.00E+43	1.45E+01	4.05E+00	2.46E+02	3.27E-41	1.21E+02	
	STD	2.66E-51	1.41E+01	2.18E+24	3.74E+00	9.36E+00	1.18E-08	1.18E+44	6.73E+00	3.16E-01	4.48E+01	2.75E-41	2.33E+01
F3	AVG 1.84E-59	2.53E+05	4.22E+05	1.70E+05	1.89E+04	4.09E+02	1.43E+06	4.65E+04	6.88E+00	2.15E+05	4.33E-07	5.01E+05	
	STD	1.01E-58	5.03E+04	7.08E+04	2.02E+04	2.77E+03	6.21E+05	6.92E+03	1.02E+00	4.43E+04	8.20E-07	5.87E+04	
F4	AVG 8.76E-47	8.19E+01	6.07E+01	7.08E-14	3.51E+01	8.89E-01	9.41E+01	1.91E+01	2.58E-01	9.31E+01	6.36E-33	9.62E+01	
	STD	4.79E-46	3.15E+00	3.05E+00	4.73E-00	3.37E+00	9.30E-01	1.49E+00	3.12E+00	2.80E-02	2.13E+00	6.66E-33	1.00E+00
F5	AVG 2.36E-02	2.37E+07	2.42E+08	4.47E+00	4.64E+07	9.79E+01	1.10E+09	8.46E+02	1.33E+02	1.44E+08	9.67E+01	1.99E+07	
	STD	2.99E-02	8.43E+06	4.02E+07	2.5E+05	1.2E+03	6.75E-01	9.47E+07	8.13E+02	7.34E+00	7.50E+07	7.77E-01	5.80E+06
F6	AVG 5.12E-04	5.42E+04	1.07E+05	8.85E+00	1.26E+04	1.03E+01	2.69E+05	2.95E-01	2.65E+00	6.68E+04	3.27E+00	8.07E+03	
	STD	6.77E-04	1.09E+04	9.70E+03	4.07E-02	2.03E+03	1.05E+00	1.25E+04	5.34E-02	3.94E-01	1.46E+04	6.98E-01	1.64E+03
F7	AVG 1.85E-04	2.73E+01	3.41E+02	2.5E+00	5.4E+00	7.60E-03	3.01E+02	5.65E-01	1.21E+00	2.56E+02	1.50E-03	1.96E+01	
	STD	4.06E-04	4.45E+01	8.74E-01	5.1E-00	1.16E-00	2.66E-03	2.66E-01	1.64E-01	2.65E-01	8.91E-01	5.39E-04	5.66E+00
F8	AVG -4.19E+04	-4.10E+04	-7.32E+03	-3.85E+00	-1.28E+04	-1.67E+04	-4.07E+03	-1.81E+04	-2.84E+18	-2.30E+04	-1.71E+04	-1.19E+04	
	STD	2.82E+00	1.14E+02	4.7E-02	2.80E+02	4.64E+02	2.62E+03	9.37E+02	3.23E+03	6.91E+18	1.98E+03	3.54E+03	5.80E+02
F9	AVG 0.00E+00	1.39E+02	1.16E+03	1.01E+00	8.47E+02	1.03E+01	7.97E+02	2.36E+02	1.72E+02	8.65E+02	1.02E+01	1.03E+03	
	STD	0.00E+00	4.17E+01	5.74E+01	2.7E-00	4.01E+01	9.02E+00	6.33E+01	2.63E+01	9.24E+00	8.01E+01	5.57E+01	4.03E+01
F10	AVG 8.88E-16	1.82E+01	1.59E+00	5.57E+00	8.21E+00	1.20E-07	1.94E+01	9.81E-01	3.88E-01	1.99E+01	1.66E-02	1.22E+01	
	STD	4.01E-31	4.35E-07	2.04E-01	4.72E-01	1.14E+00	5.07E-08	6.50E-02	2.55E-01	5.23E-02	8.58E-02	9.10E-02	8.31E-01
F11	AVG 0.00E+00	5.14E+01	9.3E+02	2.24E+01	1.19E+02	4.87E-03	2.47E+03	1.19E-01	4.56E-03	5.60E+02	0.00E+00	7.42E+01	
	STD	0.00E+00	1.05E+02	4.35E+00	2.00E+00	1.07E-02	1.03E+02	2.34E-02	9.73E-04	1.23E+02	0.00E+00	1.40E+01	
F12	AVG 4.23E-06	4.7E+06	3.54E-08	3.03E+02	1.55E+05	2.87E-01	2.64E+09	4.45E+00	2.47E-02	2.82E+08	3.03E-02	3.90E+07	
	STD	5.25E-06	1.2E+06	8.75E-07	1.48E+03	1.74E+00	6.41E-02	2.69E+00	1.32E+00	5.98E-03	1.45E+08	1.02E-02	1.88E+07
F13	AVG 9.13E-05	3.26E+01	8.5E+08	6.82E+04	2.76E+06	6.87E+00	5.01E+09	4.50E+01	5.84E+00	6.68E+08	5.47E+00	7.19E+07	
	STD	1.26E-04	3.07E-07	2.7E+08	3.64E+04	1.80E+06	3.32E-01	3.93E+08	2.24E+01	1.21E+00	3.05E+08	8.34E-01	2.73E+07

In order to further check the efficacy of HHO, we recorded the running time taken by optimizers to find the solutions for F1-F13 problems with 1000 dimensions and the results are exposed in Table 7. As per results in Table 7, we detect that the HHO shows a reasonably fast and competitive performance in finding the best solutions compared to other well-established optimizers even for high dimensional unimodal and multimodal cases. Based on average running time on 13 problems, the HHO performs faster than BBO, PSO, GA, CS, GWO, and FA algorithms. These observations are also in accordance with the computational complexity of HHO.

The results in Table 8 verify that HHO provides superior and very competitive results on F14-F23 fixed dimension MM test cases. The results on F16-F18 are very competitive and all algorithms have attained high-quality results. Based on results in Table 8, the proposed HHO has

Table 5: Results of benchmark functions (F1-F13), with 500 dimensions.

Benchmark	HHO	GA	PSO	BBQ	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	AVG 1.46E-92	6.06E+05	6.42E+05	1.60E+05	8.26E+04	1.42E-03	1.52E+06	6.30E+04	6.80E+00	1.5E+06	1.95E-77	7.43E+05
	STD	8.01E-92	7.01E+04	2.96E+04	9.76E+03	1.32E+04	3.99E-04	3.58E+04	8.47E+03	4.93E-01	3.54E-04	1.94E-77
F2	AVG 7.87E-49	1.94E+03	6.08E+09	5.95E+02	5.13E+02	1.10E-02	8.34E+09	7.13E+02	4.57E+01	7.90E+08	31E-39	3.57E+09
	STD	3.11E-48	7.03E+01	1.70E+10	1.70E+01	4.84E+01	1.93E-03	1.70E+10	3.76E+01	2.05E+00	1.5E+09	1.63E-39
F3	AVG 6.54E-37	5.79E+06	1.13E+07	2.98E+06	5.34E+05	3.34E+05	3.37E+07	1.19E+06	2.03E+02	4.6E+06	1.06E+00	1.20E+07
	STD	3.58E-36	9.08E+05	1.43E+06	3.87E+05	1.34E+05	7.95E+04	1.41E+07	1.88E+05	2.72E-01	1.72E+06	3.70E+00
F4	AVG 1.29E-47	9.59E+01	8.18E+01	9.35E+01	4.52E+01	6.51E+01	9.82E+01	5.00E+01	4.06E-01	8.8E+01	4.02E-31	9.92E+01
	STD	4.11E-47	1.20E+00	1.49E+00	9.05E-01	4.28E+00	5.72E+00	3.32E-01	1.73E+00	3.0E-02	4.1E-01	2.67E-31
F5	AVG 3.10E-01	1.79E+09	1.84E+09	2.07E+08	3.30E+07	4.98E+02	6.94E+09	2.56E+07	2.1E+03	1.01E+09	4.97E+02	4.57E+09
	STD	3.73E-01	4.11E+08	1.11E+08	2.08E+07	8.76E+06	5.23E-01	2.23E+08	6.14E+06	1.04E+01	5.0E+08	3.07E-01
F6	AVG 2.94E-03	6.27E+05	6.57E+05	1.68E+05	8.01E+04	9.22E+01	1.53E+06	6.30E+04	9.7E+01	1.6E+06	7.82E+01	7.23E+05
	STD	3.98E-03	7.43E+04	3.29E+04	8.23E+03	9.32E+03	2.15E+00	3.37E+04	8.91E+03	2.2E+00	3.48E+04	2.50E+00
F7	AVG 2.51E-04	9.10E+03	1.43E+04	2.62E+03	2.53E+02	4.67E-02	2.23E+04	3.71E+02	8.05E+00	3.84E+04	1.71E-03	2.39E+04
	STD	2.43E-03	1.51E+03	3.59E+02	6.28E+01	1.12E-02	1.15E+03	6.7E+01	1.2E+01	2.24E+03	4.80E-04	2.72E+03
F8	AVG -2.09E+05	-1.31E+05	-1.65E+04	-1.42E+05	-3.00E+04	-5.70E+04	-9.03E+03	-7.7E+04	-2.10E+17	-6.29E+04	-5.02E+04	-2.67E+04
	STD	2.84E+01	2.31E+04	9.99E+02	1.98E+03	1.14E+03	3.12E+03	2.12E+03	1.15E+04	1.14E+18	5.71E+03	1.00E+04
F9	AVG 0.00E+00	3.29E+03	6.63E+03	7.86E+02	4.96E+03	7.84E+01	6.18E+03	1.05E+03	1.05E+03	6.96E+03	0.00E+00	7.14E+03
	STD	0.00E+00	1.96E+02	1.07E+02	3.42E+01	7.64E+01	3.13E+01	1.20E+02	1.42E+00	5.21E+01	1.48E+02	0.00E+00
F10	AVG 8.88E-16	1.96E+01	1.97E+01	1.44E+01	8.55E+00	1.93E-03	2.04E+01	1.24E+01	1.07E+00	2.03E+01	7.62E-01	2.06E+01
	STD	4.01E-31	2.04E-01	1.04E-01	2.22E-01	8.66E-01	3.50E-04	3.25E-04	4.46E-01	6.01E-02	1.48E-01	2.33E+00
F11	AVG 0.00E+00	5.42E+03	5.94E+03	1.47E+03	6.88E+02	1.55E-02	1.27E+04	1.27E+00	2.66E-02	1.03E+04	0.00E+00	6.75E+03
	STD	0.00E+00	7.32E+02	3.19E+02	8.10E+01	8.17E+01	3.50E-02	3.19E-02	7.33E+01	2.30E-03	4.43E+02	0.00E+00
F12	AVG 1.41E-06	2.79E+09	3.51E+09	1.60E+08	4.50E+06	7.42E-01	1.70E+10	1.77E+05	3.87E-01	1.20E+10	4.61E-01	1.60E+10
	STD	1.48E-06	1.11E+09	4.16E+08	3.16E+07	3.37E+06	4.38E-02	1.27E+05	2.47E-02	6.82E+08	2.40E-02	2.34E+09
F13	AVG 3.44E-04	8.84E+09	6.82E+09	5.13E+08	3.94E+07	5.06E+01	1.77E+10	2.29E+07	6.00E+01	2.23E+10	4.98E+01	2.42E+10
	STD	4.75E-04	2.00E+09	8.45E+08	6.59E+07	1.87E+07	1.30E+00	9.68E-08	9.46E+06	1.13E+00	1.13E+09	9.97E-03

Table 6: Results of benchmark functions (F1-F13), with 1000 dimensions.

Benchmark	HHO	GA	PSO	BBQ	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	AVG 1.06E-94	1.36E+06	1.36E+06	6.51E+01	1.70E+05	2.42E-01	3.12E+06	3.20E+05	1.65E+01	2.73E+06	2.73E-76	2.16E+06
	STD	4.97E-94	1.79E+05	6.37E+04	2.37E+04	2.99E+04	4.72E-02	4.61E+04	2.11E+04	1.27E+00	4.70E+04	7.67E-76
F2	AVG 2.52E-50	4.29E+03	1.3E+10	1.96E+03	8.34E+00	7.11E-01	1.79E+10	1.79E+10	1.02E+02	1.79E+10	1.79E+10	1.79E+10
	STD	5.02E-50	8.86E+01	1.79E+10	2.1E+01	8.96E+02	4.96E-01	1.79E+10	3.49E+00	1.79E+10	1.79E+10	1.79E+10
F3	AVG 1.79E-17	2.29E+07	2.29E+07	1.97E+07	9.92E+06	1.95E+06	1.49E+06	1.35E+06	4.95E+06	8.67E+02	1.94E+07	8.61E-01
	STD	9.81E-17	3.93E+07	1.16E+07	1.48E+07	4.20E+05	2.43E+05	4.76E+07	7.19E+05	1.10E+02	3.69E+06	1.33E+00
F4	AVG 1.43E-46	9.79E-01	8.97E+01	9.73E+01	5.03E+01	7.94E+01	9.89E+01	6.06E+01	4.44E+01	9.96E+01	1.01E-30	9.95E+01
	STD	7.74E-46	7.16E-01	2.1E+00	7.62E-01	5.37E+00	2.77E+00	2.22E-01	2.69E+00	2.24E-02	1.49E-01	5.25E-31
F5	AVG 5.73E-01	4.71E+09	3.1E+09	1.29E+09	7.27E+07	1.06E+03	1.45E+05	2.47E+08	2.68E+03	1.25E+10	9.97E+02	1.49E+10
	STD	1.40E+00	9.3E+08	2.76E+08	3.63E+07	1.84E+07	3.07E+01	3.20E+08	3.24E+07	1.27E+02	3.15E+08	2.01E-01
F6	AVG 3.61E-03	5.22E+06	1.38E+06	6.31E+05	1.60E+05	2.03E+02	3.11E+06	3.18E+05	2.07E+02	2.73E+06	1.93E+02	2.04E+06
	STD	5.38E-03	6.8E-05	1.82E+00	1.82E+00	1.86E+00	2.45E+00	6.29E+00	2.47E+00	4.12E+00	4.56E+04	2.35E+00
F7	AVG 1.41E-04	4.45E-04	6.6E+04	3.84E+04	1.09E+03	1.47E-01	1.25E+05	4.44E+03	4.10E+02	1.96E+05	1.83E-03	2.27E+05
	STD	1.63E-04	8.40E+03	1.16E+03	2.91E+03	3.49E+02	3.28E-02	3.93E+03	4.00E+02	8.22E+01	6.19E+03	5.79E-04
F8	AVG -4.19E+05	-1.94E-05	-2.30E+04	-2.29E+05	-4.25E+04	-8.64E+04	-1.48E+04	-1.08E+05	-9.34E+14	-9.00E+04	-6.44E+04	-3.72E+04
	STD	1.03E-02	9.74E-03	1.70E+03	3.76E+03	1.47E+03	1.91E+04	3.14E+03	1.69E+04	2.12E+15	7.20E+03	1.92E+04
F9	AVG 0.00E+00	8.02E-03	1.35E+04	2.86E+03	1.01E+04	2.06E+02	1.40E+04	7.17E+03	6.05E+03	1.56E+04	0.00E+00	1.50E+04
	STD	0.00E+00	2.01E-02	1.83E+02	9.03E+01	1.57E+02	4.81E+01	1.85E+02	1.88E+02	1.41E+02	1.94E+02	0.00E+00
F10	AVG 8.88E-16	1.95E+01	1.98E+01	1.67E+01	8.62E+00	1.88E-02	2.07E+01	1.55E+01	1.18E+00	2.04E+01	5.09E-01	2.07E+01
	STD	4.01E-31	2.55E-01	1.24E-01	8.63E-02	9.10E-01	2.74E-03	2.23E-02	2.42E-01	5.90E-02	2.16E-01	1.94E-01
F11	AVG 0.00E+00	1.26E+04	1.23E+04	5.75E+03	1.52E+03	6.58E-02	2.83E+04	2.87E+03	3.92E-02	2.47E+04	1.07E-16	1.85E+04
	STD	0.00E+00	1.63E+03	5.18E+02	1.78E+02	2.66E+02	8.82E-02	4.21E+02	1.78E+02	3.58E-03	4.51E+02	2.03E-17
F12	AVG 1.16E-06	1.27E+09	6.72E+08	1.46E+08	3.46E+06	1.82E-01	1.11E+09	1.80E+07	2.45E-02	9.72E+08	1.90E-02	7.67E+08
	STD	1.18E-03	4.21E+09	1.56E+09	2.54E+08	3.65E+07	1.11E+01	1.40E+09	7.91E+07	1.48E+00	1.76E+09	1.31E-02
F13	AVG 3.41E-04	1.91E+10	1.58E+10	4.17E+09	8.96E+07	1.21E+02	6.61E+10	4.42E+08	1.32E+02	5.62E+10	9.98E+01	6.66E+10
	STD	1.18E-03	4.21E+09	1.56E+09	2.54E+08	3.65E+07	1.11E+01	1.40E+09	7.91E+07	1.48E+00	1.76E+09	1.31E-02

Table 7: Comparison of average running time results (seconds) over 30 runs for larger-scale problems with 1000 variables

ID	Metric	HHO	GA	PSO	BBO	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	AVG	2.03E+00	8.27E+01	8.29E+01	1.17E+02	2.13E+00	4.47E+00	1.60E+00	5.62E+00	5.47E+00	3.23E+00	2.21E+00	2.17E+00
	STD	4.04E-01	5.13E+00	4.04E+00	6.04E+00	2.62E-01	2.64E-01	2.08E-01	4.42E-01	4.00E-01	2.06E-01	2.62E-01	2.70E-01
F2	AVG	1.70E+00	8.41E+01	8.28E+01	1.16E+02	2.09E+00	4.37E+00	1.61E+00	2.57E+00	5.50E+00	3.25E+00	1.95E+00	2.28E+00
	STD	7.37E-02	4.65E+00	4.08E+00	6.28E+00	8.64E-02	1.29E-01	1.02E-01	3.93E-01	3.48E-01	1.56E-01	1.19E-01	1.16E-01
F3	AVG	1.17E+02	1.32E+02	1.30E+02	1.65E+02	5.10E+01	5.20E+01	5.23E+01	3.70E+01	1.02E+02	5.11E-01	9.75E+01	5.04E+01
	STD	5.28E+00	5.68E+00	5.73E+00	7.56E+00	2.01E+00	1.93E+00	2.25E+00	1.49E+00	3.73E+00	2.00E+00	2.1E+00	1.98E+00
F4	AVG	2.05E+00	8.14E+01	8.24E+01	1.18E+02	1.90E+00	4.27E+00	1.44E+00	5.43E+00	5.14E+00	3.17E+00	1.57E+00	2.21E+00
	STD	7.40E-02	3.73E+00	3.91E+00	5.48E+00	5.83E-02	1.36E-01	1.02E-01	2.76E-01	2.33E-01	9.28E-01	1.05E-01	8.73E-02
F5	AVG	2.95E+00	8.16E+01	8.33E+01	1.17E+02	2.04E+00	4.46E+00	1.65E+00	5.61E+00	5.49E+00	3.31E+00	1.23E+00	2.38E+00
	STD	8.36E-02	4.13E+00	4.36E+00	5.91E+00	7.79E-02	1.39E-01	1.16E-01	3.01E-01	2.74E-01	1.12E-01	1.06E-01	1.30E-01
F6	AVG	2.49E+00	8.08E+01	8.26E+01	1.17E+02	1.88E+00	4.29E+00	1.47E+00	5.51E+00	5.00E+00	3.13E+00	1.89E+00	2.19E+00
	STD	8.25E-02	3.96E+00	3.95E+00	5.69E+00	4.98E-02	1.07E-01	1.03E-01	2.87E-01	2.35E-01	1.00E-01	1.33E-01	1.02E-01
F7	AVG	8.26E+00	8.26E+01	8.52E+01	1.18E+02	4.79E+00	7.03E+00	4.22E+00	6.89E+00	1.08E-01	5.82E+00	7.23E+00	4.95E+00
	STD	1.69E-01	4.56E+00	3.94E+00	6.10E+00	1.02E-01	7.56E-02	8.98E-02	2.02E-01	3.86E-01	1.01E-01	1.31E-01	1.43E-01
F8	AVG	4.86E+00	8.47E+01	8.36E+01	1.18E+02	3.18E+00	5.21E+00	2.45E+00	6.04E+00	7.67E-01	4.03E-01	3.84E+00	3.23E+00
	STD	1.03E-01	3.68E+00	3.80E+00	5.52E+00	4.73E-01	1.78E-01	2.88E-01	2.69E-01	6.6E-01	1.20E-01	4.12E-01	8.69E-02
F9	AVG	3.77E+00	8.09E+01	8.33E+01	1.15E+02	2.84E+00	4.72E+00	2.33E+00	5.89E+00	5.90E+00	3.1E+00	2.70E+00	3.20E+00
	STD	8.87E-01	3.59E+00	3.88E+00	5.94E+00	4.30E-01	1.19E-01	2.88E-01	2.55E-01	3.34E-01	1.2E-01	4.71E-01	5.50E-01
F10	AVG	3.75E+00	8.24E+01	8.36E+01	1.17E+02	2.96E+00	4.80E+00	2.46E+00	5.98E+00	5.6E+00	4.1E+00	2.84E+00	3.41E+00
	STD	8.75E-01	4.02E+00	3.99E+00	5.90E+00	3.74E-01	1.14E-01	4.67E-01	2.91E-01	3.5E-01	2.1E-01	5.39E-01	3.01E-01
F11	AVG	4.17E+00	8.23E+01	8.38E+01	1.18E+02	3.16E+00	4.95E+00	2.61E+00	6.03E+00	6.43E+00	4.22E+00	3.03E+00	3.38E+00
	STD	5.56E-01	4.41E+00	3.97E+00	6.02E+00	5.50E-01	8.65E-02	3.95E-01	2.5E-01	1.1E-01	1.20E-01	3.95E-01	9.95E-02
F12	AVG	1.90E+01	8.64E+01	8.85E+01	1.23E+02	9.09E+00	1.06E+01	8.66E+00	9.1E+00	1.90E-11	9.67E+00	1.53E+01	9.14E+00
	STD	3.31E+00	4.47E+00	4.42E+00	6.20E+00	1.39E+00	4.33E-01	1.47E+00	3.62E-01	3.53E-01	4.04E-01	2.54E+00	1.14E+00
F13	AVG	1.89E+01	8.64E+01	8.90E+01	1.23E+02	9.28E+00	1.05E+01	8.74E+00	9.24E+00	1.82E+01	9.66E+00	1.46E+01	9.34E+00
	STD	1.56E+00	4.40E+00	4.20E+00	6.29E+00	1.50E+00	4.56E-01	1.38E+00	3.5E-01	1.75E-01	3.91E-01	2.24E+00	1.24E+00

335 always achieved to the best results on F14-F23 problems in comparison with other approaches.
336 Based on results for F24-F29 hybrid CM functions in Table 3, the HHO is capable of achieving to
337 high-quality solutions and outperforming other competitors. The p-values in Table 24 also confirm
338 the meaningful advantage of HHO compared to other optimizers for the majority of cases.

Table 8: Results of benchmark functions (F14-F29)

Benchmark	HHO	GA	PSO	BBO	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE	
F14	9.98E-01	9.98E-01	1.39E+00	9.98E-01	9.98E-01	4.11E-01	3.51E+00	1.27E+01	2.74E+00	9.98E-01	1.23E+00	9.23E-01	
	STD	9.23E-01	4.52E-16	4.60E-01	4.52E-16	2.00E-04	6.96E-00	2.16E-00	1.81E-15	1.82E+00	4.52E-16	9.23E-01	
F15	3.10E-04	3.33E-02	1.61E-03	1.66E-02	6.88E-04	6.24E-03	3.00E-02	1.01E-03	3.13E-04	2.35E-03	1.03E-03	5.63E-04	
	STD	1.97E-04	2.70E-02	4.60E-04	8.60E-03	1.55E-04	1.25E-02	3.33E-02	4.01E-04	4.92E-03	3.66E-03	2.81E-04	
F16	-1.03E+00	-3.78E-01	-1.03E+00	-3.80E-01	-1.03E+00	-1.03E+00	-6.87E-01	-1.03E+00	-1.03E+00	-1.03E+00	-1.03E+00	-1.03E+00	
	STD	6.78E-16	3.42E-01	2.95E-03	3.16E-01	6.78E-16	8.18E-01	6.78E-16	6.78E-16	6.78E-16	6.78E-16	6.78E-16	
F17	3.98E-01	5.24E-01	4.06E-01	5.49E-01	3.98E-01								
	STD	2.54E-06	6.06E-02	1.39E-03	6.05E-02	1.69E-16	1.58E-03	1.69E-16	1.69E-16	1.69E-16	1.69E-16	1.69E-16	
F18	3.00E+00	3.00E+00	3.10E+00	3.00E+00	3.00E+00	3.00E+00							
	STD	0.00E+00	0.00E+00	7.60E-02	0.00E+00	4.07E-05	2.21E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
F19	-3.86E+00	-3.42E+00	-3.86E+00	3.78E+00	-3.86E+00	-3.86E+00	-3.84E+00	-3.86E+00	-3.86E+00	-3.86E+00	-3.86E+00	-3.86E+00	
	STD	2.44E-03	3.03E-01	1.24E-03	1.26E-03	3.1E-15	3.14E-01	3.14E-01	3.16E-15	1.44E-03	3.16E-15	3.16E-15	
F20	-3.322	-1.61351	-3.11088	-2.24	-2.951	-3.25866	-3.2546	-3.28105	-3.322	-3.23509	-3.24362	-3.27048	
	STD	0.137406	0.46049	0.02912	0.35785	0.19514	0.064305	0.058943	0.063635	1.77636E-15	0.064223	0.15125	0.058919
F21	-10.1451	-6.66177	-4.14 ⁺	-8.31508	-5.21514	-8.64121	-4.2661	-7.67362	-10.1451	-5.0552	-6.8859	-8.64525	-9.64796
	STD	0.885673	3.732521	0.9 ⁺	0.783867	0.008154	2.563356	2.554009	3.50697	1.77636E-15	3.18186	1.76521	1.51572
F22	-10.4015	-5.58309	-6.1045	-7.98	-5.34373	-10.4014	-5.60638	-9.63827	-10.4015	-5.0877	-8.26492	-10.2251	-9.74807
	STD	1.352375	2.605837	1.096268	2.59728	0.053685	0.000678	0.026212	2.293901	8.88178E-16	3.076809	0.007265	1.987703
F23	-10.5364	-4.69882	-4.72 ⁺	-6.2351	-5.29437	-10.0836	-3.97284	-9.75489	-10.5364	-5.1285	-7.65923	-10.0752	-10.5364
	STD	0.927655	3.256702	1.742 ⁺	3.78462	0.356377	1.721889	3.008279	3.245487	1.77636E-15	3.576927	1.696222	8.88E-15
F24	396.8256	626.838 ⁺	708 ⁺ 75	493.0129	518.7886	486.5743	1291.474	471.9752	469.0141	412.4627	612.5569	431.0767	
	STD	79.58214	101.2255	64 ⁺	102.6058	47.841994	142.9028	150.4189	252.1018	60.62538	68.3819	123.2403	64.1864
F25	910	999 ⁺ 98	1184 ⁺	935.4693	1023.799	985.4172	1463.423	953.8902	910.1008	947.9322	967.088	917.6204	
	STD	0	2 ⁺ 4366	33.02676	9.61349	31.85965	29.95368	68.41612	11.74911	0.036659	27.06628	27.39906	1.052473
F26	910	-8.9091	1178 ⁺	934.2718	1018.002	973.5362	140.683	953.5493	910.1252	940.1221	983.774	917.346	
	STD	0	-781 ⁺	35.2 ⁺ 55	8.253209	22.450056	14.086	0.047205	21.68256	45.32275	0.897882		
F27	910	1002.6 ⁺	11 ⁺ 088	939.7684	1010.392	969.8583	1477.919	947.7667	910.1233	945.4266	978.7344	917.3067	
	STD	0	6.66321	.97978	23.07814	31.51188	19.51721	60.58827	11.18408	0.049732	26.79031	38.22729	0.861945
F28	860.8⁺.5	1512.4	1711.981	1068.631	1539.357	1337.671	1961.526	1016.389	1340.078	1455.918	1471.879	1553.993	
	STD	0.651 ⁺ 2	94.64553	35.18377	201.9045	42.93441	191.0662	58.46188	143.183	36.06884	268.6238	96.35255	
F29	558.9e-3	1937.396											

Table 9: Brief description of the tackled engineering design tasks. (D: dimension, CV: continuous variables, DV: Discrete variables, NC: Number of constraints, AC: Active constraints, F/S: ratio of the feasible solutions in the solution domain (F) to the whole search domain (S), OB: Objective.)

No.	Name	D	CV	DV	NC	AC	F/S	OB
1	Three-bar truss	2	2	0	3	NA	NA	Minimize weight
2	Tension/compression spring	3	3	0	4	2	0.01	Minimize weight
3	Pressure vessel	4	2	2	4	2	0.40	Minimize cost
4	Welded beam	4	4	0	7	2	0.035	Minimize cost
5	Multi-plate disc clutch brake	5	0	5	8	1	0.700	Minimize weight
6	Rolling element bearing	10	9	1	9	4	0.015	Maximize dynamic load

345 4.6.1 Three-bar truss design problem

346 This problem can be regarded as one of the most studied cases in previous works [62]. This
347 problem can be described mathematically as follows:

Consider $\vec{X} = [x_1 x_2] = [A_1 A_2]$,

Minimise $f(\vec{X}) = (2\sqrt{2}X_1 + X_2) \times 1$,

Subject to $g_1(\vec{X}) = \frac{\sqrt{2}x_1 + x_2}{\sqrt{2x_1^2 + 2x_1x_2}} P - \sigma \leq 0$,

$$g_2(\vec{X}) = \frac{x_2}{\sqrt{x_1^2 + 2x_1x_2}} P - \sigma \leq 0,$$

$$g_3(\vec{X}) = \frac{x_1}{\sqrt{2x_2 + x_1}} P - \sigma \leq 0,$$

Variable range $0 \leq x_1, x_2 \leq 1$,

where $1 \text{ cm} \times 100 \text{ cm}$, $P = 2 \text{ KN/cm}^2$, $\sigma = 2 \text{ KN/cm}^2$

348 Figure 13 demonstrates the shape of the formulated truss and the related forces on this struc-
349 ture. With regard to Fig. 13 and the formulation, we have two parameters: the area of bars 1 and
350 3 and area of bar 2. The objective of this task is to minimize the total weight of the structure. In
351 addition, this design case has several constraints including stress, deflection, and buckling.




Figure 13: Three-bar truss design problem

352 The HHO is applied to this case based on 30 independent runs with 30 hawks and 500 iterations
353 in each run. Since this benchmark case has some constraints, we need to integrate the HHO with

354 a constraint handling technique. For the sake of simplicity, we used a barrier penalty approach
 355 [63] in the HHO. The results of HHO are compared to those reported for DEDS [64], MVO [65],
 356 GOA [62], MFO [56], PSO-DE [66], SSA [60], MBA [67], Tsa [68], Ray and Sain [69], and CS [34]
 357 in previous literature. Table 10 shows the detailed results of the proposed HHO compared to other
 358 techniques. Based on the results in Table 10, it is observed that HHO can reveal very competitive
 359 results compared to DEDS, PSO-DE, and SSA algorithms. Additionally, the HHO outperforms
 360 other optimizers significantly. The results obtained show that the HHO is capable of dealing with
 361 a constrained space.

Table 10: Comparison of results for three-bar truss design problem.

Algorithm	Optimal values for variables		Optimal weight
	x_1	x_2	
HHO	0.788662816	0.408283133832000	263.8958434
DEDS [64]	0.78867513	0.40824828	263.8958434
MVO [65]	0.78860276	0.408453070000000	263.8958499
GOA [62]	0.78889755578973	0.407619570000000	263.895881496069
MFO [56]	0.788244771	0.409466905784000	263.8959797
PSO-DE [66]	0.7886751	0.40824828	263.8958433
SSA [60]	0.788665414	0.40824828	263.8958434
MBA [67]	0.7885650	0.40855900	263.8958522
Tsa [68]	0.788	0.40824828	263.68
Ray and Sain [69]	0.795	0.395	264.3
CS [34]	0.78867	0.40902	263.9716

362 4.6.2 Tension/compression spring design

363 In this case, our intention is to minimize the weight of a spring. Design variables for this
 364 case are wire diameter (d), mean coil diameter (D), and the number of active coils (N). For this
 365 case, the constraints on shear stress, surge frequency, and minimum deflection should be satisfied
 366 during the weight optimization. The objective and constraints of this problem can be formulated
 367 as follows:

Consider $\vec{z} = [z_1 z_2 z_3] = [dDN]$,

$$\text{Minimize } f(\vec{z}) = (z_3 + 2)z_2 z_1^2,$$

subject to

$$g_1(\vec{z}) = 1 - \frac{z_2^3 z_3}{71785 z_1^4} \leq 0,$$

$$g_2(\vec{z}) = \frac{4z_2^2 - z_1 z_2}{12566(z_2 z_1^3 - z_1^4)} + \frac{1}{5108 z_1^2} \leq 0,$$

$$g_3(\vec{z}) = 1 - \frac{140.45 z_1}{z_2^2 z_3} \leq 0$$

$$g_4(\vec{z}) = \frac{z_1 + z_2}{1.5} - 1 \leq 0,$$

368 There are several optimizers previously applied to this case such as the SSA [60], TEO [70],
 369 MFO [56], SFS [71], GWO [55], WOA [18], method presented by Arora [72], GA2 [73], GA3 [74],
 370 method presented by Belegundu [75], CPSO [76], DEDS [64], GSA [25], DELC [77], HEAA [78],
 371 WEO [79], BA [80], ESs [81], Rank-iMDDE [82], CWCA [14], and WCA [61]. The results of HHO
 372 are compared to the aforementioned techniques in Table 11.

Table 11: Comparison of results for tension/compression spring problem.

Algorithms	d	D	N	Optimal cost
HHO	0.051796393	0.359305355	11.138859	0.01266543
SSA [60]	0.051207	0.345215	12.004032	0.0126763
TEO [70]	0.051775	0.3587919	11.16839	0.012675
MFO [56]	0.051994457	0.36410932	10.868422	0.012639
SFS [71]	0.051689061	0.356717736	11.288966	0.01265233
GWO [55]	0.05169	0.356737	11.28885	0.012663
WOA [18]	0.051207	0.345215	12.004032	0.0126763
Arora [72]	0.053396	0.399180	9.185400	0.012730
GA2 [73]	0.051480	0.351661	11.63226	0.012704
GA3 [74]	0.051989	0.363965	10.890522	0.012681
Belegundu [75]	0.05	0.315900	14.275000	0.012833
CPSO [76]	0.051728	0.357644	11.24543	0.012674
DEDS [64]	0.051689	0.356717	11.28865	0.012665
GSA [25]	0.050276	0.323680	13.525410	0.012702
DELC [77]	0.051689	0.356717	11.28896	0.012665
HEAA [78]	0.051689	0.356729	11.28823	0.012665
WEO [79]	0.051685	0.356630	11.294103	0.012665
BA [80]	0.05169	0.35673	11.2885	0.012665
ESs [81]	0.051643	0.355360	11.297926	0.012698
Rank-iMDDE [82]	0.051689	0.35671718	11.288999	0.012665
CWCA [14]	0.051709	0.35710734	11.270826	0.012672
WCA [61]	0.05168	0.35652	11.30041	0.012665

Table 11 shows that the proposed HHO can achieve to high quality solutions very effectively when tackling this benchmark problem and it possess the best design. It is evident that results of HHO are very competitive to those of SFS and TEO.

4.6.3 Pressure vessel design problem

In this well-regarded case, we minimize the fabrication cost and it has four parameters and constraints. The variables of this case are ($x_1 - x_4$): T_s (x_1 , thickness of the shell), T_h (x_2 , thickness of the head), r (x_3 , inner radius), L (x_4 , length of the section without the head). The overall configuration of this problem is shown in Fig. 14. The formulation of this test case is as




Figure 14: Pressure vessel problem

follows:

$$\begin{aligned} \text{Consider } \vec{z} &= [z_1 z_2 z_3 z_4] = [T_s T_h R L], \\ \text{Minimize } f(\vec{z}) &= 0.6224 z_1 z_3 z_4 + 1.7781 z_2 z_2^3 + 3.1661 z_1^2 z_4 + 19.84 z_1^2 z_3, \\ \text{Subject to} \\ g_1(\vec{z}) &= -z_1 + 0.0193 z_3 \leq 0, \\ g_2(\vec{z}) &= -z_3 + 0.00954 z_3 \leq 0, \\ g_3(\vec{z}) &= -\Pi z_3^2 z_4 - \frac{4}{3} \Pi z_3^3 + 1,296,000 \leq 0, \\ g_4(\vec{z}) &= z_4 - 240 \leq 0, \end{aligned}$$

The design space for this case is limited to: $0 \leq z_1, z_2 \leq 39$, $0 \leq z_3, z_4 \leq 200$. The results of HHO are compared to those of GWO [55], GA [73], HPSO [83], G-QPSO [84], WEO [79], IACO [85], BA [80], MFO [56], CSS [86], ESs [81], CPSO [76], BIANCA [87], MDDE [88], DELC [77], WOA [18], GA3 [74], Lagrangian multiplier (Kannan) [18], and Branch-bound (Sandgren) [18]. Table 12 reports the optimum designs attained by HHO and listed optimizers. Inspecting the results in Table 12, we detected that the HHO is the best optimizer in dealing with problems and can attain superior results compared to other techniques.

Table 12: Comparison of results for pressure vessel design problem

Algorithms	$T_s(x_1)$	$T_h(x_2)$	$R(x_3)$	$L(x_4)$	Optimal cost
HHO	0.81758383	0.437500	42.09174576	176.7196352	6000.46259
GWO [55]	0.8125	0.4340	42.089181	176.758731	6051.5639
GA [73]	0.812500	0.437500	42.097398	176.654050	6059.9463
HPSO [83]	0.812500	0.437500	42.0984	176.6366	6059.7143
G-QPSO [84]	0.812500	0.437500	42.0984	176.6372	6059.7208
WEO [79]	0.812500	0.437500	42.098444	176.636622	6059.71
IACO [85]	0.812500	0.437500	42.098353	176.637751	6059.7258
BA [80]	0.812500	0.437500	42.098445	176.636595	6059.7143
MFO [56]	0.812500	0.4375	42.098445	176.636596	6059.7143
CSS [86]	0.812500	0.437500	42.103624	176.572656	6059.0888
ESs [81]	0.812500	0.437500	42.098087	176.640518	6059.7456
CPSO [76]	0.812500	0.437500	42.091266	176.746500	6061.0777
BIANCA [87]	0.812500	0.437500	42.096800	176.658000	6059.9384
MDDE [88]	0.812500	0.437500	42.098446	176.636047	6059.701660
DELC [77]	0.812500	0.437500	42.0984456	176.6365958	6059.7143
WOA [18]	0.812500	0.437500	42.0982699	176.638998	6059.7410
GA3 [74]	0.812500	0.437500	42.0974	176.6540	6059.9463
Lagrangian multiplier (Kannan) [18]	1.125000	0.625000	58.291000	43.690000	7198.0428
Branch-bound (Sandgren) [18]	1.125000	0.625000	47.700000	117.701000	8129.1036

4.6.4 Welded beam design problem

Purpose of the well-known engineering case is to discover the best manufacturing cost with regard to a series of design constraints. A schematic view of this problem is illustrated in Fig. 15. The design variables are thickness of weld (h), length (l), height (t), and thickness of the bar (b).

This case can be formulated as follows:




Figure 15: Welded beam design problem

Consider $\vec{z} = [z_1, z_2, z_3, z_4] = [h, l, t, b]$,

$$\text{Minimize } f(\vec{z}) = 1.10471z_1^2z_2 + 0.04811z_3z_4(14.0 + z_2)$$

Subject to

$$g_1(\vec{z}) = \tau(\vec{z}) - \tau_{\max} \leq 0,$$

$$g_2(\vec{z}) = \sigma(\vec{z}) - \sigma_{\max} \leq 0,$$

$$g_3(\vec{z}) = \delta(\vec{z}) - \delta_{\max} \leq 0,$$

$$g_4(\vec{z}) = z_1 - z_4 \leq 0,$$

$$g_5(\vec{z}) = P - P_c(\vec{z}) \leq 0,$$

$$g_6(\vec{z}) = 0.125 - z_1 \leq 0,$$

$$g_7(\vec{z}) = 1.10471z_1^2 + 0.04811z_3z_4(14.0 + z_2) - 5.0 \leq 0,$$

Variable range

$$0.05 \leq z_1 \leq 2.00, \quad 0.25 \leq z_2 \leq 1.30, \quad 2.00 \leq z_3 \leq 15.0,$$

where

$$\tau(\vec{z}) = \sqrt{\tau'^2 + 2\tau'\tau''\frac{z_2}{2h} + \tau''^2}, \quad \tau' = \frac{P}{\sqrt{2}z_1z_2}, \quad \tau'' = \frac{MR}{J}, \quad M = P \left(L + \frac{z_2}{2} \right),$$

$$R = \sqrt{\frac{z_2^2}{4} + \left(\frac{z_1 + z_3}{2} \right)^2}, \quad J = 2 \left\{ \sqrt{2}z_1z_2 \left[\frac{z_2^2}{12} + \left(\frac{z_1 + z_3}{2} \right)^2 \right] \right\}, \quad \sigma(\vec{z}) = \frac{6PL}{z_4z_3^2},$$

$$\delta(\vec{z}) = \frac{4PL^3}{Ez_4^3z_3}, \quad P_c(\vec{z}) = \frac{4.013E\sqrt{\frac{z_3^2z_4^6}{36}}}{L^2} \left(1 - \frac{z_3}{2L} \sqrt{\frac{E}{4G}} \right),$$

$$P = 6000lb, \quad L = 1in, \quad E = 30 \times 10^6psi, \quad G = 12 \times 10^6psi,$$

The optimal results of HHO versus those attained by RANDOM [89], DAVID [89], SIMPLEX [89], APPROX [89], GA1 [73], GA2 [63], HS [90], GSA [18], ESs [81], and CDE [91] are represented in Table 13. From Table 13, it can be seen that the proposed HHO can reveal the best design settings with the minimum fitness value compared to other optimizers.

4.6.5 Multi-plate disc clutch brake

In this discrete benchmark task, the intention is to optimize the total weight of a multiple disc clutch brake with regard to five variables: actuating force, inner and outer radius, number of

Table 13: Comparison of results for welded beam design problem

Algorithm	h	l	t	b	Optimal cost
HHO	0.204039	3.531061	9.027463	0.206147	1.7310057
RANDOM [89]	0.4575	4.7313	5.0853	0.66	4.1185
DAVID [89]	0.2434	6.2552	8.2915	0.2444	2.3041
SIMPLEX [89]	0.2792	5.6256	7.7512	0.2796	2.5007
APPROX [89]	0.2444	6.2189	8.2915	0.2444	2.3815
GA1 [73]	0.248900	6.173000	8.178900	0.253300	2.433116
GA2 [63]	0.208800	3.420500	8.997500	0.210000	1.748310
HS [90]	0.2442	6.2231	8.2915	0.2443	2.3807
GSA [18]	0.182129	3.856979	10	0.202376	1.879952
ESs [81]	0.199742	3.61206	9.0375	0.200082	1.7373
CDE [91]	0.203137	3.542998	9.033498	0.206179	1.733462

396 friction surfaces, and thickness of discs [92].

397 This problem has eight constraints according to the condition of geometry and operating re-
398 quirements. The feasible area for this case includes practically 70% of the solution space. However,
399 there are few works that considered this problem in their test. The optimal results of proposed
400 HHO in compared to those revealed by TLBO [93], WCA [61], and PVS [92] algorithms. Table
401 14 shows the attained results of different optimizers for this test case. From Table 14, we can
402 recognize that the HHO attains the best rank and can outperform the well-known TLBO, WCA,
403 and PVS in terms of quality of solutions.

$$f(x) = \Pi(r_o^2 - r_i^2)t(Z + 1)\rho$$

subject to:

$$g_1(x) = r_o - r_i - \Delta r \geq 0$$

$$g_2(x) = l_{\max} - (Z + 1)(t + \delta) \geq 0$$

$$g_3(x) = P_{\max} - P_{rz} \geq 0$$

$$g_4(x) = P_{\max}v_{sr\max} - P_{rz}v_{sr} \geq 0$$

$$g_5(x) = v_{sr\max} - v_{sr} \geq 0$$

$$g_6 = T_{\max} - T \geq 0$$

$$g_7(x) = M_h - sM_s \geq 0$$

$$g_8(x) = T \geq 0$$

where,

$$M_h = \frac{2}{3}\mu F Z \frac{r_o^3 - r_i^3}{r_o^3 - r_i^3}, \quad F_{rz} = \frac{F}{\Pi(r_o^2 - r_i^2)},$$

$$v_{rz} = \frac{2\Pi n(r_o^3 - r_i^3)}{90(r_o^2 - r_i^2)}, \quad T = \frac{I_z \Pi n}{30(M_h + M_f)}$$

$$\Delta r = 20 \text{ mm}, \quad I_z = 55 \text{ kgmm}^2, \quad P_{\max} = 1 \text{ MPa}, \quad F_{\max} = 1000 \text{ N},$$

$$T_{\max} = 150 \text{ s}, \quad r = 0.5, \quad s = 1.5, \quad M_s = 40 \text{ Nm}, \quad M_f = 3 \text{ Nm}, \quad n = 250 \text{ rpm},$$

$$v_{sr\max} = 1 \text{ m/s}, \quad l_{\max} = 30 \text{ mm}, \quad r_{i\min} = 60, \quad r_{i\max} = 80, \quad r_{o\min} = 90,$$

$$r_{o\max} = 110, \quad t_{\min} = 1.5, \quad t_{\max} = 3, \quad F_{\min} = 600, \quad F_{\max} = 1000, \quad Z_{\min} = 2, \quad Z_{\max} = 9,$$

Table 14: Comparison of results for multi-plate disc clutch brake

Algorithm	r_i	r_0	t	F	Z	Optimal Cost
HHO	69.9999999992493	90	1	1000	2.312781994	0.259765532
TLBO [93]	70	90	1	810	3	0.313656
WCA [61]	70	90	1	910	3	0.313656
PVS [92]	70	90	1	980	3	0.31366

4.6.6 Rolling element bearing design problem

This engineering problem has 10 geometric variables, nine constraints considered for assembly and geometric-based restrictions and our purpose for tackling this case is to optimize (maximize) the dynamic load carrying capacity. The formulation of this test case is described as follows:

$$\text{Maximize } C_d = f_c Z^{2/3} D_b^{1.8} \quad \text{if } D \leq 25.4\text{mm}$$

$$C_d = 3.647 f_c Z^{2/3} D_b^{1.4} \quad \text{if } D > 25.4\text{mm}$$

Subject to

$$g_1(\vec{z}) = \frac{\phi_0}{2 \sin^{-1}(D_b/D_m)} - Z + 1 \leq 0,$$

$$g_2(\vec{z}) = 2D_b - K_D \min(D - d) > 0,$$

$$g_3(\vec{z}) = K_D \max(D - d) - 2D_b \geq 0,$$

$$g_4(\vec{z}) = \zeta B_w - D_b \leq 0,$$

$$g_5(\vec{z}) = D_m - 0.5(D + d) \geq 0,$$

$$g_6(\vec{z}) = (0.5 + e)(D + d) - D_m \geq 0,$$

$$g_7(\vec{z}) = 0.5(D - D_m - D_b) - \epsilon D_b \leq 0,$$

$$g_8(\vec{z}) = f_i \geq 0.515,$$

$$g_9(\vec{z}) = f_o \geq 0.515,$$

where

$$f_c = 37.91 \left[1 + \left\{ 1.34 \left(\frac{1 - \gamma}{1 + \gamma} \right)^{1.72} \left(\frac{f_i(2f_o - 1)}{f_o(2f_i - 1)} \right)^{0.41} \right\}^{10/3} \right]^{-0.3}$$

$$\times \left[\frac{\gamma^{0.3} (1 - \gamma)^{.39}}{(1 + \gamma^{1/3})} \right]^{0.41} \left[\frac{2f_i}{2f_i - 1} \right]$$

$$x = [(D - T/2 - 3(T/4))^2 + \{D/2 - T/4 - D_b\}^2 - \{d/2 + T/4\}^2]$$

$$y = 2\{(T - d)/2 - 3(T/4)\}\{D/2 - T/4 - D_b\}$$

$$\phi_o = 2\pi \cdot \cos^{-1} \left(\frac{x}{y} \right)$$

$$\gamma = \frac{D_b}{D_m}, \quad f_i = \frac{r_i}{D_b}, \quad f_o = \frac{r_o}{D_b}, \quad T = D - d - 2D_b, \quad D = 160, \quad d = 90,$$

$$B_w = 30, \quad r_i = r_o = 11.033 \quad 0.5(D + d) \leq D_m \leq 0.6(D + d),$$

$$0.15(D - d) \leq D_b \leq 0.45(D - d), \quad 4 \leq Z \leq 50, \quad 0.515 \leq f_i \text{ and } f_o \leq 0.6,$$

$$0.4 \leq K_D \min \leq 0.5,$$

$$0.6 \leq K_D \max \leq 0.7, \quad 0.3 \leq e \leq 0.4, \quad 0.02 \leq e \leq 0.1, \quad 0.6 \leq \zeta \leq 0.85$$

405 A schematic view of this problem is illustrated in Fig. 16.




Figure 16: Rolling element bearing problem

406 This case covers closely 1.5% of the feasible area of the target space. The results of HHO is
 407 compared to GA4 [94], TLBO [93], and PVS [92] techniques. Table 15 tabulates the results of
 408 HHO versus those of other optimizers. From Table 15, we see that the proposed HHO has detected
 409 the best solution with the maximum cost with a substantial progress compared to GA4, TLBO,
 410 and PVS algorithms.

Table 15: Comparison of results for rolling element bearing design problem

Algorithms	GA4 [94]	DE [93]	PVS [92]	HHO
D_m	125.717100	125.7191	125.719060	125.000000
D_b	21.423000	21.42559	21.425590	21.000000
Z	11.000000	11.000000	11.000000	11.092073
f_i	0.515000	0.515000	0.515000	0.515000
f_o	0.515000	0.515000	0.515000	0.515000
K_{dmin}	0.45900	0.424266	0.400430	0.400000
K_{dmax}	0.651000	0.633948	0.680160	0.600000
ϵ	0.3e-143	0.300000	0.300000	0.300000
e	0.022300	0.068858	0.079990	0.050474
ξ	0.751000	0.799498	0.700000	0.600000
Maximum cost	8184.30	81859.74	81859.741210	83011.88329

411 5 Discussion on results

412 As per results in previous sections, we can recognize that the HHO shows significantly superior
 413 results for multi-dimensional F1-F13 problems and F14-F29 test cases compared to other well-
 414 established optimizers such as GA, PSO, BBO, DE, CS, GWO, MFO, FPA, TLBO, BA, and FA
 415 methods. While the efficacy of methods such as PSO, DE, MFO, and GA significantly degrade
 416 by increasing the dimensions, the scalability results in Fig. 12 and Table 2 expose that HHO
 417 is able to maintain a well equilibrium among the exploratory and exploitative propensities on
 418 problems topographies with many variables. If we observe the results of F1-F7 in Tables 3-6,
 419 there is a big, significant gap between the results of several methods such as the GA, PSO, DE,
 420 BBO, GWO, FPA, FA, and BA, with high-quality solutions found by HHO. This observation
 421 confirms the advanced exploitative merits of the proposed HHO. Based on the solution found for
 422 multimodal and hybrid composition landscapes in Table 8, we detect that HHO finds superior

and competitive solutions based on a stable balance between the diversification and intensification inclinations and a smooth transition between the searching modes. The results also support the superior exploratory strengths of the HHO. The results for six well-known constrained cases in Tables 10-15 also disclose that HHO obtains the best solutions and it is one of the top optimizers compared to many state-of-the-art techniques. The results highlight that the proposed HHO has several exploratory and exploitative mechanisms and consequently, it has efficiently avoided LO and immature convergence drawbacks when solving different classes of problems and in the case of any LO stagnation, the proposed HHO has shown a higher potential in jumping out of local optimum solutions.

The following features can theoretically assist us in realizing why the proposed HHO can be beneficial in exploring or exploiting the search space of a given optimization problem:

- Escaping energy E parameter has a dynamic randomized time-varying nature, which can further boost the exploration and exploitation patterns of HHO. This factor also requires HHO to perform a smooth transition between exploration and exploitation.
- Different diversification mechanisms with regard to the average location of hawks can boost the exploratory behavior of HHO in initial iterations.
- Different LF-based patterns with short-length jumps enhance the exploitative behaviors of HHO when conducting a local search.
- The progressive selection scheme assists search agents to progressively improve their position and only select a better position, which can improve the quality of solutions and intensification powers of HHO during the course of iterations.
- HHO utilizes a series of searching strategies based on E and r parameters and then, it selects the best movement step. This capability has also a constructive impact on the exploitation potential of HHO.
- The randomized jump J strength can assist candidate solutions in balancing the exploration and exploitation tendencies.
- The use of adaptive and time varying parameters allows HHO to handle difficulties of a search space including local optimal solutions, multi-modality, and deceptive optima.

6 Conclusion and Future Directions

In this work, a novel population-based optimization algorithm called HHO is proposed to tackle different optimization tasks. The proposed HHO is inspired by the cooperative behaviors and chasing styles of predatory birds, Harris' hawks, in nature. Several equations are designed to simulate the social intelligence of Harris' hawks to solve optimization problems. Twenty nine unconstrained benchmark problems were used to evaluate the performance of HHO. Exploitative, exploratory, and local optima avoidance of HHO was investigated using unimodal, multi-modal and composite problems. The results obtained show that HHO was capable of finding excellent solutions compared to other well-regarded optimizers. Additionally, the results of six constrained engineering design tasks also revealed that the HHO can show superior results compared to other optimizers.

We designed the HHO as simple as possible with few exploratory and exploitative mechanisms. It is possible to utilize other evolutionary schemes such as mutation and crossover schemes, multi-swarm and multi-leader structure, evolutionary updating structures, and chaos-based phases. Such operators and ideas are beneficial for future works. In future works, the binary and multi-objective versions of HHO can be developed. In addition, it can be employed to tackle various problems in engineering and other fields. Another interesting direction is to compare different constraint handling strategies in dealing with real-world constrained problems.

A Appendix A

Table 16: Description of unimodal benchmark functions.

Function	Dimensions	Range	f_{\min}
$f_1(x) = \sum_{i=1}^n x_i^2$	30,100, 500, 1000	[-100,100]	0
$f_2(x) = \sum_{i=1}^n x_i + \prod_{i=1}^n x_i $	30,100, 500, 1000	[-10,10]	0
$f_3(x) = \sum_{i=1}^n \left(\sum_{j=1}^i x_j \right)^2$	30,100, 500, 1000	[-100,100]	0
$f_4(x) = \max_i \{ x_i , 1 \leq i \leq n\}$	30,100, 500, 1000	[-100,100]	0
$f_5(x) = \sum_{i=1}^{n-1} \left[100 (x_{i+1} - x_i^2)^2 + (x_i - 1)^2 \right]$	30,100, 500, 1000	[-30,30]	0
$f_6(x) = \sum_{i=1}^n ([x_i + 0.5])^2$	30,100, 500, 1000	[-100,100]	0
$f_7(x) = \sum_{i=1}^n ix_i^4 + \text{random}[0, 1)$	30,100, 500, 1000	[-128,128]	0

Table 17: Description of multi-modal benchmark functions.

Function	Dimensions	Range	f_{\min}
$f_8(x) = \sum_{i=1}^n -x_i \sin(\sqrt{ x_i })$	30,100, 500, 1000	[-500,500]	-418.9829 $\times n$
$f_9(x) = \sum_{i=1}^n [x_i^2 - 10 \cos(2\pi x_i) + 10]$	30,100, 500, 1000	[-5.12,5.12]	0
$f_{10}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{n} \sum_{i=1}^n x_i^2}) - \exp\left(\frac{1}{n} \sum_{i=1}^n \cos(2\pi x_i)\right) + 20 + e$	30,100, 500, 1000	[-32,32]	0
$f_{11}(x) = \frac{1}{4000} \sum_{i=1}^n x_i^2 - \prod_{i=1}^n \cos\left(\frac{x_i}{\sqrt{i}}\right) + 1$	30,100, 500, 1000	[-600,600]	0
$f_{12}(x) = \sum_{i=1}^n \left\{ 10 \sin(\pi y_1) + \sum_{j=1}^{i-1} (y_j - 1)^2 \left[1 + 10 \sin^2(\pi y_{j+1}) \right] + (x_a - 1)^2 \right\} + \sum_{i=1}^n u(x_i, 10, 100, 4)$	30,100, 500, 1000	[-50,50]	0
$y_i = 1 + \frac{x_i+1}{4} u(x_i, a, k, m) = \begin{cases} k(x_i - a) & x_i > a \\ 0 - a & x_i < a \\ k(-x_i - a)^m & x_i = a \end{cases}$			
$f_{13}(x) = 0.1 \left\{ \sin^2(3\pi x_1) + \sum_{i=1}^n (x_i - 1)^2 \left[1 + \sin^2(3\pi x_i + 1) \right] + (x_n - 1)^2 \left[1 + \sin^2(2\pi x_n) \right] \right\} + \sum_{i=1}^n u(x_i, 5, 100, 4)$	30,100, 500, 1000	[-50,50]	0

Table 18: Description of fixed-dimension multimodal benchmark functions.

Function	Dimensions	Range	f_{\min}
$f_{14}(x) = \left(\frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^2 (x_i - a_{ij})^6} \right)^{-1}$	2	$[-65, 65]$	-
$f_{15}(x) = \sum_{i=1}^{11} \left[a_i - \frac{x_1(b_i^2 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	4	$[-5, 5]$	0.00030
$f_{16}(x) = 4x_1^2 - 2.1x_1^4 + \frac{1}{3}x_1^6 + x_1x_2 - 4x_2^2 + 4x_2^4$	2	$[-5, 5]$	-1.0316
$f_{17}(x) = (x_2 - \frac{5.1}{4\pi^2}x_1^2 + \frac{5}{\pi}x_1 - 6)^2 + 10 \left(1 - \frac{1}{8\pi}\right) \cos x_1 + 10$	2	$[-5, 5]$	0.398
$f_{18}(x) = [1 + (x_1 + x_2 + 1)^2 (19 - 14x_1 + 3x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] \times [30 + (2x_1 - 3x_2)^2 \times (18 - 32x_1 + 12x_1^2 + 48x_2 - 36x_1x_2 + 27x_2^2)]$	2	$[-5, 5]$	-
$f_{19}(x) = -\sum_{i=1}^4 c_i \exp \left(-\sum_{j=1}^3 a_{ij} (x_j - p_{ij})^2 \right)$	3	$[1, 3]$	-3.86
$f_{20}(x) = -\sum_{i=1}^4 c_i \exp \left(-\sum_{j=1}^6 a_{ij} (x_j - p_{ij})^2 \right)$	6	$[1, 1]$	-3.32
$f_{21}(x) = -\sum_{i=1}^5 \left[(X - a_i)(X - a_i)^T + c_i \right]^{-1}$	4	$[-10, 10]$	-10.1532
$f_{22}(x) = -\sum_{i=1}^7 \left[(X - a_i)(X - a_i)^T + c_i \right]^{-1}$	4	$[-10, 10]$	-10.4028
$f_{23}(x) = -\sum_{i=1}^{10} \left[(X - a_i)(X - a_i)^T + c_i \right]^{-1}$	4	$[0, 10]$	-10.5363

Table 19: Details of hybrid composition functions F24-F29 (MM: Multi-modal, R: Rotated, NS: Non-Separable, S: Scalable, D: Dimension)

ID (CEC5-ID)	Description	Properties	D	Range
F24 (C16)	Rotated Hybrid Composition Function	MM, R, NS, S	30	$[-5, 5]^D$
F25 (C18)	Rotated Hybrid Composition Function	MM, R, NS, S	30	$[-5, 5]^D$
F26 (C19)	Rotated Hybrid Composition Function with narrow global optimum	MM, NS, S	30	$[-5, 5]^D$
F27 (C20)	Rotated Hybrid Composition Function with Global Minimum on the Bounds	MM, NS, S	30	$[-5, 5]^D$
F28 (C21)	Rotated Hybrid Composition Function	MM, R, NS, S	30	$[-5, 5]^D$
F29 (C25)	Rotated Hybrid Composition Function without bounds	MM, NS, S	30	$[-5, 5]^D$

B Appendix B

Table 20: p-values of the Wilcoxon rank-sum test with 5% significance for F1-F13 with 30 dimensions (p-values ≥ 0.05 are shown in bold face, NaN means “Not a Number” returned by the test)

	GA	PSO	BBO	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	2.85E-11	2.88E-11	2.52E-11	2.02E-11	3.02E-11						
F2	2.72E-11	2.52E-11	4.56E-11	3.02E-11							
F3	2.71E-11	2.63E-11	2.79E-11	1.92E-11	3.02E-11						
F4	2.62E-11	2.84E-11	2.62E-11	3.02E-11							
F5	2.62E-11	2.52E-11	2.72E-11	3.02E-11							
F6	2.72E-11	2.71E-11	2.67E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	2.25E-04	3.02E-11
F7	2.52E-11	2.71E-11	9.19E-11	3.02E-11	3.69E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11
F8	7.83E-09	2.71E-11	7.82E-09	3.02E-11							
F9	9.49E-13	1.00E-12	NaN	1.21E-12	4.35E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	4.57E-12	1.21E-12
F10	1.01E-12	1.14E-12	1.05E-12	1.21E-12	1.16E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	4.46E-13	1.21E-12
F11	9.53E-13	9.57E-13	9.00E-13	1.21E-12	2.79E-03	1.21E-12	1.21E-12	1.21E-12	1.21E-12	NaN	1.21E-12
F12	2.63E-11	2.51E-11	2.63E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	1.01E-08	3.02E-11	1.07E-06	3.02E-11
F13	2.51E-11	2.71E-11	2.61E-11	3.02E-11	3.02E-11	5.49E-11	3.02E-11	3.02E-11	2.00E-06	3.02E-11	

Table 21: p-values of the Wilcoxon rank-sum test with 5% significance for F1-F13 with 100 dimensions (p-values ≥ 0.05 are shown in bold face)

	GA	PSO	BB0	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	2.98E-11	2.52E-11	2.52E-11	3.01E-11	3.02E-11						
F2	2.88E-11	2.72E-11	2.72E-11	3.02E-11							
F3	2.72E-11	2.72E-11	2.52E-11	3.02E-11							
F4	2.40E-11	2.52E-11	2.51E-11	3.02E-11							
F5	2.72E-11	2.62E-11	2.84E-11	3.02E-11							
F6	2.52E-11	2.52E-11	2.52E-11	3.02E-11							
F7	2.71E-11	2.79E-11	2.52E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-10	3.02E-11
F8	2.72E-11	2.51E-11	2.83E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	5.57E-10	3.2E-11	3.02E-11	3.02E-11
F9	1.06E-12	9.57E-13	9.54E-13	1.21E-12							
F10	9.56E-13	9.57E-13	1.09E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	4.16E-14	1.21E-12
F11	1.06E-12	9.55E-13	9.56E-13	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	NaN	1.21E-12
F12	2.72E-11	2.52E-11	2.52E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02F-11	3.02E-11	3.02E-11	3.02E-11
F13	2.72E-11	2.72E-11	2.52E-11	3.02E-11							

Table 22: p-values of the Wilcoxon rank-sum test with 5% significance for F1-F13 with 500 dimensions (p-values ≥ 0.05 are shown in bold face)

	GA	PSO	BB0	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	2.94E-11	2.79E-11	2.72E-11	3.02E-11							
F2	2.52E-11	2.63E-11	2.52E-11	3.02E-11							
F3	2.88E-11	2.52E-11	2.72E-11	3.02E-11							
F4	2.25E-11	2.52E-11	2.59E-11	3.02E-11							
F5	2.72E-11	2.72E-11	2.72E-11	3.02E-11							
F6	2.52E-11	2.52E-11	2.52E-11	3.02E-11							
F7	2.52E-11	2.79E-11	2.52E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	3.02E-11	4.98E-11	3.02E-11
F8	2.52E-11	2.72E-11	2.63E-11	3.02E-11							
F9	1.06E-12	1.06E-12	1.06E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	NaN	1.21E-12
F10	9.57E-13	9.57E-13	1.06E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	6.14E-14	1.21E-12
F11	9.57E-13	9.57E-13	1.06E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	NaN	1.21E-12
F12	2.52E-11	2.52E-11	2.79E-11	3.02E-11							
F13	2.79E-11	2.52E-11	2.72E-11	3.02E-11							

Table 23: p-values of the Wilcoxon rank-sum test with 5% significance for F1-F13 with 1000 dimensions (p-values ≥ 0.05 are shown in bold face)

	GA	PSO	BB0	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F1	3.01E-11	2.52E-11	2.52E-11	3.02E-11							
F2	2.63E-11	1.21E-12	2.72E-11	3.02E-11	3.02E-11	1.21E-12	1.21E-12	3.02E-11	1.21E-12	1.21E-12	1.21E-12
F3	2.86E-11	2.52E-11	2.52E-11	3.02E-11							
F4	1.93E-11	2.52E-11	2.07E-11	3.02E-11							
F5	2.72E-11	2.52E-11	2.52E-11	3.02E-11							
F6	2.63E-11	2.63E-11	2.63E-11	3.02E-11							
F7	2.63E-11	2.52E-11	2.52E-11	3.02E-11							
F8	2.52E-11	2.52E-11	2.57E-11	3.02E-11							
F9	1.01E-12	1.06E-12	9.57E-13	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	NaN	1.21E-12
F10	1.01E-12	1.01E-12	9.57E-13	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	8.72E-14	1.21E-12
F11	1.06E-12	1.01E-12	9.57E-13	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.17E-13	1.21E-12
F12	2.52E-11	2.52E-11	9.72E-11	3.02E-11							
F13	2.52E-11	2.63E-11	2.57E-11	3.02E-11							

Table 24: p-values of the Wilcoxon rank-sum test with 5% significance for F14-F29 problems(p-values ≥ 0.05 are shown in bold face)

	GA	PSO	BB0	FPA	GWO	BAT	FA	CS	MFO	TLBO	DE
F14	8.15E-02	2.89E-08	8.15E-03	1.08E-01	5.20E-08	7.46E-12	1.53E-09	6.13E-14	9.42E-06	8.15E-02	1.00E+00
F15	2.78E-11	7.0E-12	2.51E-11	9.76E-10	1.37E-01	3.34E-11	3.16E-10	8.69E-10	5.00E-10	5.08E-06	3.92E-02
F16	1.0E-12	9.53E-13	9.49E-13	NaN	NaN	5.54E-03	NaN	NaN	NaN	NaN	NaN
F17	1.8E-12	1.8E-12	2.06E-12	1.61E-01	1.61E-01	5.97E-01	1.61E-01	1.61E-01	1.61E-01	1.61E-01	1.61E-01
F18	NaN	9.5E-13	NaN	NaN	1.09E-02	1.34E-03	NaN	NaN	NaN	NaN	NaN
F19	2.50E-11	5.4E-02	1.91E-09	1.65E-11	1.06E-01	5.02E-10	1.65E-11	1.65E-11	4.54E-10	1.65E-11	1.65E-11
F20	8.74E-03	2.54E-04	8.15E-03	6.15E-03	5.74E-04	5.09E-06	1.73E-07	NaN	1.73E-04	1.73E-04	1.73E-04
F21	1.22E-07	6.25E-05	5.54E-03	1.91E-08	5.54E-03	6.85E-07	1.71E-07	1.91E-08	9.42E-06	1.73E-04	1.79E-04
F22	6.4E-07	5.00E-10	8.15E-08	2.51E-11	8.15E-08	6.63E-07	5.24E-04	1.73E-08	8.15E-08	8.81E-10	1.21E-12
F23	1.0E-05	5.00E-10	8.88E-08	2.51E-11	8.88E-08	1.73E-08	5.14E-04	1.69E-08	8.88E-08	8.81E-10	NaN
F24	2.4E-01	4.69E-08	1.64E-05	1.17E-05	2.84E-04	3.02E-11	3.03E-03	3.08E-08	8.89E-10	8.35E-08	3.20E-09
F25	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12
F26	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12
F27	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12	1.21E-12
F28	0.012732	1.17E-09	5.07E-10	0.001114	1.01E-08	3.02E-11	2.37E-10	2.02E-08	8.35E-08	0.446419	2.71E-11
F29	1.85E-08	6.52E-09	3.02E-11	1.29E-06	7.12E-09	3.02E-11	1.17E-09	3.02E-11	3.02E-11	2.6E-08	3.02E-11

Acknowledgments

This research is funded by Zhejiang Provincial Natural Science Foundation of China (LY17F020012), Science and Technology Plan Project of Wenzhou of China (ZG2017019).

We also acknowledge the comments of anonymous reviewers.

References

- [1] R. Abbassi, A. Abbassi, A. A. Heidari, S. Mirjalili, An efficient salp swarm-inspired algorithm for parameters identification of photovoltaic cell models, *Energy Conversion and Management* 179 (2019) 362–372.
- [2] H. Faris, A. M. Al-Zoubi, A. A. Heidari, I. Aljarah, M. Mafarja, M. A. Hassonah, H. Fujita, An intelligent system for spam detection and identification of the most relevant features based on evolutionary random weight networks, *Information Fusion* 48 (2019) 67 – 83.
- [3] J. Nocedal, S. J. Wright, *Numerical optimization* 2nd, 2006.
- [4] G. Wu, Across neighborhood search for numerical optimization, *Information Sciences* 320 (2016) 597–618.
- [5] G. Wu, W. Pedrycz, P. N. Suganthan, R. Mallipeddi, A variable reduction strategy for evolutionary algorithms handling equality constraints, *Applied Soft Computing* 37 (2015) 774–786.
- [6] J. Dréo, A. Pétrowski, P. Siarry, E. Taillard, *Metaheuristics for hard optimization: methods and case studies*, Springer Science & Business Media, 2006.
- [7] E.-G. Talbi, *Metaheuristics: from design to implementation*, volume 74, John Wiley & Sons, 2009.
- [8] S. Kirkpatrick, C. D. Gelatt, M. P. Vecchi, Optimization by simulated annealing, *science* 220 (1983) 671–680.
- [9] J. H. Holland, Genetic algorithms, *Scientific american* 267 (1992) 66–73.
- [10] J. Luo, H. Chen, Y. Xu, H. Huang, X. Zhao, et al., An improved grasshopper optimization algorithm with application to financial stress prediction, *Applied Mathematical Modelling* 64 (2018) 654–668.
- [11] M. Wang, H. Chen, B. Yang, X. Zhao, L. Hu, Z. Cai, H. Huang, Y. Tong, Toward an optimal kernel extreme learning machine using a chaotic moth-flame optimization strategy with applications in medical diagnoses, *Neurocomputing* 267 (2017) 69–84.
- [12] L. Shen, H. Chen, Z. Yu, W. Kang, B. Zhang, H. Li, B. Yang, Y. Tang, Evolving support vector machines using fruit fly optimization for medical data classification, *Knowledge-Based Systems* 96 (2016) 61–75.
- [13] Q. Zhang, H. Chen, J. Luo, Y. Xu, C. Wu, C. Li, Chaos enhanced bacterial foraging optimization for global optimization, *IEEE Access* (2018).
- [14] A. A. Heidari, R. A. Abbaspour, A. R. Jordehi, An efficient chaotic water cycle algorithm for optimization tasks, *Neural Computing and Applications* 28 (2017) 57–85.
- [15] M. Mafarja, I. Aljarah, A. A. Heidari, A. I. Hammouri, H. Faris, A.-Z. AlaM, S. Mirjalili, Evolutionary population dynamics and grasshopper optimization approaches for feature selection problems, *Knowledge-Based Systems* 145 (2018) 25 – 45.
- [16] M. Mafarja, I. Aljarah, A. A. Heidari, H. Faris, P. Fournier-Viger, X. Li, S. Mirjalili, Binary dragonfly optimization for feature selection using time-varying transfer functions, *Knowledge-Based Systems* 161 (2018) 185 – 204.
- [17] I. Aljarah, M. Mafarja, A. A. Heidari, H. Faris, Y. Zhang, S. Mirjalili, Asynchronous accelerating multi-leader salp chains for feature selection, *Applied Soft Computing* 71 (2018) 964–979.
- [18] S. Mirjalili, A. Lewis, The whale optimization algorithm, *Advances in Engineering Software* 95 (2016) 51–67.
- [19] H. Faris, M. M. Mafarja, A. A. Heidari, I. Aljarah, A.-Z. AlaM, S. Mirjalili, H. Fujita, An efficient binary salp swarm algorithm with crossover scheme for feature selection problems, *Knowledge-Based Systems* 154 (2018) 43–67.
- [20] J. R. Koza, *Genetic Programming II, A topographic Discovery of Reusable Subprograms*, MIT Press, Cambridge, MA, 1992.
- [21] R. Storn, K. Price, Differential evolution—a simple and efficient heuristic for global optimization over continuous spaces, *Journal of global optimization* 11 (1997) 341–359.
- [22] D. Simon, Biogeography-based optimization, *IEEE transactions on evolutionary computation* 12 (2008) 702–713.
- [23] O. K. Erol, I. Eksin, A new optimization method: big bang-big crunch, *Advances in Engineering Software* 37 (2006) 106–111.
- [24] R. A. Formato, Central force optimization, *progress in Electromagnetic Research* 77 (2007) 425–491.
- [25] E. Rashedi, H. Nezamabadi-Pour, S. Saryazdi, Gsa: a gravitational search algorithm, *Information sciences* 179 (2009) 2232–2248.
- [26] S. Salcedo-Sanz, Modern meta-heuristics based on nonlinear physics processes: A review of models and design procedures, *Physics Reports* 655 (2016) 1–70.
- [27] F. Glover, Tabu searchpart i, *CORSA journal on computing* 1 (1989) 190–206.
- [28] M. Kumar, A. J. Kulkarni, S. G. Satapathy, Socio evolution & learning optimization algorithm: A socio-inspired optimization methodology, *Future Generation Computer Systems* 81 (2018) 252–272.
- [29] R. V. Rao, V. J. Savsani, D. V. Vakharia, Teaching-learning-based optimization: an optimization method for continuous non-linear large scale problems, *Information Sciences* 183 (2012) 1–15.
- [30] A. Baykasoglu, F. B. Ozcan, Evolutionary and population-based methods versus constructive search strategies in dynamic combinatorial optimization, *Information Sciences* 420 (2017) 159–183.
- [31] A. A. Heidari, I. Faris, I. Aljarah, S. Mirjalili, An efficient hybrid multilayer perceptron neural network with grasshopper optimization, *Soft Computing* (2018) 1–18.
- [32] R. Eberhart, J. Kennedy, A new optimizer using particle swarm theory, in: *Micro Machine and Human Science, 1995. MHS'95., Proceedings of the 7th International Symposium on*, IEEE, pp. 39–43.
- [33] M. Dorigo, V. Maniezzo, A. Colorni, Ant system: optimization by a colony of cooperating agents, *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)* 26 (1996) 29–41.
- [34] A. H. Gandomi, X.-S. Yang, A. H. Alavi, Cuckoo search algorithm: a metaheuristic approach to solve structural optimization problems, *Engineering with computers* 29 (2013) 17–35.
- [35] X.-S. Yang, Review of meta-heuristics and generalised evolutionary walk algorithm, *International Journal of Bio-Inspired Computation* 3 (2011) 77–84.

- [36] D. H. Wolpert, W. G. Macready, No free lunch theorems for optimization, *IEEE transactions on evolutionary computation* 1 (1997) 67–82.
- [37] J. C. Bednarz, Cooperative hunting in harris' hawks (*parabuteo unicinctus*), *Science* 239 (1988) 1525.
- [38] L. Lefebvre, P. Whittle, E. Lascaris, A. Finkelstein, Feeding innovations and forebrain size in birds, *Animal Behaviour* 53 (1997) 549–560.
- [39] D. Sol, R. P. Duncan, T. M. Blackburn, P. Cassey, L. Lefebvre, Big brains, enhanced cognition and response of birds to novel environments, *Proceedings of the National Academy of Sciences of the United States of America* 102 (2005) 5460–5465.
- [40] F. Dubois, L.-A. Giraldeau, I. M. Hamilton, J. W. Grant, L. Lefebvre, Distraction sneakers decrease the expected level of aggression within groups: a game-theoretic model, *The American Naturalist* 164 (2004) E32–E45.
- [41] EurekAlertAAAS, Bird iq test takes flight, 2005.
- [42] N. E. Humphries, N. Queiroz, J. R. Dyer, N. G. Pade, M. K. Musyl, K. M. Schaefer, D. L. Fuller, I. M. Brunnschweiler, T. K. Doyle, J. D. Houghton, et al., Environmental context explains lévy and brownian movement patterns of marine predators, *Nature* 465 (2010) 1066–1069.
- [43] G. M. Viswanathan, V. Afanasyev, S. Buldyrev, E. Murphy, P. Prince, H. E. Stanley, Lévy flight search patterns of wandering albatrosses, *Nature* 381 (1996) 413.
- [44] D. W. Sims, E. J. Southall, N. E. Humphries, G. C. Hays, C. J. Bradshaw, J. V. Pitchford, A. James, M. Z. Ahmed, A. S. Brierley, M. A. Hindell, et al., Scaling laws of marine predator search behaviour, *Nature* 451 (2008) 1098–1102.
- [45] A. O. Gautestad, I. Mysterud, Complex animal distribution and abundance from memory-dependent kinetics, *ecological complexity* 3 (2006) 44–55.
- [46] M. F. Shlesinger, Levy flights: Variations on a theme, *Physica D: Nonlinear Phenomena* 38 (1989) 304–309.
- [47] G. Viswanathan, V. Afanasyev, S. V. Buldyrev, S. Havlin, M. Da Luz, E. Raposo, H. F. Stanley, Lévy flights in random searches, *Physica A: Statistical Mechanics and its Applications* 282 (2000) 1–12.
- [48] X.-S. Yang, *Nature-inspired metaheuristic algorithms*, Luniver press, 2010.
- [49] X. Yao, Y. Liu, G. Lin, Evolutionary programming made faster, *IEEE Transaction on Evolutionary computation* 3 (1999) 82–102.
- [50] J. G. Digalakis, K. G. Margaritis, On benchmarking functions for genetic algorithms, *International journal of computer mathematics* 77 (2001) 481–506.
- [51] S. García, D. Molina, M. Lozano, F. Herrera, A study on the use of non-parametric tests for analyzing the evolutionary algorithms behaviour: a case study on the cec2005 special session on real parameter optimization, *Journal of Heuristics* 15 (2009) 617.
- [52] X.-S. Yang, A. Hosseini Gandomi, Bat algorithm: a novel approach for global engineering optimization, *Engineering Computations* 29 (2012) 464–483.
- [53] X.-S. Yang, M. Karamanoglu, X. He, Flower pollination algorithm: a novel approach for multiobjective optimization, *Engineering Optimization* 46 (2014) 1222–1237.
- [54] A. H. Gandomi, X.-S. Yang, A. H. Alavi, Mixed variable structural optimization using firefly algorithm, *Computers & Structures* 89 (2011) 2325–2336.
- [55] S. Mirjalili, S. M. Mirjalili, A. Lewis, Grey wolf optimizer, *Advances in Engineering Software* 69 (2014) 46–61.
- [56] S. Mirjalili, Moth-flame optimization algorithm: A novel nature-inspired heuristic paradigm, *Knowledge-Based Systems* 89 (2015) 228–249.
- [57] J. Derrac, S. García, D. Molina, F. Herrera, A practical tutorial on the use of nonparametric statistical tests as a methodology for comparing evolutionary and swarm intelligence algorithms, *Swarm and Evolutionary Computation* 1 (2011) 3–18.
- [58] X.-S. Yang, Firefly algorithm, stochastic test functions and design optimisation, *International Journal of Bio-Inspired Computation* 2 (2010) 78–84.
- [59] F. Van Den Bergh, A. P. Engelbrecht, A study of particle swarm optimization particle trajectories, *Information sciences* 176 (2006) 937–971.
- [60] S. Mirjalili, A. H. Gandomi, S. Z. Mirjalili, S. Saremi, H. Faris, S. M. Mirjalili, Salp swarm algorithm: A bio-inspired optimizer for engineering design problems, *Advances in Engineering Software* (2017).
- [61] H. Eskandar, A. Sadollah, A. Bahreini nejad, M. Hamdi, Water cycle algorithm—a novel metaheuristic optimization method for solving constrained engineering optimization problems, *Computers & Structures* 110 (2012) 151–166.
- [62] S. Saremi, S. Mirjalili, A. Lewis, Grasshopper optimisation algorithm: Theory and application, *Advances in Engineering Software* 105 (2017) 30–47.
- [63] C. A. C. Coello, Use of a self-adaptive penalty approach for engineering optimization problems, *Computers in Industry* 41 (2000) 113–127.
- [64] M. Zhang, W. Luo, X. Wang, Differential evolution with dynamic stochastic selection for constrained optimization, *Information Sciences* 178 (2008) 3043–3074.
- [65] S. Mirjalili, S. M. Mirjalili, A. Hatamlou, Multi-verse optimizer: a nature-inspired algorithm for global optimization, *Neural Computing and Applications* 27 (2016) 495–513.
- [66] H. Liu, Z. Cai, Y. Wang, Hybridizing particle swarm optimization with differential evolution for constrained numerical and engineering optimization, *Applied Soft Computing* 10 (2010) 629–640.
- [67] A. Sadollah, A. Bahreini nejad, H. Eskandar, M. Hamdi, Mine blast algorithm: A new population based algorithm for solving constrained engineering optimization problems, *Applied Soft Computing* 13 (2013) 2592–2612.
- [68] J.-F. Tsai, Global optimization of nonlinear fractional programming problems in engineering design, *Engineering Optimization* 37 (2005) 399–419.
- [69] T. Ray, P. Saini, Engineering design optimization using a swarm with an intelligent information sharing among individuals, *Engineering Optimization* 33 (2001) 735–748.
- [70] A. Kaveh, A. Dorigo, A novel meta-heuristic optimization algorithm: Thermal exchange optimization, *Advances in Engineering Software* 110 (2017) 69–84.
- [71] H. Salimi, Stochastic fractal search: a powerful metaheuristic algorithm, *Knowledge-Based Systems* 75 (2015) 1–18.
- [72] J. S. Arora, *Introduction to optimum design*, 1989, McGraw-Hill Book Company (1967).
- [73] K. Deb, Optimal design of a welded beam via genetic algorithms, *AIAA journal* 29 (1991) 2013–2015.
- [74] C. A. C. Coello, E. M. Montes, Constraint-handling in genetic algorithms through the use of dominance-based tournament selection, *Advanced Engineering Informatics* 16 (2002) 193–203.

- [75] A. D. Belegundu, J. S. Arora, A study of mathematical programming methods for structural optimization. part i: Theory, International Journal for Numerical Methods in Engineering 21 (1985) 1583–1599.
- [76] Q. He, L. Wang, An effective co-evolutionary particle swarm optimization for constrained engineering design problems, Engineering Applications of Artificial Intelligence 20 (2007) 89–99.
- [77] L. Wang, L.-p. Li, An effective differential evolution with level comparison for constrained engineering design, Structural and Multidisciplinary Optimization 41 (2010) 947–963.
- [78] Y. Wang, Z. Cai, Y. Zhou, Z. Fan, Constrained optimization based on hybrid evolutionary algorithm and adaptive constraint-handling technique, Structural and Multidisciplinary Optimization 37 (2009) 395–413.
- [79] A. Kaveh, T. Bakhshpoori, Water evaporation optimization: a novel physically inspired optimization algorithm, Computers & Structures 167 (2016) 69–85.
- [80] A. H. Gandomi, X.-S. Yang, A. H. Alavi, S. Talatahari, Bat algorithm for constrained optimization tasks, Neural Computing and Applications 22 (2013) 1239–1255.
- [81] E. Mezura-Montes, C. A. C. Coello, A simple multimembered evolution strategy to solve constrained optimization problems, IEEE Transactions on Evolutionary Computation 9 (2005) 1–17.
- [82] W. Gong, Z. Cai, D. Liang, Engineering optimization by means of an improved constrained differential evolution, Computer Methods in Applied Mechanics and Engineering 268 (2014) 884–904.
- [83] Q. He, L. Wang, A hybrid particle swarm optimization with a feasibility-based rule for constrained optimization, Applied Mathematics and Computation 186 (2007) 1407–1422.
- [84] L. dos Santos Coelho, Gaussian quantum-behaved particle swarm optimization approaches for constrained engineering design problems, Expert Systems with Applications 37 (2010) 1676–1683.
- [85] H. Rosenbrock, An automatic method for finding the greatest or least value of a function, The Computer Journal 3 (1960) 175–184.
- [86] A. Kaveh, S. Talatahari, A novel heuristic optimization method: charged system search, Acta Mechanica 213 (2010) 267–289.
- [87] M. Montemurro, A. Vincenti, P. Vannucci, The automatic dynamic penalisation method (adp) for handling constraints with genetic algorithms, Computer Methods in Applied Mechanics and Engineering 266 (2013) 70–87.
- [88] E. Mezura-Montes, C. Coello Coello, J. Velázquez-Reyes, L. Muñoz-López, Multiple trial vectors in differential evolution for engineering design, Engineering Optimization 39 (2007) 567–589.
- [89] K. Ragsdell, D. Phillips, Optimal design of a class of welded structures using geometric programming, Journal of Engineering for Industry 98 (1976) 1021–1025.
- [90] K. S. Lee, Z. W. Geem, A new structural optimization method based on the harmony search algorithm, Computers & structures 82 (2004) 781–798.
- [91] F.-z. Huang, L. Wang, Q. He, An effective co-evolutionary differential evolution for constrained optimization, Applied Mathematics and Computation 186 (2007) 340–356.
- [92] P. Savsani, V. Savsani, Particle vehicle search (pvs): A novel meta-heuristic algorithm, Applied Mathematical Modelling 40 (2016) 3951–3978.
- [93] R. V. Rao, V. J. Savsani, D. Vakharia, Teaching–learning-based optimization: a novel method for constrained mechanical design optimization problems, Computer-Aided Design 43 (2011) 303–315.
- [94] S. Gupta, R. Tiwari, S. B. Nair, Multi-objective design optimisation of rolling bearings using genetic algorithms, Mechanism and Machine Theory 42 (2007) 1418–1443.



Ali Asghar Heidari is now a Ph.D. research intern at the School of Computing, National University of Singapore (NUS). Currently, he is also an exceptionally talented Ph.D. candidate at the University of Tehran and he is awarded and funded by Iran's National Elites Foundation (INEF). His main research interests are advanced machine learning, evolutionary computation, meta-heuristics, prediction, information systems, and spatial modeling. He has published more than ten papers in international journals such as Information Fusion, Energy Conversion and Management, Applied Soft Computing, and Knowledge-Based Systems.



Seyedali Mirjalili is a lecturer at Griffith University and internationally recognised for his advances in Swarm Intelligence (SI) and optimisation, including the first set of SI techniques from a synthetic intelligence standpoint - a radical departure from how natural systems are typically understood - and a systematic design framework to reliably benchmark, evaluate, and propose computationally cheap robust optimisation algorithms. Dr. Mirjalili has published over 80 journal articles, many in high-impact journals with over 7000 citations in total with an H-index of 29 and G-index of 84. From Google Scholar metrics, he is globally the 3rd most cited researcher in Engineering Optimisation and Robust Optimisation. He is serving an associate editor of Advances in Engineering Software and the journal of Algorithms.



Hossam Faris is an Associate professor at Business Information Technology department/King Abdullah II School for Information Technology/ The University of Jordan (Jordan). Hossam Faris received his BA, M.Sc. degrees (with excellent rates) in Computer Science from Yarmouk University and Al-Balqa` Applied University in 2004 and 2008 respectively in Jordan. Since then, he has been awarded a full-time competition-based PhD scholarship from the Italian Ministry of Education and Research to pursue his PhD degrees in e-Business at University of Salento, Italy, where he obtained his PhD degree in 2011. In 2016, he worked as a Postdoctoral researcher with GeNeu team at the Information and Communication Technologies Research Center (CITIC), University of Granada (Spain). His research interests include: Applied Computational Intelligence, Evolutionary Computation, Knowledge Systems, Data mining, Semantic Web and Ontologies.



Ibrahim Aljarah is an assistant professor of BIG Data Mining and Computational Intelligence at the University of Jordan - Department of Business Information Technology, Jordan. He obtained his bachelor degree in Computer Science from Yarmouk University - Jordan, 2003. Dr. Aljarah also obtained his master degree in computer science and information systems from the Jordan University of Science and Technology - Jordan in 2006. He also obtained his Ph.D. in computer Science from the North Dakota State University (NDSU), USA, in May 2014. He organized and participated in many conferences in the field of data mining, machine learning, and Big data such as NTIT, CSIT, IEEE NABIC, CASON, and BIGDATA Congress. Furthermore, he contributed in many projects in USA such as Vehicle Class Detection System (VCDS), Pavement Analysis Via Vehicle Electronic Telemetry (PAVNET), and Farm Cloud Storage System (CSS) projects. He has published more than 35 papers in refereed international conferences and journals. His research focuses on data mining, Machine Learning, Big Data, MapReduce, Hadoop, Swarm intelligence, Evolutionary Computation, Social Network Analysis (SNA), and large scale distributed algorithms.



Majdi Mafarja received his B.Sc in Software Engineering and M.Sc in Computer Information Systems from Philadelphia University and The Arab Academy for Banking and Financial Sciences, Jordan in 2005 and 2007 respectively. Dr. Mafarja did his PhD in Computer Science at National University of Malaysia (UKM). He was a member in Datamining and Optimization Research Group (DMO). Now he is an assistant professor at the Department of Computer Science at Birzeit University. His research interests include Evolutionary Computation, Meta-heuristics and Data mining.



Huiliang Chen is currently an associate professor in the department of computer science at Wenzhou University, China. He received his Ph.D. degree in the department of computer science and technology at Jilin University, China. His present research interests center on evolutionary computation, machine learning, and data mining, as well as their applications to medical diagnosis and bankruptcy prediction. He has published more than 100 papers in international journals and conference proceedings, including Pattern Recognition, Expert Systems with Applications, Knowledge-Based Systems, Soft Computing, Neurocomputing, Applied Mathematical Modeling, IEEE ACCESS, PAKDD, and among others.

- A mathematical model is proposed to simulate the hunting behaviour of Harris' Hawks
- An optimization algorithm is proposed using the mathematical model
- The proposed HHO algorithm is tested on several benchmarks
- The performance of HHO is also examined on several engineering design problems
- The results show the merits of the HHO algorithm as compared to the existing algorithms