stmmath package description

Martin Rädel

2019-11-03

These are the math definitions for `stmlatex`. It is build upon the amsmath package.

Contents

1. Commands

1.1. Operators

`\dev`	dev
`\dif`	d
`\divergenceoperator`	div
`\erf`	erf
`\sign`	sign
`\sph`	sph
`\spur`	Tr
`\Grad`	Grad
`\grad`	grad

1.2. Symbols

```
\minus                                                    –
\curveplus                                               ↲+
\rightplus                                               ±→
\upplus                                                  +↑
```

2. Environments

A. The code

A.1. stmmath.sty

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% Header                         %
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%
% This is a interface to all stm tikz definitions
% Based upon the amsmath package:
%   https://ctan.org/pkg/amsmath
%
% Usage
%  - Premble:
%    - \usepackage{stmmath}
%
% Revisions: 2019-10-27 Martin Raedel <martin.raedel@dlr.de>
%                       Initial draft
%
% Contact:    Martin Raedel,  martin.raedel@dlr.de
%             DLR Composite Structures and Adaptive Systems
%
%                                    __/|__
%                                   /_/_/_/
%             www.dlr.de/fa/en      |/ DLR
%
% Copyright (C) 2019-... DLR Composite Structures and
%   Adaptive Systems
%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% Content                        %
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%

% Declare that this style file requires at least LaTeX
%   version 2e.
\NeedsTeXFormat{LaTeX2e}

% Provide the name of your page, the date it was last updated
%   , and a comment about what it's used for
\ProvidesPackage{stmmath}[2019/10/27 STMs custom LaTeX math
   definitions]

% ---------------------------
% Package
```

```
% --------------------------

% Load amsmath to defined math operators
\@ifpackageloaded{amsmath}{}{\RequirePackage{amsmath}}%
\@ifpackageloaded{amssymb}{}{\RequirePackage{amssymb}}%
\@ifpackageloaded{graphicx}{}{\RequirePackage{graphicx}}%

% --------------------------
% Modules
% --------------------------

% Oeprators
\@ifundefined{dev}{\DeclareMathOperator{\dev}{dev}}{}
\@ifundefined{divergenceoperator}{\DeclareMathOperator{\
    divergenceoperator}{div}}{}
\@ifundefined{erf}{\DeclareMathOperator{\erf}{erf}}{}
\@ifundefined{sign}{\DeclareMathOperator{\sign}{sign}}{}
\@ifundefined{sph}{\DeclareMathOperator{\sph}{sph}}{}
\@ifundefined{spur}{\DeclareMathOperator{\spur}{Tr}}{}
\@ifundefined{Grad}{\DeclareMathOperator{\Grad}{Grad}}{}%
    englisch gradient w.r.t material coordinates
\@ifundefined{grad}{\DeclareMathOperator{\grad}{grad}}{}%
    englisch gradient w.r.t spatial coordinates

% --------------------------
% Newcommands
% --------------------------

% Upright dif-symbol
\@ifundefined{dif}{\newcommand*\dif{\mathop{}\!\mathrm{d}}}{}

% shorter minus sign
\@ifundefined{minus}{\newcommand{\minus}{\scalebox
    {0.75}[1.0]{$-$}}}{}

% Symbols for static equilibrium conditions:
\newcommand*\curveplus{%
  \mathbin{\rotatebox[origin=c]{90}{$\m@th\curvearrowleft$}+}
      %
}

\newcommand*\rightplus{%
  \mathpalette\@rightplus\relax%
}
```

```
\newcommand*\@rightplus[1]{%
  \mathbin{\vcenter{\hbox{$\m@th\overset{#1+}{\to}$}}}%
}

\newcommand*\upplus{%
  \mathbin{+\mathord\uparrow}%
}

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% That's it                       %
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%

% Finally, we'll use \endinput to indicate that LaTeX can
    stop reading this file. LaTeX will ignore anything after
    this line.
\endinput
```