

```
version 15.8
service timestamps debug datetime msec
service timestamps log datetime msec
service password-encryption
!
hostname ACME_USA_ROUTER_INTERNET_datacenter_01
!
boot-start-marker
boot-end-marker
!
!
vrf definition Mgmt-intf
!
security passwords min-length 10
logging buffered 16384
enable secret 5 $1$0EBQ$tu96Nh4PCj.kGtRz4w3pc/
!
aaa new-model
!
!
aaa group server tacacs+ ACME-TEAM-TACACS
server name ACME-TEAM-TACACS-01
server name ACME-TEAM-TACACS-02
!
aaa authentication password-prompt LOCAL_PASS:
aaa authentication username-prompt LOCAL_USER:
aaa authentication login default group ACME-TEAM-TACACS local
aaa authentication enable default group ACME-TEAM-TACACS enable
aaa authorization config-commands
aaa authorization exec default group ACME-TEAM-TACACS local if-authenticated
aaa authorization commands 1 default group ACME-TEAM-TACACS if-authenticated
aaa authorization commands 15 default group ACME-TEAM-TACACS if-authenticated
aaa accounting exec default start-stop group ACME-TEAM-TACACS
aaa accounting commands 1 default start-stop group ACME-TEAM-TACACS
aaa accounting commands 15 default start-stop group ACME-TEAM-TACACS
!
!
!
!
!
aaa session-id common
!
!
!
clock timezone CST -6 0
mmi polling-interval 60
no mmi auto-configure
no mmi pvc
mmi snmp-timeout 180
!
!
!
!
!
!
!
```

```
!  
!  
ip domain name acme.com  
ip cef  
login block-for 120 attempts 3 within 60  
no ipv6 cef  
!  
multilink bundle-name authenticated  
!  
!  
!  
!  
username admin privilege 15 secret 8  
$8$2UeO.7l6s9PbgP$w6N1qJPshTPfn4Z1k3icD9T1twSGXEm1BrTGOH1f6gA  
username nimda privilege 15 secret 5 $1$Phub$6cnN/mzPVqWGs/zp3t6M5.  
!  
redundancy  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
interface GigabitEthernet0/0  
description lan_interface  
ip address 192.168.100.1 255.255.255.252  
duplex auto  
speed auto  
media-type rj45  
!  
interface GigabitEthernet0/1  
description wan_interface  
ip address 186.0.0.1 255.255.255.0  
duplex auto  
speed auto  
media-type rj45  
!  
ip forward-protocol nd  
!  
!  
no ip http server  
no ip http secure-server  
ip ssh time-out 60  
ip ssh version 2  
!  
ip access-list extended VTY-OPEN  
remark ACL permisiva para VTY - SOLO LAB/TESTING  
permit tcp any any eq 22  
permit tcp any any eq telnet
```

```
deny ip any any log
!
logging host 10.10.10.1
ipv6 ioam timestamp
!
!
tacacs server ACME-TEAM-TACACS-01
key 7 123456789123456789
timeout 5
tacacs server ACME-TEAM-TACACS-02
key 7 123456789123456789
timeout 5
!
!
!
control-plane
!
alias exec siib sh ip int br
banner motd ^C
+++++ Hola estas entrando al router de pruebas +++++
^C
!
line con 0
logging synchronous
line aux 0
exec-timeout 0 1
no exec
line vty 0 4
access-class VTY-OPEN in
exec-timeout 5 0
transport input ssh
line vty 5 15
access-class VTY-OPEN in
exec-timeout 5 0
transport input ssh
!
no scheduler allocate
ntp server 176.10.10.1
!
end
```

ACME_USA_ROUTER_INTERNET_datacenter_01#