


Por: Rafael Carlos Infante Carrillo

1. Para descargarnos el repositorio entramos en la carpeta de araceli de github le damos a clone or dowload y copiamos la url abrimos la consola y clonamos en el escritorio la carpeta.

```
d17incar@WIN-20M8BI1GG7E MINGW64 ~/Desktop (master)
$ git clone https://github.com/AraceliRuz/codigo.git
Cloning into 'codigo'...
remote: Counting objects: 4, done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0
Unpacking objects: 100% (4/4), done.
```



4. Hacer un issue a una linea en concreto de codigo en la cuenta de araceli:

This repository

Search

Pull requests

Issues

Apps

Explore

AraceliRuz / codigo

Watch 0

Star 0

Fork 0

<> Code

Issues 5

Pull requests 0

Projects 0

Wiki

Insights

Want to submit an issue to AraceliRuz/codigo?

Dismiss

If you have a bug or an idea, browse the open issues before opening a new one. You can also take a look at the [Open Source Guide](#).

Filters

is:issue is:open

Labels

Milestones

New issue

5 Open 1 Closed

Author

Labels

Projects

Milestones

Assignee

Sort

Examen_Entorno

#6 opened 8 minutes ago by AngeloBarbara

Yo en vez de tipo de interes pondría tipInteres

#5 opened 9 minutes ago by Markweell

Esta parte del código se puede refactorizar

#4 opened 11 minutes ago by MNavarroM

This repository

Search

Pull requests

Issues

Apps

Explore

AraceliRuz / codigo

Watch 0

Star 0

Fork 0

<> Code

Issues 5

Pull requests 0

Projects 0

Wiki

Insights

Want to submit an issue to AraceliRuz/codigo?

Dismiss

If you have a bug or an idea, browse the open issues before opening a new one. You can also take a look at the [Open Source Guide](#).

Filters

is:issue is:open

Labels

Milestones

New issue

5 Open 1 Closed

Author

Labels

Projects

Milestones

Assignee

Sort

Examen_Entorno

#6 opened 8 minutes ago by AngeloBarbara

Yo en vez de tipo de interes pondría tipInteres

#5 opened 9 minutes ago by Markweell

Esta parte del código se puede refactorizar


#4 opened 11 minutes ago by MNavarroM

pinchamos en issues new issue.

[Code](#)
[Issues 8](#)
[Pull requests 0](#)
[Projects 0](#)
[Wiki](#)
[Insights](#)



falta la fecha del codigo por rafael infante #8

Open
rafacharlie opened this issue a minute ago · 0 comments





rafacharlie commented a minute ago

falta la fecha del codigo

rafacharlie changed the title from **rafael infante carrillo** to **falta la fecha del codigo** just now

rafacharlie changed the title from **falta la fecha del codigo** to **falta la fecha del codigo por rafael infante** 12 seconds from now

Write

Preview

AA B i
 " " " "
 : : :
 ↩ @

Leave a comment

Assignees

No one as

Labels

None yet

Projects

None yet

Milestone

No milesto

Notificatic

[GitHub, Inc. \[US\]](#) | github.com/AraceliRuz/codigo/issues

<div> <div>8 Open</div> <div>1 Closed</div> </div>	Author	Labels	Projects	Milestones
<div>Issue de Jose Rafael Álvarez Espino</div> <div>#9 opened a minute ago by alesjora</div>				
<div>falta la fecha del codigo por rafael infante</div> <div>#8 opened 2 minutes ago by rafacharlie</div>				
<div>examen_entornos_issue</div> <div>#7 opened 7 minutes ago by Arizaser</div>				
<div>Examen_Entorno</div> <div>#6 opened 13 minutes ago by AngeloBarbara</div>				
<div>Yo en vez de tipo de interes pondría tipInteres</div> <div>#5 opened 15 minutes ago by Markweell</div>				
<div>Esta parte del código se puede refactorizar</div> <div>#4 opened 17 minutes ago by MNavarroM</div>				
<div>examenEntornos</div> <div>#2 opened 24 minutes ago by Sadidadri</div>				
<div>Falta el autor</div> <div>#1 opened 24 minutes ago by Javierfs94</div>				

5. mediante comandos git crear un repositorio a mi cuenta git.

Primero pinchamos en repositorios y le damos a new.

Rellenamos algunos datos y demas:

Create a new repository

A repository contains all the files for your project, including the revision history.

Owner



rafacharlie

Repository name



resultadoExamen



Great repository names are short and memorable. Need inspiration? How about **sturdy-octo-invention**.

Description (optional)

documentacion del examen tercera evaluacion de entornos



Public

Anyone can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

☐ Initialize this repository with a README

This will let you immediately clone the repository to your computer. Skip this step if you're importing an existing repository.

Add .gitignore: None

Add a license: None



Create repository

le damos a crear.

GitHub profile page for user **rainca** (rafacharlie). The profile shows 9 repositories. The first three are:

- repositorio-forkk**: Forked from Arizaser/repositorio-forkk, 2 forks, Updated 2 hours ago.
- primerRepositorio**: Python, 1 fork, Updated 16 hours ago.
- tablas**: HTML, 3 forks, Updated 17 hours ago.

Una vez creado nos vamos a la consola y seguimos los siguientes pasos:

...or create a new repository on the command line

```
echo "# resultadoExamen" >> README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/rafacharlie/resultadoExamen.git
git push -u origin master
```