

Query 1 Oficina-DB-CTII-AC-2 x

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

Administration	Schemas
----------------	---------

No object selected

Oficina-DB-CTII-AC-2 x

```

46      -- CONSULTAS SQL
47
48      -- CASO 1: Lista de clientes e seus veículos
49      -- 1.1 Ordem alfabética
50      • SELECT c.Nome, v.Placa
51          FROM Clientes c
52          INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente
53          INNER JOIN Veiculos v ON vc.idVeiculo = v.idVeiculo
54          ORDER BY c.Nome ASC;
55
56      -- 1.2 Nome e placa apenas
57      • SELECT c.Nome, v.Placa
58          FROM Clientes c
59          INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente

```

Result Grid Filter Rows: Export: Wrap Cell Content:

	Nome	Placa
▶	Fabio	JOIN999
	Fabio	ABC1111
	Gisele	XYZ2222
	Gisele	KJM3333
	Heitor	LPO4444
	Heitor	MHT5555
	João	BRA2E26

Result 8 

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	08:43:47	SELECT c.Nome, COUNT(vc.idVeiculo) AS Numero_de_Veiculos FROM Clientes c LEFT JOIN Veiculos_De_Cliente...	10 row(s) returned	0.000 sec / 0.000 sec
21	08:43:47	SELECT v.idVeiculo, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Veiculos v INNER JOIN Modelo m O...	11 row(s) returned	0.000 sec / 0.000 sec
22	08:43:47	SELECT c.Nome AS Proprietario, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Clientes c INNER JOIN ...	11 row(s) returned	0.015 sec / 0.000 sec
23	08:43:47	SELECT c.Nome, v.Placa, m.Descricao AS Modelo FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.id...	3 row(s) returned	0.000 sec / 0.000 sec
24	08:43:47	SELECT c.Nome, v.Placa, co.Nome AS Cor FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente ...	3 row(s) returned	0.000 sec / 0.000 sec
25	08:44:00	SELECT ... FROM ... INNER JOIN ... ON ...	11 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Servidor Local

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

AdministrationSchemas

Information

No object selected

Query 1Oficina-DB-CTII-AC-2

Limit to 1000 rows

```
55
56 -- 1.2 Nome e placa apenas
57 • SELECT c.Nome, v.Placa
58 FROM Clientes c
59 INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente
60 INNER JOIN Veiculos v ON vc.idVeiculo = v.idVeiculo;
61
62 -- 1.3 Sem repetições e com número de veículos (Mostra também quem tem 0)
63 • SELECT c.Nome, COUNT(vc.idVeiculo) AS Numero_de_Veiculos
64 FROM Clientes c
65 LEFT JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente
66 GROUP BY c.Nome;
67
68 -- CASO 2: Lista completa de Veículos com Cor e Modelo
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Nome	Placa
▶	João	BRA2E26
	Pedro	FLN0484
	Vanessa	SC2026X
	Rafael	WEB1010
	Miguel	SQL5050
	Fabio	JOIN999
	Fabio	ABC1111

Result 9

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 21	08:43:47	SELECT v.idVeiculo, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Veiculos v INNER JOIN Modelo m O...	11 row(s) returned	0.000 sec / 0.000 sec
✓ 22	08:43:47	SELECT c.Nome AS Proprietario, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Clientes c INNER JOIN ...	11 row(s) returned	0.015 sec / 0.000 sec
✓ 23	08:43:47	SELECT c.Nome, v.Placa, m.Descricao AS Modelo FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.id...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 24	08:43:47	SELECT c.Nome, v.Placa, co.Nome AS Cor FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente ...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 25	08:44:08	SELECT c.Nome, v.Placa FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente INN...	11 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Servidor Local

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Administration

Schemas

Information

No object selected

Query 1

Oficina-DB-CTII-AC-2

Limit to 1000 rows

67

68 -- CASO 2: Lista completa de Veículos com Cor e Modelo

69 -- 2.1 e 2.2 Dados amigáveis, com ID e ordenado por Modelo

70 • SELECT v.idVeiculo, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor

71 FROM Veiculos v

72 INNER JOIN Modelo m ON v.idModelo = m.idModelo

73 INNER JOIN Cor co ON v.idCor = co.idCor

74 ORDER BY m.Descricao;

75

76 -- CASO 3: Clientes, seus Veículos e Características

77 -- 3.1 Dados amigáveis

78 • SELECT c.Nome AS Proprietario, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor

79 FROM Clientes c

80 INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	idVeiculo	Placa	Modelo	Cor
▶	2	FLN0484	Hatch	Preto
	6	JOIN999	Hatch	Azul
	8	XYZ2222	Hatch	Branco
	5	SQL5050	MiniVan	Vermelho
	4	WEB1010	Picape	Cinza
	10	LPO4444	Picape	Vermelho
	1	BRA2E26	Sedan	Azul

Result 11

Read OnlyContext HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 23	08:43:47	SELECT c.Nome, v.Placa, m.Descricao AS Modelo FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.id...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 24	08:43:47	SELECT c.Nome, v.Placa, co.Nome AS Cor FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente ...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 25	08:44:08	SELECT c.Nome, v.Placa FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente INN...	11 row(s) returned	0.000 sec / 0.000 sec
✓ 26	08:44:53	SELECT c.Nome, v.Placa FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente INN...	11 row(s) returned	0.000 sec / 0.000 sec
✓ 27	08:45:23	SELECT c.Nome, COUNT(vc.idVeiculo) AS Numero_de_Veiculos FROM Clientes c LEFT JOIN Veiculos_De_Cliente...	10 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Servidor Local

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Administration

Schemas

Information

No object selected

Query 1Oficina-DB-CTII-AC-2

Limit to 1000 rows

84

85-- 3.2 Listar somente Veículos de um determinado Modelo

86• SELECT c.Nome, v.Placa, m.Descricao AS Modelo

87FROM Clientes c

88INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente

89INNER JOIN Veiculos v ON vc.idVeiculo = v.idVeiculo

90INNER JOIN Modelo m ON v.idModelo = m.idModelo

91WHERE m.Descricao = 'Sedan';

92

93-- 3.3 Listar somente Veículos de uma determinada Cor

94• SELECT c.Nome, v.Placa, co.Nome AS Cor

95FROM Clientes c

96INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente

97INNER JOIN Veiculos v ON vc.idVeiculo = v.idVeiculo

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Nome	Placa	Modelo
▶	João	BRA2E26	Sedan
	Fabio	ABC1111	Sedan
	Heitor	MHT5555	Sedan

Result 13

Read OnlyContext HelpSnippets

Form Editor

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 25	08:44:08	SELECT c.Nome, v.Placa FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente INN...	11 row(s) returned	0.000 sec / 0.000 sec
✓ 26	08:44:53	SELECT c.Nome, v.Placa FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente INN...	11 row(s) returned	0.000 sec / 0.000 sec
✓ 27	08:45:23	SELECT c.Nome, COUNT(vc.idVeiculo) AS Numero_de_Veiculos FROM Clientes c LEFT JOIN Veiculos_De_Cliente...	10 row(s) returned	0.000 sec / 0.000 sec
✓ 28	08:45:56	SELECT v.idVeiculo, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Veiculos v INNER JOIN Modelo m O...	11 row(s) returned	0.000 sec / 0.000 sec
✓ 29	08:46:12	SELECT c.Nome AS Proprietario, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Clientes c INNER JOIN ...	11 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Query 1 Oficina-DB-CTII-AC-2 x

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

Administration	Schemas
----------------	---------

Information

No object selected

Oficina-DB-CTII-AC-2 x

Limit to 1000 rows

```

87 FROM Clientes c
88 INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente
89 INNER JOIN Veiculos v ON vc.idVeiculo = v.idVeiculo
90 INNER JOIN Modelo m ON v.idModelo = m.idModelo
91 WHERE m.Descricao = 'Sedan';
92
93 -- 3.3 Listar somente Veículos de uma determinada Cor
94 • SELECT c.Nome, v.Placa, co.Nome AS Cor
95 FROM Clientes c
96 INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente
97 INNER JOIN Veiculos v ON vc.idVeiculo = v.idVeiculo
98 INNER JOIN Cor co ON v.idCor = co.idCor
99 WHERE co.Nome = 'Preto';

```

Result Grid Filter Rows: Export: Wrap Cell Content:

	Nome	Placa	Cor
▶	Pedro	FLN0484	Preto
	Fabio	ABC1111	Preto
	Heitor	MHT5555	Preto

Result 14 

Read Only Context Help Snippets

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
26	08:44:53	SELECT c.Nome, v.Placa FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.idCliente = vc.idCliente INN...	11 row(s) returned	0.000 sec / 0.000 sec
27	08:45:23	SELECT c.Nome, COUNT(vc.idVeiculo) AS Numero_de_Veiculos FROM Clientes c LEFT JOIN Veiculos_De_Cliente...	10 row(s) returned	0.000 sec / 0.000 sec
28	08:45:56	SELECT v.idVeiculo, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Veiculos v INNER JOIN Modelo m O...	11 row(s) returned	0.000 sec / 0.000 sec
29	08:46:12	SELECT c.Nome AS Proprietario, v.Placa, m.Descricao AS Modelo, co.Nome AS Cor FROM Clientes c INNER JOIN ...	11 row(s) returned	0.000 sec / 0.000 sec
30	08:46:37	SELECT c.Nome, v.Placa, m.Descricao AS Modelo FROM Clientes c INNER JOIN Veiculos_De_Clientes vc ON c.id...	3 row(s) returned	0.000 sec / 0.000 sec