AV2CODEC · AV2 V1.0.0 · MULTIVIEW

FOUR VIEWS. ONE BITSTREAM. A CANVAS.

AV2 carries multiview as independent **extended layers**; a layer configuration record and an **atlas** say what each layer is and where it lands. This demo encodes four layers — three sports feeds and your camera — into one multistream and composes them into a single canvas.

- One AV2 multistream, four extended layers
- Every canvas frame reconstructed from the bitstream
- Runs entirely in the browser — no server, no native code

PIPELINE

ENCODED IN THE PAGE

CAPTURE	camera + three canvas feeds → 320×192 RGBA
CONVERT	RGBA → YUV420 in the WASM module
ENCODE	av2codec · wasm32 · four layers, 2×2 atlas
BITSTREAM	one temporal unit ≈ 3 KB with LCR + atlas + MSDO
DECODE	av2codec decoder · wasm32 · four frames
COMPOSE	640×384 canvas at 15 fps

LOOP **15** FPS	ENCODE **37** MS
DECODE **4** MS	BITSTREAM **3** KB/TU
MODULE **717** KB	LAYERS **4** × 320×192

dav2d skips LCR, atlas and MSDO, so composition always belongs to the player.

TRY IT

YOUR CAMERA, LAYER 3

Scan the code, open the page, press **Enable camera**. The tab encodes your webcam with the three feeds, decodes the multistream and paints the 640×384 canvas at 15 fps.

Every session can be downloaded as an **.obu** file — a real AV2 multistream with LCR and atlas.



https://static.caric.io/vdd26/av2demo

av2codec multiview · wasm rig

COST

WHAT THIS COST

A month of DeepSeek API usage to build, debug and document the codec, the demos and this deck.

TOTAL COST	REQUESTS
$1.70 USD	1,073
TOKENS	**BALANCE**
364 M	$8.29 USD

DeepSeek platform usage, 19 Sep – 18 Oct.
364,185,233 tokens across 1,073 requests.

