



ATIVIDADE – BANCO DE DADOS PARA COWORKING

1. Modelo Conceitual (DER)



2. Modelo Lógico



3. Scripts

3.1 Scripts DDL:

-- CRIAÇÃO DO BANCO

```
CREATE DATABASE coworking;
```

```
USE coworking;
```

-- TABELA CLIENTE

```
CREATE TABLE cliente (  
    id_cliente INT PRIMARY KEY AUTO_INCREMENT,  
    nome_completo VARCHAR(100) NOT NULL,  
    cpf VARCHAR(14) UNIQUE NOT NULL,  
    email VARCHAR(100) UNIQUE NOT NULL,  
    telefone VARCHAR(20),  
    data_cadastro DATE  
);
```

-- TABELA PLANO

```
CREATE TABLE plano (  
    id_plano INT PRIMARY KEY AUTO_INCREMENT,  
    nome_plano VARCHAR(50) NOT NULL,  
    valor_mensal DECIMAL(10,2) NOT NULL,  
    limite_horas INT,  
    categoria VARCHAR(50)  
);
```

-- TABELA ASSINATURA

```
CREATE TABLE assinatura (  
    id_assinatura INT PRIMARY KEY AUTO_INCREMENT,  
    data_inicio DATE NOT NULL,  
    id_cliente INT,  
    id_plano INT,  
  
    CONSTRAINT fk_ass_cliente  
        FOREIGN KEY (id_cliente)  
        REFERENCES cliente(id_cliente),  
  
    CONSTRAINT fk_ass_plano  
        FOREIGN KEY (id_plano)  
        REFERENCES plano(id_plano)  
);
```

-- TABELA SALA

```
CREATE TABLE sala (  
    id_sala INT PRIMARY KEY AUTO_INCREMENT,  
    nome_sala VARCHAR(50),  
    capacidade_maxima INT,  
    localizacao VARCHAR(100),  
    tipo_sala VARCHAR(50)  
);
```

-- TABELA RESERVA

```
CREATE TABLE reserva (  
    id_reserva INT PRIMARY KEY AUTO_INCREMENT,  
    data_reserva DATE,  
    horario_inicio TIME,  
    horario_fim TIME,  
    status_reserva VARCHAR(30),  
    valor_total DECIMAL(10,2),  
    id_cliente INT,  
    id_sala INT,  
  
    CONSTRAINT fk_res_cliente  
        FOREIGN KEY (id_cliente)  
        REFERENCES cliente(id_cliente),  
  
    CONSTRAINT fk_res_sala  
        FOREIGN KEY (id_sala)  
        REFERENCES sala(id_sala)  
);
```

-- TABELA SERVICO_ADICIONAL

```
CREATE TABLE servico_adicional (  
    id_servico INT PRIMARY KEY AUTO_INCREMENT,  
    nome_servico VARCHAR(50),  
    descricao VARCHAR(200),  
    valor_unitario DECIMAL(10,2),  
    disponibilidade BOOLEAN
```

```
);
```

```
-- TABELA RESERVA_SERVICO
```

```
CREATE TABLE reserva_servico (  
    id_reserva INT,  
    id_servico INT,  
    quantidade INT,  
    valor_cobrado DECIMAL(10,2),  
  
    PRIMARY KEY (id_reserva, id_servico),  
  
    CONSTRAINT fk_rs_reserva  
        FOREIGN KEY (id_reserva)  
        REFERENCES reserva(id_reserva),  
  
    CONSTRAINT fk_rs_servico  
        FOREIGN KEY (id_servico)  
        REFERENCES servico_adicional(id_servico)  
);
```

```
-- EXCLUSÃO DE TABELA
```

```
DROP TABLE reserva_servico;
```

```
-- RECRIANDO TABELA
```

```
CREATE TABLE reserva_servico (  
    id_reserva INT,  
    id_servico INT,  
    quantidade INT,  
    valor_cobrado DECIMAL(10,2),  
  
    PRIMARY KEY (id_reserva, id_servico),  
  
    FOREIGN KEY (id_reserva)  
        REFERENCES reserva(id_reserva),
```

```
        FOREIGN KEY (id_servico)
            REFERENCES servico_adicional(id_servico)
    );
```

```
-- ALTERAÇÕES EM TABELAS
```

```
ALTER TABLE cliente
ADD COLUMN endereco VARCHAR(150);
```

```
ALTER TABLE sala
MODIFY tipo_sala VARCHAR(80);
```

3.2 - Scripts DML:

```
-- CLIENTE
```

```
INSERT INTO cliente
(nome_completo, cpf, email, telefone, data_cadastro, endereco)
VALUES
('Ana Souza', '111.111.111-11', 'ana@gmail.com', '14999990001', '2026-01-10', 'Rua A'),
('Bruno Lima', '222.222.222-22', 'bruno@gmail.com', '14999990002', '2026-01-11', 'Rua B'),
('Carlos Silva', '333.333.333-33', 'carlos@gmail.com', '14999990003', '2026-01-12', 'Rua C'),
('Daniela Rocha', '444.444.444-44', 'daniela@gmail.com', '14999990004', '2026-01-13', 'Rua D'),
('Eduardo Alves', '555.555.555-55', 'eduardo@gmail.com', '14999990005', '2026-01-14', 'Rua E');
```

```
-- PLANO
```

```
INSERT INTO plano
(nome_plano, valor_mensal, limite_horas, categoria)
VALUES
('Start', 150.00, 20, 'Básico'),
('Flex', 250.00, 40, 'Intermediário'),
('Pro', 450.00, 80, 'Premium'),
```

```
('Empresarial', 800.00, 160, 'Corporativo'),  
('Virtual', 90.00, 10, 'Online');
```

-- ASSINATURA

```
INSERT INTO assinatura  
(data_inicio, id_cliente, id_plano)  
VALUES  
('2026-01-15', 1, 1),  
('2026-01-16', 2, 2),  
('2026-01-17', 3, 3),  
('2026-01-18', 4, 2),  
('2026-01-19', 5, 1);
```

-- SALA

```
INSERT INTO sala  
(nome_sala, capacidade_maxima, localizacao, tipo_sala)  
VALUES  
('Sala Orion', 6, '1° Andar', 'Reunião'),  
('Sala Solar', 12, '2° Andar', 'Treinamento'),  
('Sala Lunar', 4, '1° Andar', 'Privativa'),  
('Sala Marte', 10, '3° Andar', 'Reunião'),  
('Sala Netuno', 20, 'Térreo', 'Auditório');
```

-- RESERVA

```
INSERT INTO reserva  
(data_reserva, horario_inicio, horario_fim,  
status_reserva, valor_total, id_cliente, id_sala)  
VALUES  
('2026-02-01', '08:00:00', '10:00:00', 'Confirmada', 120.00, 1, 1),  
('2026-02-02', '09:00:00', '11:00:00', 'Confirmada', 200.00, 2, 2),  
('2026-02-03', '14:00:00', '16:00:00', 'Pendente', 150.00, 3, 3),  
('2026-02-04', '13:00:00', '15:00:00', 'Cancelada', 0.00, 4, 4),  
('2026-02-05', '18:00:00', '20:00:00', 'Confirmada', 300.00, 5, 5);
```

-- SERVICO_ADICIONAL

```
INSERT INTO servico_adicional
(nome_servico, descricao, valor_unitario, disponibilidade)
VALUES
('Café', 'Serviço de café ilimitado', 15.00, TRUE),
('Impressão', 'Impressões preto e branco', 1.50, TRUE),
('Projektor', 'Uso de projetor multimídia', 50.00, TRUE),
('Estacionamento', 'Vaga de estacionamento', 25.00, TRUE),
('Internet Premium', 'Internet de alta velocidade', 30.00, TRUE);
```

-- RESERVA_SERVICO

```
INSERT INTO reserva_servico
(id_reserva, id_servico, quantidade, valor_cobrado)
VALUES
(1, 1, 2, 30.00),
(1, 2, 10, 15.00),
(2, 3, 1, 50.00),
(3, 4, 1, 25.00),
(5, 5, 1, 30.00);
```

4- Evidências de Execução das Consultas SQL Tabelas INSERT INTO cliente (nome_completo, cpf, email, telefone, data_cadastro, endereco) VALUES ('Ana Souza', '111.111.111-11', 'ana@gmail.com', '14999990001', '2026-01-10', 'Rua A'), ('Bruno Lima', '222.222.222-22', 'bruno@gmail.com', '14999990002', '2026-01-11', 'Rua B'), ('Carlos Silva', '333.333.333-33', 'carlos@gmail.com', '14999990003', '2026-01-12', 'Rua C'), ('Daniela Rocha', '444.444.444-44', 'daniela@gmail.com', '14999990004', '2026-01-13', 'Rua D'), ('Eduardo Alves', '555.555.555-55', 'eduardo@gmail.com', '14999990005', '2026-01-14', 'Rua E')

```
INSERT INTO plano (nome_plano, valor_mensal, limite_horas, categoria)
VALUES ('Start', 150.00, 20, 'Básico'), ('Flex', 250.00, 40, 'Intermediário'), ('Pro', 450.00, 80, 'Premium'), ('Empresarial', 800.00, 160, 'Corporativo'), ('Virtual', 90.00, 10, 'Online')
```

```
INSERT INTO assinatura (data_inicio, id_cliente, id_plano) VALUES ('2026-01-15', 1, 1), ('2026-01-16', 2, 2), ('2026-01-17', 3, 3), ('2026-01-18', 4, 2), ('2026-01-19', 5, 1)
```

```
INSERT INTO sala (nome_sala, capacidade_maxima, localizacao, tipo_sala)
VALUES ('Sala Orion', 6, '1° Andar', 'Reunião'), ('Sala Solar', 12, '2°
Andar', 'Treinamento'), ('Sala Lunar', 4, '1° Andar', 'Privativa'),
('Sala Marte', 10, '3° Andar', 'Reunião'), ('Sala Netuno', 20, 'Térreo',
'Auditório')
```

```
INSERT INTO reserva (data_reserva, horario_inicio, horario_fim,
status_reserva, valor_total, id_cliente, id_sala) VALUES ('2026-02-01',
'08:00:00', '10:00:00', 'Confirmada', 120.00, 1, 1), ('2026-02-02',
'09:00:00', '11:00:00', 'Confirmada', 200.00, 2, 2), ('2026-02-03',
'14:00:00', '16:00:00', 'Pendente', 150.00, 3, 3), ('2026-02-04',
'13:00:00', '15:00:00', 'Cancelada', 0.00, 4, 4), ('2026-02-05',
'18:00:00', '20:00:00', 'Confirmada', 300.00, 5, 5)
```

```
INSERT INTO servico_adicional (nome_servico, descricao, valor_unitario,
disponibilidade) VALUES ('Café', 'Serviço de café ilimitado', 15.00,
TRUE), ('Impressão', 'Impressões preto e branco', 1.50, TRUE),
('Projektor', 'Uso de projetor multimídia', 50.00, TRUE),
('Estacionamento', 'Vaga de estacionamento', 25.00, TRUE), ('Internet
Premium', 'Internet de alta velocidade', 30.00, TRUE)
```

```
INSERT INTO reserva_servico (id_reserva, id_servico, quantidade,
valor_cobrado) VALUES (1, 1, 2, 30.00), (1, 2, 10, 15.00), (2, 3, 1,
50.00), (3, 4, 1, 25.00), (5, 5, 1, 30.00)
```

```
DELETE FROM reserva_servico WHERE id_reserva = 1 AND id_servico = 2
```

```
DELETE FROM reserva_servico WHERE id_reserva = 3 AND id_servico = 4
```

```
DELETE FROM assinatura WHERE id_assinatura = 4
```

```
DELETE FROM assinatura WHERE id_assinatura = 5
```

```
UPDATE cliente SET telefone = '14988887777' WHERE id_cliente = 1
```

```
UPDATE plano SET valor_mensal = 180.00 WHERE id_plano = 1
```

```
UPDATE assinatura SET data_inicio = '2026-02-01' WHERE id_assinatura =
1
```

```
UPDATE sala SET capacidade_maxima = 8 WHERE id_sala = 1
```



```
UPDATE reserva SET status_reserva = 'Finalizada' WHERE id_reserva = 1
```

```
UPDATE servico_adicional SET valor_unitario = 20.00 WHERE id_servico = 1
```

```
UPDATE reserva_servico SET quantidade = 3 WHERE id_reserva = 1 AND id_servico = 1
```

```
SELECT * FROM cliente LIMIT 0, 1000
```

```
SELECT      r.id_reserva,      c.nome_completo,      s.nome_sala,
r.data_reserva,      r.status_reserva FROM reserva r INNER JOIN cliente
c ON r.id_cliente = c.id_cliente INNER JOIN sala s ON r.id_sala =
s.id_sala LIMIT 0, 1000
```

```
SELECT      r.id_reserva,      sa.nome_servico,      rs.quantidade,
rs.valor_cobrado FROM reserva_servico rs INNER JOIN reserva r ON
rs.id_reserva = r.id_reserva INNER JOIN servico_adicional sa ON
rs.id_servico = sa.id_servico LIMIT 0, 1000
```

```
SELECT      c.nome_completo,      p.nome_plano,      a.data_inicio FROM
assinatura a INNER JOIN cliente c ON a.id_cliente = c.id_cliente INNER
JOIN plano p ON a.id_plano = p.id_plano LIMIT 0, 1000
```

CREATE DATABASE coworking

```
USE coworking
```

```
CREATE TABLE cliente (      id_cliente INT PRIMARY KEY AUTO_INCREMENT,
nome_completo VARCHAR(100) NOT NULL,      cpf VARCHAR(14) UNIQUE NOT NULL,
email VARCHAR(100) UNIQUE NOT NULL,      telefone VARCHAR(20),
data_cadastro DATE )
```

```
CREATE TABLE plano (      id_plano INT PRIMARY KEY AUTO_INCREMENT,
nome_plano VARCHAR(50) NOT NULL,      valor_mensal DECIMAL(10,2) NOT NULL,
limite_horas INT,      categoria VARCHAR(50) )
```

```
CREATE TABLE assinatura (      id_assinatura INT PRIMARY KEY
AUTO_INCREMENT,      data_inicio DATE NOT NULL,      id_cliente INT,
id_plano INT,      CONSTRAINT fk_ass_cliente FOREIGN KEY
(id_cliente) REFERENCES cliente(id_cliente),      CONSTRAINT
fk_ass_plano FOREIGN KEY (id_plano) REFERENCES
plano(id_plano) )
```

```
CREATE TABLE sala (
    id_sala INT PRIMARY KEY AUTO_INCREMENT,
    nome_sala VARCHAR(50),
    capacidade_maxima INT,
    localizacao VARCHAR(100),
    tipo_sala VARCHAR(50) )
```

```
CREATE TABLE reserva (
    id_reserva INT PRIMARY KEY AUTO_INCREMENT,
    data_reserva DATE,
    horario_inicio TIME,
    horario_fim TIME,
    status_reserva VARCHAR(30),
    valor_total DECIMAL(10,2),
    id_cliente INT,
    id_sala INT,
    CONSTRAINT fk_res_cliente FOREIGN KEY (id_cliente) REFERENCES cliente(id_cliente),
    CONSTRAINT fk_res_sala FOREIGN KEY (id_sala) REFERENCES sala(id_sala)
)
```

```
CREATE TABLE servico_adicional (
    id_servico INT PRIMARY KEY AUTO_INCREMENT,
    nome_servico VARCHAR(50),
    descricao VARCHAR(200),
    valor_unitario DECIMAL(10,2),
    disponibilidade BOOLEAN )
```

```
CREATE TABLE reserva_servico (
    id_reserva INT,
    id_servico INT,
    quantidade INT,
    valor_cobrado DECIMAL(10,2),
    PRIMARY KEY (id_reserva, id_servico),
    CONSTRAINT fk_rs_reserva FOREIGN KEY (id_reserva) REFERENCES reserva(id_reserva),
    CONSTRAINT fk_rs_servico FOREIGN KEY (id_servico) REFERENCES servico_adicional(id_servico) )
```

```
DROP TABLE reserva_servico
```

```
CREATE TABLE reserva_servico (
    id_reserva INT,
    id_servico INT,
    quantidade INT,
    valor_cobrado DECIMAL(10,2),
    PRIMARY KEY (id_reserva, id_servico),
    FOREIGN KEY (id_reserva) REFERENCES reserva(id_reserva),
    FOREIGN KEY (id_servico) REFERENCES servico_adicional(id_servico) )
```

```
ALTER TABLE cliente ADD COLUMN endereco VARCHAR(150)
```

```
ALTER TABLE sala MODIFY tipo_sala VARCHAR(80)
```

```
11:53:38 Apply changes to Coworking_ConnectHub Changes applied
```

```
11:54:22 DROP DATABASE `coworking_connecthub` 0 row(s) affected
0.046 sec
```

```
11:54:32 CREATE DATABASE coworking 1 row(s) affected 0.015 sec
```

```
11:54:32 USE coworking 0 row(s) affected 0.000 sec
```

```
11:54:33 CREATE TABLE cliente (      id_cliente INT PRIMARY KEY
AUTO_INCREMENT,      nome_completo VARCHAR(100) NOT NULL,      cpf
VARCHAR(14) UNIQUE NOT NULL,      email VARCHAR(100) UNIQUE NOT NULL,
telefone VARCHAR(20),      data_cadastro DATE ) 0 row(s) affected 0.188
sec
```

```
11:54:33 CREATE TABLE plano (      id_plano INT PRIMARY KEY
AUTO_INCREMENT,      nome_plano VARCHAR(50) NOT NULL,      valor_mensal
DECIMAL(10,2) NOT NULL,      limite_horas INT,      categoria VARCHAR(50)
) 0 row(s) affected 0.031 sec
```

```
11:54:33 CREATE TABLE assinatura (      id_assinatura INT PRIMARY KEY
AUTO_INCREMENT,      data_inicio DATE NOT NULL,      id_cliente INT,
id_plano INT,      CONSTRAINT fk_ass_cliente FOREIGN KEY
(id_cliente) REFERENCES cliente(id_cliente),      CONSTRAINT
fk_ass_plano FOREIGN KEY (id_plano) REFERENCES
plano(id_plano) ) 0 row(s) affected 0.156 sec
```

```
11:54:33 CREATE TABLE sala (      id_sala INT PRIMARY KEY
AUTO_INCREMENT,      nome_sala VARCHAR(50),      capacidade_maxima INT,
localizacao VARCHAR(100),      tipo_sala VARCHAR(50) ) 0 row(s) affected
0.000 sec
```

```
11:54:33 CREATE TABLE reserva (      id_reserva INT PRIMARY KEY
AUTO_INCREMENT,      data_reserva DATE,      horario_inicio TIME,
horario_fim TIME,      status_reserva VARCHAR(30),      valor_total
DECIMAL(10,2),      id_cliente INT,      id_sala INT,      CONSTRAINT
fk_res_cliente FOREIGN KEY (id_cliente) REFERENCES
cliente(id_cliente),      CONSTRAINT fk_res_sala FOREIGN KEY
(id_sala) REFERENCES sala(id_sala) ) 0 row(s) affected 0.141
sec
```

```
11:54:33 CREATE TABLE servico_adicional (      id_servico INT PRIMARY
KEY AUTO_INCREMENT,      nome_servico VARCHAR(50),      descricao
VARCHAR(200),      valor_unitario DECIMAL(10,2),      disponibilidade
BOOLEAN ) 0 row(s) affected 0.000 sec
```

```
11:54:33 CREATE TABLE reserva_servico (      id_reserva INT,
id_servico INT,      quantidade INT,      valor_cobrado DECIMAL(10,2),
PRIMARY KEY (id_reserva, id_servico),      CONSTRAINT fk_rs_reserva
FOREIGN KEY (id_reserva) REFERENCES reserva(id_reserva),
CONSTRAINT fk_rs_servico FOREIGN KEY (id_servico) REFERENCES
servico_adicional(id_servico) ) 0 row(s) affected 0.125 sec
```

```
11:54:33 DROP TABLE reserva_servico 0 row(s) affected 0.125 sec
```

```
11:54:33 CREATE TABLE reserva_servico (      id_reserva INT,
id_servico INT,      quantidade INT,      valor_cobrado DECIMAL(10,2),
```

```
PRIMARY KEY (id_reserva, id_servico),          FOREIGN KEY (id_reserva)
REFERENCES reserva(id_reserva),                FOREIGN KEY (id_servico)
REFERENCES servico_adicional(id_servico) )      0 row(s) affected 0.328
sec
```

```
11:54:34    ALTER TABLE cliente ADD COLUMN endereco VARCHAR(150) 0
row(s) affected Records: 0 Duplicates: 0 Warnings: 0      0.031 sec
```

```
11:54:34    ALTER TABLE sala MODIFY tipo_sala VARCHAR(80) 0      row(s)
affected Records: 0 Duplicates: 0 Warnings: 00.062 sec
```