GET /api/Usuarios

Parameters

Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5000/api/Usuarios' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5000/api/Usuarios
```

Server response

Code	Details
200	Response body

```
[]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,27 Feb 2026 17:00:29 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
[
  {
    "id": 0,
    "nombre": "string",
    "correo": "string",
    "fechaDeNacimiento": "2026-02-27T17:00:29.198Z"
  }
]
```

GET /api/Usuarios

Parameters

Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5000/api/Usuarios' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5000/api/Usuarios
```

Server response

Code	Details
200	Response body

```
[
  {
    "id": 1,
    "nombre": "Rafael",
    "correo": "rafael@gmail.com",
    "fechaDeNacimiento": "2000-01-01T00:00:00"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,27 Feb 2026 17:41:52 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
[
  {
    "id": 0,
    "nombre": "string",
    "correo": "string",
    "fechaDeNacimiento": "2026-02-27T17:41:53.694Z"
  }
]
```

C. POST duplicado

```
{
  "nombre": "Pedro",
  "correo": "rafael@gmail.com",
  "fechaDeNacimiento": "2000-01-01"
}
```

Execute | Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5000/api/Usuarios' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
  "nombre": "Pedro",
  "correo": "rafael@gmail.com",
  "fechaDeNacimiento": "2000-01-01"
}'
```

Request URL

```
http://localhost:5000/api/Usuarios
```

Server response

Code	Details
400 *Undocumented*	Error: Bad Request Response body `El correo ya está en uso` Download

Usuarios

GET /api/Usuarios

Parameters

Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5000/api/Usuarios' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5000/api/Usuarios
```

Server response

Code	Details
200	Response body


```
[
  {
    "id": 1,
    "nombre": "Rafael",
    "correo": "rafael@gmail.com",
    "fechaDeNacimiento": "2000-01-01T00:00:00"
  },
  {
    "id": 2,
    "nombre": "Pedro",
    "correo": "pedro@gmail.com",
    "fechaDeNacimiento": "2000-01-01T00:00:00"
  }
]
```


Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,27 Feb 2026 18:21:35 GMT
server: Kestrel
transfer-encoding: chunked
```

Contacto actualizado

PUT /api/Usuarios/{id}

Parameters

Cancel Reset

Name	Description
id * required integer($int32) (path)	2

Request body

application/json

```
{
  "id": 2,
  "nombre": "Pedro Actualizado",
  "correo": "pedro2@gmail.com",
  "fechaDeNacimiento": "2001-05-10"
}
```

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:5000/api/Usuarios/2' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 2,
  "nombre": "Pedro Actualizado",
  "correo": "pedro2@gmail.com",
  "fechaDeNacimiento": "2001-05-10"
}'
```

Request URL

```
http://localhost:5000/api/Usuarios/2
```

Server response

Code	Details
204 Undocumented	Response headers date: Fri,27 Feb 2026 19:47:31 GMT server: Kestrel

Responses

Code	Description	Links
200	OK	No links

DELETE /api/Usuarios/{id}

Schemas

Usuario

Eliminar usuario

DELETE /api/Usuarios/{id}

Parameters

Cancel

Name	Description
id * required integer($int32) (path)	2

Execute | Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:5000/api/Usuarios/2' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5000/api/Usuarios/2
```

Server response

Code	Details
204 Undocumented	Response headers

```
date: Fri,27 Feb 2026 20:16:11 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	OK	No links

Usuarios

GET /api/Usuarios

Parameters

Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5000/api/Usuarios' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5000/api/Usuarios
```

Server response

Code	Details
200	Response body


```
[
  {
    "id": 1,
    "nombre": "Rafael",
    "correo": "rafael@gmail.com",
    "fechaDeNacimiento": "2000-01-01T00:00:00"
  }
]
```


Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,27 Feb 2026 20:20:24 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links