BLK-REQ_TIMED_OUT() REQ-0 SCMD STRUCT REQUEST REQ QUEUE - PRQ_TIMEDOUT_FNC) SCSITIMES_OUT() + HOST-DHOSTY-DEH_TIMED_OUT () ISCSI_EH_CMD_TIMED-OUT() SYSTEM - STATE & RUNNIGH € BUKEH_NOT_HANDUED + SCSI_ABORT_COMAND() -SAMD-> EXEFLAGS= SXSI-EH ABORT_SCHEDULED TMF-WORK-Q (&SI-TMF-4.D) | ABORT-WORK HOST SCMD SCMD-6H-ABORT-HAVD SCMD_EH_ABORT_HANDLER () SCSI_TRY_TO_ABORT-CMD() STRUCT SCSI-CMD D HOSTT -DEH_ABORT_HANDLER() ISCSI_EH_ABORT() - SYSTEM-STATE IT RUNNING VFAI UED. SESSIONS STATE \$ LOGGED - FAIL SKSILTASK()
TASK FROM SCMD WILL FINISH SUCCESS -SUCCESS SET-HOST-BYTE (DIDTIME_OUT) SCSI_FINISH_COMAND() - "NOT YFXING UPPER DRIVER" SESILOND - SCSI_ 10_BOMRRYION ()

FROM SCSILSMD SCSI_DONE NON ERRORS, USUALLY! ISCSI_COMPLETE_TASK() - ISCSI_PUT_TASK() -PISCSI_FREE_TASK() -0/SCSI-DONE () LOBLK-COMPLETE REQUEST() 6 BLOCK SOFT IRRIVE PHOCK DEV FOR SPECIFIC COMPANS TINEOUT 1909-TOP_HOR_DISSECT Lo issi complete PDU WETWORK QUEUE - TIMBOUT MORK LOISCSI_COMPLETE_TASK LOBIK TIMEOUT - WORK() 6 SSI PUTTASK LOBUK_RQ_CHECK_EXPIREDI) LOISCSI-FREE-TASK LOBEK-RQ_TIMED_OUT() 40 SKS LDONE LO Q -ORQ_TIMED -OUT_FUNC() LO BLK -COMPUBER-REQ -D COMPLETE-RQ PBLOCKSOFT RQ PBLOCKSOFTIRQ LO CLEOR RO-COMPLETE BLOCKS REQ QUEUE = DSCSI_TIMES_OUT() OR RE-SCHEDULES TIMEOUT FOR NORML SISI CMOS

