HttpClient

прошлое, настоящее, будущее

Риваль Абдрахманов

Positive Technologies

SpbDotNet, 2019

Содержание

1. HttpClient - базовая информация
2. Основные проблемы
3. Интерфейс IHttpClientFactory
4. Дополнительные улучшения в .NET Core 2.1
5. HttpRequestMessage и HttpResponseMessage
6. Новое в .NET Core 3.0

HttpClient Class

- Provides a base class for sending HTTP requests and receiving HTTP responses from a resource identified by a URI;

HttpClient Class

- Provides a base class for sending HTTP requests and receiving HTTP responses from a resource identified by a URI;
- *GetAsync*(...), *PostAsync*(...), *SendAsync*(...) и др.;

HttpClient Class

- Provides a base class for sending HTTP requests and receiving HTTP responses from a resource identified by a URI;
- *GetAsync*(...), *PostAsync*(...), *SendAsync*(...) и др.;
- *HttpClient* реализует *IDisposable*.

IDisposable Interface

- Provides a mechanism for releasing unmanaged resources;

IDisposable Interface

- Provides a mechanism for releasing unmanaged resources;
- *public void Dispose*();

IDisposable Interface

- Provides a mechanism for releasing unmanaged resources;
- *public void Dispose*();
- Конструкция *using*(...);

IDisposable Interface

- Provides a mechanism for releasing unmanaged resources;
- *public void Dispose*();
- Конструкция *using*(. . .);
- Диспозиться $\rightarrow$ диспозь

IDisposable Interface

- Provides a mechanism for releasing unmanaged resources;
- *public void Dispose*();
- Конструкция *using*(...);

- ~~Диспозиться → диспозь~~
- Диспозиться → внимательней

Disposable HttpClient

```
using(var client = new HttpClient())
{
    ...
}
```

Проблема socket exhaustion