

Department of Social Welfare and Development XI
Home for the Aged

Nutrition Care Process (NCP) Bi-Annual Report

Reporting Period: {{ chk_1st_sem }} January-June {{ chk_2nd_sem }} July to December {{ year }} Year

Metrics	Below 65		65 to 74		75 to 84		85 and above		Total		Total
	M	F	M	F	M	F	M	F	M	F	M+F
Number of clients admitted	{{admitted_b65_m}}	{{admitted_b65_f}}	{{admitted_65_74_m}}	{{admitted_65_74_f}}	{{admitted_75_84_m}}	{{admitted_75_84_f}}	{{admitted_85up_m}}	{{admitted_85up_f}}	{{admitted_total_m}}	{{admitted_total_f}}	{{admitted_grand_total}}
Number of nutritionally-at-risk (NAR) patients											
a. Wasting	{{wasting_b65_m}}	{{wasting_b65_f}}	{{wasting_65_74_m}}	{{wasting_65_74_f}}	{{wasting_75_84_m}}	{{wasting_75_84_f}}	{{wasting_85up_m}}	{{wasting_85up_f}}	{{wasting_total_m}}	{{wasting_total_f}}	{{wasting_grand_total}}
i. Moderate acute malnutrition	{{mam_b65_m}}	{{mam_b65_f}}	{{mam_65_74_m}}	{{mam_65_74_f}}	{{mam_75_84_m}}	{{mam_75_84_f}}	{{mam_85up_m}}	{{mam_85up_f}}	{{mam_total_m}}	{{mam_total_f}}	{{mam_grand_total}}
ii. Severe acute malnutrition	{{sam_b65_m}}	{{sam_b65_f}}	{{sam_65_74_m}}	{{sam_65_74_f}}	{{sam_75_84_m}}	{{sam_75_84_f}}	{{sam_85up_mv_m}}	{{sam_85up_mv_f}}	{{sam_total_m}}	{{sam_total_f}}	{{sam_grand_total}}
b. Stunting	{{stunting_b65_m}}	{{stunting_b65_f}}	{{stunting_65_74_m}}	{{stunting_65_74_f}}	{{stunting_75_84_m}}	{{stunting_75_84_f}}	{{stunting_85up_m}}	{{stunting_85up_f}}	{{stunting_total_m}}	{{stunting_total_f}}	{{stunting_grand_total}}

			4_m} }		4_m} }		p_m }}				
c. Underweight	{{underwei ght_b 65_m }}	{{underwei ght_b 65_f} }	{{underwei ght_6 574_ m}}	{{underwei ght_6 574_f }}	{{underwei ght_7 584_ m}}	{{underwei ght_7 584_f }}	{{underw eight _85u p_m }}	{{underwei ght_8 5up_f }}	{{underweig ht_tot al_m }	{{underwei ght_t otal_f }}	{{under weight_ grand_t otal}}
d. Overweight	{{overweig ht_b6 5_m }	{{overweig ht_b6 5_f}}	{{overweig ht_65 74_m }}	{{overweig ht_65 74_f} }	{{overweig ht_75 84_m }}	{{overweig ht_75 84_f} }	{{overwe ight_ 85up _m}}	{{overweig ht_85 up_f} }	{{over weight _total _m}}	{{overweig ht_to tal_f} }	{{overw eight_gr and_tot al}}
e. Obese	{{obese_b6 5_m }	{{obese_b6 5_f}}	{{obese_65 74_m }}	{{obese_65 74_f} }	{{obese_75 84_m }}	{{obese_75 84_f} }	{{obese_ 85up _m}}	{{obese_85 up_f} }	{{obese_tota l_m}}	{{obese_to tal_f} }	{{obese_ grand_ total}}
f. Disease and other co-morbidities (Please specify)											
i.	{{comorb_1 _b65_ m}}	{{comorb _1_b6 5_f}}	{{comorb _1_6 574_ m}}	{{comorb _1_6 574_f }}	{{comorb _1_7 584_ m}}	{{comorb _1_7 584_f }}	{{comorb _1_8 5up_ m}}	{{comorb_1 _85up _f}}	{{comorb_1 _total _m}}	{{comorb _1_to tal_f} }	{{comorb_1_gra nd_total }}
ii.	{{comorb_2 _b65_ m}}	{{comorb _2_b6 5_f}}	{{comorb _2_6 6574_ m}}	{{comorb _2_6 574_f }}	{{comorb _2_7 584_ m}}	{{comorb _2_7 584_f }}	{{comorb _2_8 5up_ m}}	{{comorb_2 _85up _f}}	{{comorb_2 _total _m}}	{{comorb _2_to tal_f} }	{{comorb_2_gra nd_total }}
iii.	{{comorb_3 _b65_ m}}	{{comorb _3_b6 5_f}}	{{comorb _3_6 b_3_}}	{{comorb _3_6 _3_6}}	{{comorb _3_7 _3_7}}	{{comorb _3_7 _3_7}}	{{comorb _3_8 _3_8}}	{{comorb_3 _85up _f}}	{{comorb_3 _total _m}}	{{comorb _3_to _3_to}}	{{comorb_3_gra nd_total }}

			6574_m}}	574_f}}	584_m}}	584_f}}	5up_m}}			tal_f}}	
iv.	{{comorb_4_b65_m}}	{{comorb_4_b65_f}}	{{comorb_4_b6574_m}}	{{comorb_4_b6574_f}}	{{comorb_4_b6584_m}}	{{comorb_4_b6584_f}}	{{comorb_4_b65up_m}}	{{comorb_4_b65up_f}}	{{comorb_4_b65total_m}}	{{comorb_4_b65total_f}}	{{comorb_4_b65grand_total}}
Number of NAR clients given nutrition screening by the nurse.	{{screened_b65_m}}	{{screened_b65_f}}	{{screened_b6574_m}}	{{screened_b6574_f}}	{{screened_b657584_m}}	{{screened_b657584_f}}	{{screened_b6585up_m}}	{{screened_b6585up_f}}	{{screened_b65total_m}}	{{screened_b65total_f}}	{{screened_b65grand_total}}
Number of clients given nutrition assessment	{{assessed_b65_m}}	{{assessed_b65_f}}	{{assessed_b6574_m}}	{{assessed_b6574_f}}	{{assessed_b657584_m}}	{{assessed_b657584_f}}	{{assessed_b6585up_m}}	{{assessed_b6585up_f}}	{{assessed_b65total_m}}	{{assessed_b65total_f}}	{{assessed_b65grand_total}}
Number of patients given with nutrition intervention	{{intervention_b65_m}}	{{intervention_b65_f}}	{{intervention_b6574_m}}	{{intervention_b6574_f}}	{{intervention_b6584_m}}	{{intervention_b6584_f}}	{{intervention_b6585up_m}}	{{intervention_b6585up_f}}	{{intervention_b65total_m}}	{{intervention_b65total_f}}	{{intervention_b65grand_total}}
Number of patients with nutrition documentation	{{documentation_b65_m}}	{{documentation_b65_f}}	{{documentation_b6574_m}}	{{documentation_b6574_f}}	{{documentation_b657584_m}}	{{documentation_b657584_f}}	{{documentation_b6585up_m}}	{{documentation_b6585up_f}}	{{documentation_b65total_m}}	{{documentation_b65total_f}}	{{documentation_b65grand_total}}
Number of patients given nutrition care process (ADIME)	{{adime_b_m}}	{{adime_b_f}}	{{adime_b6_m}}	{{adime_b6_f}}	{{adime_b7_m}}	{{adime_b7_f}}	{{adime_b8_m}}	{{adime_b8_f}}	{{adime_btotal_m}}	{{adime_btotal_f}}	{{adime_bgrand_total}}

	65_m }}	65_f} }	574_ m}}	574_f }}	584_ m}}	584_f }}	85up _m}}	5up_f }}	tal_m} }	otal_f }}	
--	------------	------------	-------------	-------------	-------------	-------------	--------------	-------------	-------------	--------------	--

Prepared by:	{{ prepared_by }}
	{{ prepared_by_desi gnation }}

Noted By:	{{ noted_by }}
	{{ noted_by_designation }}

Approved by:	{{ approved_by }}
	{{ approved_by_desi gnation }}