

<i>Candida</i> spp.	Antifungal agent	S/WT* n (%)	SDD n (%)
<i>Candida albicans</i>	Fluconazole	96(89,71)	3(2,80)
	Voriconazole	103(96,27)	-
	Caspofungin	102(95,33)	-
	Micafungin	100(93,46)	-
	5-Fluorocytosine	1(0,93)	-
<i>Candida tropicalis</i>	Fluconazole	33(97,05)	-
	Voriconazole	33(97,05)	-
	Caspofungin	34(100)	-
	Micafungin	34(100)	-
	5-Fluorocytosine	-	-
<i>Candida parapsilosis</i>	Fluconazole	23(85,19)	1(3,70)
	Voriconazole	24(88,90)	-
	Caspofungin	26(96,30)	-
	Micafungin	27(100)	-
	5-Fluorocytosine	-	-
<i>Nakaseomyces glabrata</i> (<i>C. glabrata</i>)	Fluconazole	-	-
	Voriconazole	13(68,42)	-
	Caspofungin	-	-
	Micafungin	18(94,74)	-
	5-Fluorocytosine	-	-
<i>Candidozyma haemuli</i> (<i>Candida haemulonii</i>)	Fluconazole	-	-
	Voriconazole	1(100)	-
	Caspofungin	-	-
	Micafungin	-	-
	5-Fluorocytosine	-	-
<i>Candida dubliniensis</i>	Fluconazole	1(25,00)	-
	Voriconazole	3(75,00)	-
	Caspofungin	3(100)	-
	Micafungin	-	-
	5-Fluorocytosine	-	-
<i>Meyerozyma guilliermondii</i> (<i>C. guilliermondii</i>)	Fluconazole	1(100)	-
	Voriconazole	1(100)	-
	Caspofungin	1(100)	-
	Micafungin	1(100)	-
	5-Fluorocytosine	1(100)	-
<i>Wickerhamomyces anomalus</i> (<i>C. pelliculosa</i>)	Fluconazole	3(100)	-
	Voriconazole	-	-
	Caspofungin	2(66,66)	-
	Micafungin	-	-
	5-Fluorocytosine	-	-

I n (%)	R/nWT* n (%)
-	8(7,47)
-	4(3,73)
3(2,80)	2(1,87)
3(2,80)	4(3,74)
-	106(99,06)
-	1(2,95)
-	1(2,95)
-	-
-	-
-	34(100)
-	3(11,11)
2(7,40)	1(3,70)
1(3,70)	-
-	-
-	27(100)
-	-
6(31,57)	-
-	-
-	1(5,26)
-	19(100)
-	1(100)
-	-
1(100)	-
-	-
-	1(100)
-	3(75,00)
-	1(25,00)
-	-
-	-
-	4(100)
-	-
-	-
-	-
-	-
-	-
2(66,66)	1(33,33)
-	1(33,33)
-	-
-	3(100)

Total n (%)	
	107(100)
	107(100)
	107(100)
	107(100)
	107(100)
	34(100)
	34(100)
	34(100)
	34(100)
	34(100)
	27(100)
	27(100)
	27(100)
	27(100)
	27(100)
	-
	19(100)
	-
	19(100)
	19(100)
	1(100)
	1(100)
	1(100)
	-
	1(100)
	4(100)
	4(100)
	3(100)
	-
	4(100)
	1(100)
	1(100)
	1(100)
	1(100)
	1(100)
	3(100)
	3(100)
	3(100)
	-
	3(100)