






Route Planning with Elevation Profiling

Curve smoothing, vertex drag, freehand input.
Elevation from **Open Topo Data API** — batched, configurable step.



Configurable Spatial Sampling

Curve tension · Samples/segment · Freehand epsilon · Elevation step
Reactive state pipeline — **no reloads**.




Spatial Density — 13,000+ Points

Dynamic grid. **159 cells**.

Center-anchored geo-projection.

Rotation-safe reactive pipeline.




Cell-Level Detail at Trail Scale

124 cells · 249 points

Gradient normalizes to visible range.

Coverage validation: gaps, deployment, QA.




Elevation Heatmap — Source Filtering

3,317 points · 278–410 m · 100 cells.


Filter: **API-fetched** vs. **file-cached**.

Multi-source fusion with origin tagging.



Multiple Metrics, One Dataset

Toggle **Elevation** → **Density** instantly.
One cached dataset, **multiple lenses**.
No refetch. No reload.




Ground-Truth vs. API Separation

Elevation from **GPX tracks**, cached with origin tag.

Filter: **GPX File Only**.

Separate sensor data from derived data.




Smart Elevation Fetch Estimation

572 points · 5 cached · 567 to fetch.

6 batches · estimated ~7s.

Strategy-aware. Cache-aware. One tap.



Full Data Pipeline Control

API only / Cache only / Cache-first
Source filter · Cache stats · **Auto-import**

Open to **B2B contract** or **long-term cooperation**

Connect or DM → [linkedin.com/in/stanczuk](https://www.linkedin.com/in/stanczuk)