ZCL_CRM_BOR_OPPORTUNITY Release 740 System CDA

Class: ZCL CRM BOR OPPORTUNITY

Status: Active

Inh. from: ZCL_CRM_BOR_PROXY

Attributes

Description: CRM Oportunity

Instantiation: Public

Not final Not released

Fixed pt.arithmetic

Category: General Object Type

Package: ZCRM
Original lang.: EN
Created by: P000520
Created on: 02.01.2015
Last changed by: P000597
Last changed on: 26.02.2015

Attributes

Public attributes

Attrib. Cat Description

Ref. Type

Init. value

C_TYPE Const Object Type

TYPE SWO OBJTYP

BUS2000111'

C_BT Const Component Set Name for Generic Interaction

. B.I.

 $$\rm C_MARKETING$$ Const Component Set Name for Generic Interaction Layer TYPE CRMT GENIL APPL

Yel life CKMI_GENIL_AFFI

'MARKETING'

Protected attribute

Attrib. Cat Description

Ref. Type Init. value

AT LTASKS Inst List of BOR instances TYPE ZT CRM BOR PROXY AT PARTNERS Inst Business Transaction Partner for CRM Activity TYPE CRMT ACT PARTNER T AT ORGANIZATION Inst Organizational Data for CRM Activity TYPE CRMT ACT ORGANIZATION T O BOL CORE Stat. BOL Core TYPE REF TO CL CRM_BOL_CORE O V ZCRM QUOTATION Stat. Variant values retriever TYPE REF TO ZCL_CRM_TVARV_RETRIEVER AT_ITEMS Inst BO BusProcessND: Admin.Data -Transaction Items TYPE ZTT CRM BT ITEMS 08.03.2015 21:23:24 1 ZCL CRM BOR OPPORTUNITY Release 740 System CDA Attrib. Cat Description Ref. Type Init. value AT PRODUCT Inst BO BusProcessND: Product Data TYPE ZTT CRM BT PRODUCT AW OPPORTUNITY DATA Inst BO BusProcessND: Opportunity TYPE BAPIBUS20001 OPPORTUNITY DIS Methods Public methods CLASS CONSTRUCTOR

Description: CLASS_CONSTRUCTOR

Static method

```
method CLASS CONSTRUCTOR.
       * Start BOL Core module
           o_bol_core = cl_crm_bol_core=>get_instance().
           o_bol_core->start_up( iv_appl_name = c_bt
                                 iv display mode support = abap true ).
           o bol core->load component set( c marketing).
        * Create variant retriever
           o_v_zcrm_quotation =
                               NEW zcl crm tvarv retriever(
'ZCRM QUOTATION' ).
         endmethod.
       CONSTRUCTOR
       Description: CONSTRUCTOR
       Instance mthd
       Importing parameter
         P KEY TYPE SWO TYPEID OPTIONAL (Object key)
         METHOD constructor.
           CALL METHOD super->constructor
             EXPORTING
               p_{key} = p_{key}.
           me->av_type = c_type.
         ENDMETHOD.
       SET LINKED TASK
       Description: Sets the task provided as a linked task.
       Instance mthd
       Importing parameter
         PO TASK TYPE REF TO ZCL CRM BOR TASK (BOR task)
         method SET LINKED TASK.
           APPEND po task to me->at ltasks.
         endmethod.
```

08.03.2015 21:23:24

ZCL_CRM_BOR_OPPORTUNITY Release 740 System CDA

GET_LINKED_CASE_ID
Description: Returns the ID of the linked Case if it exists.

```
Instance mthd
        Returning parameter
          VALUE(R EXT KEY) TYPE SCMG EXT KEY (Case ID)
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get linked case id.
            DATA: lx error TYPE REF TO cx bapi error,
            lo_task TYPE REF TO zcl_crm_bor_task.
FIELD-SYMBOLS <lo_bor> TYPE REF TO zcl_crm_bor_proxy.
            IF me->at ltasks IS INITIAL.
              TRY .
                  me->set attributes().
                CATCH cx bapi error INTO lx_error.
                  RAISE EXCEPTION lx_error.
              ENDTRY.
            ENDIF.
            LOOP AT me->at ltasks ASSIGNING <10 bor>.
              lo task ?= <lo bor>.
              TRY .
                  r ext key = lo task->get linked case id().
                CATCH cx bapi_error.
                  CONTINUE.
              ENDTRY.
              FREE lo task.
              IF r ext key IS NOT INITIAL.
                RETURN.
              ENDIF.
            ENDLOOP.
          ENDMETHOD.
        GET 1ST LINKED TASK
        Description: Returns the first linked task.
        Instance mthd
        Returning parameter
          VALUE(RO_TASK) TYPE REF TO ZCL_CRM_BOR_TASK (BOR task)
        Exceptions
          CX BAPI ERROR
                         (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get 1st linked task.
            DATA: lo bor TYPE REF TO zcl crm bor proxy,
                   lx error TYPE REF TO cx bapi error.
            IF me->at_ltasks IS INITIAL.
              TRY .
                  me->set attributes().
                CATCH cx bapi error INTO lx error.
                  RAISE EXCEPTION lx error.
              ENDTRY.
            ENDIF.
```

08.03.2015

21:23:24

CDA

```
ZCL_CRM_BOR_OPPORTUNITY Release 740 System
```

```
READ TABLE me->at ltasks INDEX 1 INTO lo bor.
             IF sy-subrc = 0.
                ro task ?= lo bor.
             ENDIF.
           ENDMETHOD.
         GET SOLD TO PARTNER
         Description: Returs the Solt-to partner.
         Instance mthd
         Importing parameter
           I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
         Returning parameter
           VALUE(R VALUE) TYPE CRMT SOLD TO PART (Sold-To Party)
         Exceptions
           CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
           METHOD get sold to partner.
             DATA: lw_partner TYPE bapibus20001_partner_dis,
ls_message TYPE string,
lw_return TYPE bapiret2,
lt_return TYPE bapiret2_t,
lv_msgty TYPE symsgty,
lx_error TYPE REF TO cx_bapi_error.
             IF me->at_partners IS INITIAL.
                TRY .
                    me->set attributes().
                  CATCH cx bapi error INTO lx error.
                    RAISE EXCEPTION lx error.
                ENDTRY.
             ENDIF.
             m set msgty.
             READ TABLE me->at_partners INTO lw_partner
              WITH KEY ref_partner_fct = 'Z0000021'.
              IF sy-subrc = 0.
                r value = lw partner-partner no.
             ELSE.
                MESSAGE
                    ID '00'
                   TYPE lv msgty
                 NUMBER 368
                   WITH 'Sold to partner not found!' (M03) space
                   INTO 1s message.
                m raise exception.
             ENDIF.
           ENDMETHOD.
```

```
GET_SALES_ORGANIZATION
       Description: Returns the Sales Organization.
       Instance mthd
       Importing parameter
         I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
       08.03.2015
                                      21:23:24
4
       ZCL CRM BOR OPPORTUNITY Release 740
                                                              System
CDA
       Returning parameter
         VALUE(R VALUE) TYPE CRMT SALES ORG SHORT (Sales Organization:
Description of Department)
       Exceptions
         CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD get sales organization.
           DATA: lw organization TYPE
                                          bapibus20001 orgman dis,
                 ls message TYPE
                                           string,
                 lw_return
                               TYPE
                                           bapiret2,
                               TYPE
                 lt_return
                                          bapiret2 t,
                IF me->at organization IS INITIAL.
                 me->set attributes().
               CATCH cx bapi error INTO lx error.
                 RAISE EXCEPTION lx error.
             ENDTRY.
           ENDIF.
           m set msgty.
           READ TABLE me->at organization INTO lw organization
           IF sy-subrc = 0.
             r value = lw organization-sales org short.
           ELSE.
             MESSAGE
                 ID '00'
                TYPE lv msgty
              NUMBER 368
                WITH 'Sales Organization not found!' (MO4) space
                INTO ls message.
             m raise exception.
```

```
ENDIF.
         ENDMETHOD.
       GET SALES OFFICE
       Description: Returns the Sales Office.
       Instance mthd
       Importing parameter
         I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
       Returning parameter
         VALUE(R VALUE) TYPE CRMT SALES OFFICE SHORT (Sales Office
Abbreviation)
       Exceptions
         CX_BAPI_ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD get sales office.
           DATA: lw organization TYPE
                                           bapibus20001 orgman dis,
                 ls_message TYPE lw_return TYPE
                                           string,
                 lw_return
                                           bapiret2,
                 lt return
                               TYPE
                                          bapiret2 t,
                               TYPE
                 IF me->at organization IS INITIAL.
       08.03.2015
                                      21:23:24
5
       ZCL CRM BOR OPPORTUNITY Release 740
                                                              System
CDA
             TRY .
                 me->set attributes().
               CATCH cx_bapi_error INTO lx_error.
                 RAISE EXCEPTION lx_error.
             ENDTRY.
           ENDIF.
           m set msgty.
           READ TABLE me->at organization INTO lw organization
            INDEX 1.
           IF sy-subrc = 0.
             r value = lw organization-sales office short.
           ELSE.
             MESSAGE
                 ID '00'
                TYPE lv msgty
              NUMBER 368
                WITH 'Sales Office not found!'(M05) space
```

```
INTO ls_message.
             m raise exception.
           ENDIF.
         ENDMETHOD.
       GET SALES GROUP
       Description: Returns the Sales Group.
       Instance mthd
       Importing parameter
         I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
       Returning parameter
         VALUE(R VALUE) TYPE CRMT SALES GROUP SHORT (Sales Group
Abbreviation)
       Exceptions
         CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD get sales group.
           DATA: lw organization TYPE
                                           bapibus20001 orgman dis,
                 ls_message TYPE
                                            string,
                 lw return
                               TYPE
                                           bapiret2,
                                           bapiret2 t,
                 lt return
                               TYPE
                 lv msgty
                                TYPE
                                           symsgty,
                 lx error TYPE REF TO cx bapi error.
           IF me->at organization IS INITIAL.
             TRY .
                 me->set attributes().
               CATCH cx bapi error INTO lx error.
                 RAISE EXCEPTION lx error.
             ENDTRY.
           ENDIF.
           m set_msgty.
           READ TABLE me->at organization INTO lw organization
            INDEX 1.
           IF sy-subrc = 0.
             r_value = lw_organization-sales_group_short.
           ELSE.
             MESSAGE
       08.03.2015
                                       21:23:24
       ZCL CRM BOR OPPORTUNITY Release 740
                                                               System
CDA
```

ID 'OO'
TYPE lv_msgty

```
NUMBER 368
                WITH 'Sales Group not found!'(M06) space
                INTO 1s message.
             m raise exception.
           ENDIF.
         ENDMETHOD.
        GET DISTRIBUTION CHANNEL
        Description: Returns the Distribution Channel.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
       Returning parameter
         VALUE(R_VALUE) TYPE CRMT_DISTRIBUTION_CHANNEL (Distribution
Channel)
       Exceptions
         CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD get distribution channel.
           DATA: lw organization TYPE
                                            bapibus20001 orgman dis,
                 ls message TYPE
                                            string,
                 lw return
                                TYPE
                                            bapiret2,
                                TYPE
                 lt return
                                            bapiret2_t,
                                       symsgty,
                                TYPE
                 lv msgty
                 lx error TYPE REF TO cx bapi error.
            IF me->at organization IS INITIAL.
             TRY .
                 me->set attributes().
               CATCH cx bapi error INTO lx error.
                 RAISE EXCEPTION lx error.
             ENDTRY.
           ENDIF.
           m set msgty.
           READ TABLE me->at organization INTO lw organization
            INDEX 1.
            IF sy-subrc = 0.
             r value = lw organization-dis channel.
           ELSE.
             MESSAGE
                  ID '00'
                TYPE lv_msgty
              NUMBER 368
                WITH 'Distribution Channel not found!'(M07) space
                INTO ls message.
             m raise exception.
           ENDIF.
         ENDMETHOD.
        GET DIVISION
        Description: Returns the Division.
        Instance mthd
```

```
08.03.2015
                                      21:23:24
7
       ZCL CRM BOR OPPORTUNITY Release 740
                                                               System
CDA
       Importing parameter
         I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
       Returning parameter
         VALUE(R VALUE) TYPE CRMT DISTRIBUTION CHANNEL (Distribution
Channel)
       Exceptions
         CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD GET DIVISION.
           DATA: lw_organization TYPE
                                          bapibus20001_orgman_dis,
                 ls_message TYPE lw_return TYPE lt_return TYPE
                                            string,
                                           bapiret2,
                 IF me->at organization IS INITIAL.
             TRY .
                 me->set attributes().
               CATCH cx bapi error INTO lx error.
                 RAISE EXCEPTION lx error.
             ENDTRY.
           ENDIF.
           m set msgty.
           READ TABLE me->at organization INTO lw organization
           IF sy-subrc = 0.
             r value = lw organization-division.
           ELSE.
             MESSAGE
                  ID '00'
                TYPE lv msgty
              NUMBER 368
                WITH 'Division not found!' (M18) space
                INTO ls_message.
             m raise exception.
           ENDIF.
         ENDMETHOD.
       GET PZE
       Description: Returns the PZE (Sales term information).
       Instance mthd
       Importing parameter
```

```
I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
       Returning parameter
         VALUE(RW VALUES) TYPE ZSCRM PZE (Sales Term)
       Exceptions
         CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD get pze.
           DATA: lv oguid
                          TYPE
                                      crmt genil object guid,
                 lo btadminh TYPE REF TO cl_crm_bol_entity,
                 lo_btopporth TYPE REF TO cl_crm_bol_entity,
                 ls value TYPE
                                     string,
       08.03.2015
                                      21:23:24
8
       ZCL_CRM_BOR_OPPORTUNITY Release 740
                                                               System
CDA
                 ls text TYPE
                                       string,
                                        string,
                 ls message TYPE
                                       bapiret2,
                 lw_return
                            TYPE
                                        bapiret2 t,
                 lt_return
                             TYPE
                 lv_msgty TYPE
                                        symsgty.
           m_set_msgty.
           lv_oguid = me->av_objid.
           TRY .
               lo btadminh =
                 o bol core->get root entity( iv object name =
'BTAdminH'
                                             iv object guid = lv oguid
               IF lo btadminh IS BOUND.
                 lo btopporth =
                   lo btadminh->get related entity(
'BTHeaderOpportunityExt').
                 ls value =
                        lo btopporth->get property as string(
'ZZFLD00000J' ).
                 ls text = lo btopporth->get property text(
'ZZFLD00000J').
                 IF ls value IS NOT INITIAL.
                  rw values-pze = ls value.
                   rw values-description = ls text.
               ENDIF.
             CATCH cx root.
```

```
MESSAGE
                     ID '00'
                    TYPE lv msgty
                  NUMBER 368
                    WITH 'Error when retrieving PZE!' (M08) space
                    INTO ls message.
            ENDTRY.
          ENDMETHOD.
        GET PAYMENT TERM
        Description: Returns the payment term.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
        Returning parameter
          VALUE(RW VALUES) TYPE ZSCRM PYM TERM (Payment term data)
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get payment term.
            DATA: lv oquid
                                            crmt genil object guid,
                   lo btadminh TYPE REF TO cl crm bol entity,
                   lo btopporth TYPE REF TO cl crm bol entity,
                   ls_value TYPE string,
ls_text TYPE string,
ls_message TYPE string,
                                          string,
string,
bapiret2,
bapiret2_t,
symsgty.
                   lw_return TYPE
                   lt_return TYPE
                   lv msgty
                               TYPE
            m_set_msgty.
        08.03.2015
                                          21:23:24
9
        ZCL CRM BOR OPPORTUNITY Release 740
                                                                     System
CDA
             lv oguid = me->av objid.
             TRY .
                 lo btadminh =
                   o_bol_core->get_root_entity( iv_object_name =
'BTAdminH'
                                                  iv object guid = lv oguid
) .
                 IF lo btadminh IS BOUND.
                   lo btopporth =
```

```
lo_btadminh->get_related_entity(
'BTHeaderOpportunityExt').
                  ls_value =
                         lo btopporth->get property as string(
'ZZFLD000019').
                  ls text = lo btopporth->get property text(
'ZZFLD000019').
                  IF ls value IS NOT INITIAL.
                    rw values-paym term = ls value.
                    IF ls text IS NOT INITIAL.
                      rw values-description = ls text.
                    ELSE.
                      DATA(lo db) = NEW lcl db().
                      TRY
                          rw values-description =
                            lo_db->get_paym_term_descr( rw_values-
paym_term ).
                        CATCH cx sy sql error.
                          MESSAGE
                               ID '00'
                             TYPE lv msgty
                           NUMBER 368
                             WITH 'Error while retrieving Payment Term
description! (M16)
                                   space
                             INTO ls message.
                          m raise exception.
                      ENDTRY.
                    ENDIF.
                  ENDIF.
                ENDIF.
              CATCH cx root.
                MESSAGE
                     ID '00'
                   TYPE lv_msgty
                 NUMBER 368
                   WITH 'Error while retrieving Payment Term!'(M09) space
                   INTO ls_message.
                m_raise_exception.
            ENDTRY.
          ENDMETHOD.
        GET CONTACT PERSON
        Description: Returns the contact person.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
        Returning parameter
          VALUE(R VALUE) TYPE CRMT PARTNER NO (Partner Number)
```

08.03.2015

21:23:24

```
ZCL CRM BOR OPPORTUNITY Release 740
                                                                    System
CDA
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get contact person.
            DATA: lw partner TYPE
                                         bapibus20001_partner_dis,
                   ls_message TYPE
                                         string,
                   lw return TYPE
                                         bapiret2,
                  lt_return TYPE bapiret2_t,
lv_msgty TYPE symsgty,
lx_error TYPE REF TO cx_bapi_error.
            IF me->at partners IS INITIAL.
              TRY .
                  me->set attributes().
                 CATCH cx bapi error INTO lx error.
                  RAISE EXCEPTION lx error.
              ENDTRY.
            ENDIF.
            m set msgty.
            READ TABLE me->at partners INTO lw partner
             WITH KEY ref partner fct = '00000015'.
            IF sy-subrc = 0.
              r_value = lw_partner-partner_no.
            ELSE.
              MESSAGE
                   ID '00'
                 TYPE lv msgty
               NUMBER 368
                 WITH 'Contact person not found!' (M10) space
                 INTO ls message.
              m raise exception.
            ENDIF.
          ENDMETHOD.
        GET INVOICE RECEIVER
        Description: Returns the invoice receiver.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
        Returning parameter
          VALUE (R VALUE) TYPE CRMT PARTNER NO (Invoice receiver)
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get invoice receiver.
```

DATA: lw_partner TYPE bapibus20001_partner_dis, ls_message TYPE string,

```
lw_return TYPE bapiret2,
lt_return TYPE bapiret2_t,
lv_msgty TYPE symsgty,
lx_error TYPE REF TO cx_bapi_error.
IF me->at_partners IS INITIAL.
TRY .
me->set_attributes().
```

08.03.2015 21:23:24

ZCL_CRM_BOR_OPPORTUNITY Release 740 System CDA

```
CATCH cx bapi error INTO lx error.
                  RAISE EXCEPTION lx error.
              ENDTRY.
            ENDIF.
            m set msgty.
            READ TABLE me->at partners INTO lw partner
            WITH KEY ref_partner_fct = 'RE'.
            IF sy-subrc = 0.
             r value = lw_partner-partner_no.
            ELSE.
              MESSAGE
                  ID '00'
                 TYPE lv_msgty
               NUMBER 368
                 WITH 'Invoice receiver not found!' (M11) space
                INTO ls message.
              m raise exception.
            ENDIF.
          ENDMETHOD.
        GET PAYER
        Description: Returns the payer.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
        Returning parameter
          VALUE(R VALUE) TYPE CRMT PARTNER NO (Payer)
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get payer.
```

```
DATA: lw_partner TYPE
                                        bapibus20001_partner_dis,
                  ls message TYPE
                                         string,
                  lw_return TYPE
lt_return TYPE
                                         bapiret2,
                                        bapiret2 t,
                  lv_msgty TYPE
                                        symsgty,
                  lx error TYPE REF TO cx bapi error.
            IF me->at partners IS INITIAL.
                  me->set attributes().
                CATCH cx bapi error INTO lx error.
                  RAISE EXCEPTION lx error.
              ENDTRY.
            ENDIF.
            m set msgty.
            READ TABLE me->at partners INTO lw partner
            WITH KEY ref_partner_fct = '00000004'.
            IF sy-subrc = 0.
              r value = lw_partner-partner_no.
            ELSE.
              MESSAGE
                   ID '00'
                 TYPE lv_msgty
        08.03.2015
                                      21:23:24
12
        ZCL CRM BOR OPPORTUNITY
                                      Release 740
                                                                  System
CDA
               NUMBER 368
                 WITH 'Payer not found!' (M12) space
                 INTO ls message.
              m raise exception.
            ENDIF.
          ENDMETHOD.
        GET PAYMENT SOURCE
        Description: Returns the payment source.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
        Returning parameter
          VALUE(RW VALUES) TYPE ZSCRM_PYM_SRC (Payment Source)
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
```

```
METHOD get_payment_source.
           DATA: lv oguid TYPE
                                        crmt_genil_object_guid,
                 lo btadminh TYPE REF TO cl_crm_bol_entity,
                 lo_btopporth TYPE REF TO cl_crm_bol_entity,
                 ls_value TYPE string,
                            TYPE
                 ls text
                                        string,
                 ls message TYPE
                                        string,
                 lw return TYPE
                                        bapiret2,
                 lt return
                            TYPE
                                        bapiret2 t,
                 lv msgty
                            TYPE
                                         symsgty.
           m set msgty.
           lv oguid = me->av objid.
           TRY .
               lo btadminh =
                 o_bol_core->get_root_entity( iv_object_name =
'BTAdminH'
                                              iv_object_guid = lv_oguid
) .
               IF lo btadminh IS BOUND.
                 lo btopporth =
                   lo btadminh->get related entity(
'BTHeaderOpportunityExt').
                 ls value =
                        lo btopporth->get property as string(
'ZZFLD00000K' ).
                 ls text = lo btopporth->get property text(
'ZZFLD00000K' ).
                 IF ls value IS NOT INITIAL.
                   rw values-paym src = ls value.
                   rw values-description = ls text.
                 ENDIF.
               ENDIF.
             CATCH cx root.
               MESSAGE
                    ID '00'
                  TYPE lv msgty
                NUMBER 368
                  WITH 'Error when retrieving Payment Term!' (M09) space
                  INTO ls message.
               m raise exception.
           ENDTRY.
       08.03.2015
                                      21:23:24
13
       ZCL CRM BOR OPPORTUNITY
                                    Release 740
                                                               System
CDA
```

ENDMETHOD.

```
GET CREDIT ANALYSIS
         Description: Returns the credit analysis table.
         Instance mthd
         Importing parameter
           I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
         Returning parameter
           VALUE(RT VALUES) TYPE ZTT CRM CREDIT ANALYSIS (CRM credit
analysis)
         Exceptions
           CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
           METHOD get credit analysis.
              DATA: lo_dyn_query TYPE REF TO
                                                    cl_crm_bol_dquery_service,
                     lo result TYPE REF TO
                                                    if bol entity col,
                    lo_iterator TYPE REF TO if_bol_bo_col_iterator, lo_partner TYPE REF TO cl_crm_bol_entity, lo_mkt_atts TYPE REF TO if_bol_bo_col, lo_mkt_att TYPE REF TO cl_crm_bol_entity,
                     lx error bp TYPE REF TO cx bapi error,
                     ls_partner TYPE string, ls_att_set TYPE string,
                    Is_act_set TTPE string,

ls_value TYPE string,

ls_descr TYPE string,

lr_masets TYPE RANGE OF crmt_prof_template,

lw_value TYPE zst_crm_credit_analysis,
                     ls_message TYPE
                                                   string,
                     lw_return TYPE
                                                   bapiret2,
                     lt_return TYPE lv msgty TYPE
                                                   bapiret2 t,
                     lv_msgty
                                                    symsgty.
              m set msgty.
              TRY .
         * Get selection criteria: Marketing attribute sets in variant
         * ZCRM_QUOTATION_MKTASET
                  o_v_zcrm_quotation->get_multiple(
                                       EXPORTING
                                          im vname = 'MKTASET'
                                        IMPORTING
                                          ext values = lr masets ).
         * Get advanced query
                  lo_dyn_query =
               cl_crm_bol_dquery_service=>get_instance(
'BuilHeaderAdvancedSearch').
                  TRY .
                       ls partner = me->get sold to partner().
                     CATCH cx bapi error INTO lx error bp.
                       RAISE EXCEPTION lx error bp.
                  ENDTRY.
                  lo dyn query->add selection param( iv attr name =
'PARTNER'
                                      iv sign
                                                   = 'I'
                                      iv_option = 'EQ'
iv_low = ls_partner
iv_high = '').
```

```
* Execute the query and receive result
                lo result = lo dyn_query->get_query_result().
                lo partner = lo result->get current().
                lo mkt atts = lo partner->get related entities(
iv relation name =
        'BuilMktAttributeRel' ).
                lo_iterator = lo_mkt_atts->get_iterator().
                lo_mkt_att ?= lo_iterator->get_first().
                WHILE To mkt att IS BOUND.
        * Access attributes of business objects selected
                  ls att set =
                             lo mkt att->get property as string(
'ATTRIBUTE SET' ).
                  IF ls att set IN lr masets.
                    ls value = lo mkt att->get property as string(
'VALUE' ).
                    ls_descr = lo_mkt_att->get_property_as_string(
'VALUE DESCR' ).
                    lw value-value = ls value.
                    lw_value-value_descr = ls_descr.
                    APPEND lw_value TO rt_values .
                  ENDIF.
                  lo mkt att ?= lo iterator->get next().
                ENDWHILE.
              CATCH cx root.
                MESSAGE
                     ID '00'
                   TYPE lv msqty
                 NUMBER 368
                   WITH 'Error when retrieving Credit Analysis!'(M13)
space
                  INTO ls message.
                m_raise_exception.
            ENDTRY.
          ENDMETHOD.
        GET ITEMS DATA
        Description: Returns items data.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
```

```
Returning parameter
         VALUE(RT ITEMS) TYPE ZTT CRM OPPORTUNITY ITM DATA (Table of
items returned by fm
       ZGET OPPORTUNITY DATA)
       Exceptions
         CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
         METHOD get items data.
           DATA: lx error TYPE REF TO cx bapi error,
                lw return TYPE
                                      bapiret2,
                lt_return TYPE bapiret2_t,
lv_msgty TYPE symsgty.
          FIELD-SYMBOLS < lw item> TYPE bapibus20001 item dis.
           IF me->at items IS INITIAL.
       08.03.2015
                                    21:23:24
15
       ZCL CRM BOR OPPORTUNITY Release 740
                                                           System
CDA
            TRY .
               me->set_attributes().
              CATCH cx bapi error INTO lx error.
                RAISE EXCEPTION lx error.
            ENDTRY.
          ENDIF.
          m set msgty.
           LOOP AT me->at items ASSIGNING <1w item>.
            lw_item_data-ordered_prod = <lw_item>-ordered_prod.
            lw_item_data-description_uc = <lw_item>-description_uc.
            o v zcrm quotation->get single(
              EXPORTING
                im vname = 'PLANT'
              IMPORTING
                ex value = lw item data-plant ).
            lw item data-currency
                                  = me->aw opportunity data-
currency.
            READ TABLE me->at product WITH KEY guid = <lw item>-guid
             INTO lw product.
            IF sy-subrc = 0.
              lw item data-order qty = lw product-process qty num.
```

```
lw_item_data-process_qty_unit = lw_product-
process_qty_unit.
              ENDIF.
              lv guid 16 = cl crm isu guid=>convert 32 to 16( <lw item>-
guid ).
              TRY .
                  lw_item_data-net_value man = me->get item price(
lv guid 16).
                CATCH cx bapi error .
                  CLEAR lw item data-net value man.
              ENDTRY.
              APPEND lw item data TO rt items.
            ENDLOOP.
          ENDMETHOD.
        GET SHIP TO PARTY
        Description: Returns the ship-to party.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL (Application log: Message
problem class)
        Returning parameter
          VALUE (R VALUE) TYPE CRMT PARTNER NO (Ship-to party)
        Exceptions
          CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get ship to party.
            DATA: lw partner TYPE
                                         bapibus20001 partner dis,
                  ls message TYPE
                                         string,
                  lw return TYPE
                                        bapiret2,
                  lt_return TYPE
                                        bapiret2 t,
                  lv_msgty TYPE symsgty,
lx_error TYPE REF TO cx_bapi_error.
            IF me->at partners IS INITIAL.
              TRY .
                  me->set_attributes().
        08.03.2015
                                         21:23:24
16
        ZCL CRM BOR OPPORTUNITY Release 740
                                                                   System
CDA
                CATCH cx bapi error INTO lx error.
                  RAISE EXCEPTION lx error.
              ENDTRY.
```

ENDIF.

```
m_set_msgty.
            READ TABLE me->at_partners INTO lw_partner
             WITH KEY ref_partner_fct = 'WE'.
            IF sy-subrc = 0.
             r value = lw partner-partner no.
            ELSE.
              MESSAGE
                   ID '00'
                 TYPE lv_msgty
               NUMBER 368
                 WITH 'Ship-to party not found!'(M15) space
                 INTO 1s message.
              m raise exception.
            ENDIF.
          ENDMETHOD.
        GET PHASE
        Description: Returns the current phase.
        Instance mthd
        Importing parameter
          I PROBCL TYPE BALPROBCL OPTIONAL
                                             (Application log: Message
problem class)
        Returning parameter
          VALUE (RW VALUES) TYPE ZSCRM PHASE
                                             (CRM Phase)
        Exceptions
          CX BAPI ERROR
                        (BAPI Error Exception: Migrated Error Messages
Type "E")
          METHOD get phase.
            DATA: ls message TYPE
                                         string,
                  lw return TYPE
                                         bapiret2,
                  lt_return TYPE
                                        bapiret2 t,
                  lv msgty
                            TYPE
                                        symsgty,
                  lx error TYPE REF TO cx bapi error.
            IF me->aw opportunity data IS INITIAL.
                  me->set_attributes().
                CATCH cx_bapi_error INTO lx_error.
                  RAISE EXCEPTION lx_error.
              ENDTRY.
            ENDIF.
            m set msgty.
            rw values-phase = aw opportunity data-curr phase.
            DATA(lo_db) = NEW lcl_db().
            TRY .
                rw values-description 20 =
                                      lo db->get phase descr( rw values-
phase ).
              CATCH cx_sy_sql_error.
                MESSAGE
                     ID '00'
                   TYPE lv msgty
```

08.03.2015 21:23:24

System

```
CDA
                   NUMBER 368
                     WITH 'Error while retrieving Phase description!'(M17)
                     INTO ls message.
                  m_{raise\_exception.}
             ENDTRY.
           ENDMETHOD.
         Protected methods
         GET ITEM PRICE
         Description: Returns the item price.
         Instance mthd
         Importing parameter
           I GUID TYPE CRMT OBJECT GUID (GUID of a CRM Order Object)
         Returning parameter
           VALUE(R_VALUE) TYPE CRMT_NET_VALUE_MAN (Total Expected Net
Value Products in Document Currency)
         Exceptions
           CX BAPI ERROR (BAPI Error Exception: Migrated Error Messages
Type "E")
           METHOD get item price.
             DATA: lv oguid TYPE crmt genil object guid,
                    lo_BTAdminH TYPE REF TO cl_crm_bol_entity, lo_BTItems TYPE REF TO cl_crm_bol_entity,
                    lo_AllItems TYPE REF TO if_bol_bo_col,
                    lo_iterator TYPE REF TO if_bol_bo_col_iterator,
                    lo BTAdminI TYPE REF TO cl crm bol entity,
                    lo_btpricingi TYPE REF TO cl crm bol entity,
                    lr_iguid TYPE REF TO data,
lr_value TYPE REF TO data,
ls_message TYPE string,
lw_return TYPE bapiret2,
lt_return TYPE bapiret2_t.
             FIELD-SYMBOLS: <lv iguid> TYPE CRMT OBJECT GUID,
                             <!v value> TYPE crmt net value man.
             lv_oguid = me->av_objid.
             TRY .
                  lo BTAdminH =
                    o bol core->get root entity( iv object name =
'BTAdminH'
                                                     iv object guid = lv oguid
) .
                  IF lo BTAdminH IS BOUND.
                    lo BTItems =
                            lo BTAdminH->get related entity(
```

iv relation name = 'BTHeaderItemsExt').

ZCL CRM BOR OPPORTUNITY Release 740

```
lo AllItems =
        lo_BTItems->get_related_entities( iv_relation_name =
'BTOrderItemAll' ).
                  IF lo AllItems is NOT BOUND.
                   RETURN.
                  ENDIF.
                  lo iterator = lo AllItems->get iterator().
                  lo BTAdminI ?= lo iterator->get first().
                  WHILE lo BTAdminI IS BOUND.
                    lr iguid = lo BTAdminI->get property( 'GUID').
        08.03.2015
                                        21:23:24
18
        ZCL CRM BOR OPPORTUNITY Release 740
                                                                  System
CDA
                    ASSIGN lr iguid->* to <lv iguid>.
                    IF <lv_iguid> = i_guid.
                      lo BTPricingI =
                        lo BTAdminI->get_related_entity(
'BTItemPricingExt' ).
                      IF lo_BTPricingI is BOUND.
                        lr value =
                                lo BTPricingI->get property(
'NET VALUE MAN' ).
                        ASSIGN lr_value->* TO <lv_value>.
                        r_value = <lv_value>.
                        exit.
                      ENDIF.
                    lo BTAdminI ?= lo iterator->get next().
                  ENDWHILE.
                ENDIF.
              CATCH cx_root.
                MESSAGE
                     ID '00'
                   TYPE 'E'
                 NUMBER 368
                   WITH 'Error when retrieving Item Price!'(M14) space
                   INTO ls message.
                m raise exception.
            ENDTRY.
          ENDMETHOD.
        Private methods
        GET DB
        Description: Returns a database mediator instance.
```

```
Instance mthd
        Returning parameter
          VALUE(RO_DB) TYPE REF TO OBJECT (Database mediator)
        METHOD get db.
          DATA lo db TYPE REF TO lcl_db.
          lo db = NEW lcl db().
          IF lo db IS BOUND.
            ro db = lo db.
          ENDIF.
          FREE lo db.
        ENDMETHOD.
        GET API
        Description: Returns a API calls mediator.
        Instance mthd
        Returning parameter
          VALUE(RO API) TYPE REF TO OBJECT (API calls mediator)
          METHOD get api.
            DATA lo api TYPE REF TO lcl api.
             lo api = NEW lcl_api().
             IF lo api IS BOUND.
        08.03.2015
                                           21:23:24
19
        ZCL CRM BOR OPPORTUNITY
                                         Release 740
                                                                       System
CDA
               ro api = lo api.
             ENDIF.
             FREE lo_api.
          ENDMETHOD.
        Redefined Methods
        SET ATTRIBUTES
          METHOD set attributes.
            DATA: lx_error TYPE REF TO cx_bapi_error, lo_api TYPE REF TO lcl_api,
                   lw_guid TYPE bapibus20001_guid_dis,
lt_guid TYPE bapibus20001_guid_dis_t,
lt_dflow TYPE crmt_doc_flow_db_wrkt,
                   lo task TYPE REF TO zcl crm bor task,
                   lv_tguid TYPE swo_typeid, lt_args TYPE swconttab,
```

```
lt retr TYPE
                            swconttab,
      lt return TYPE
                            bapiret2 t,
      lw return TYPE
                            bapiret2.
FIELD-SYMBOLS <lw_dflow> TYPE crmt_doc_flow_db_wrk.
TRY.
    CALL METHOD super->set attributes.
  CATCH cx bapi error INTO lx error.
    RAISE EXCEPTION lx error.
ENDTRY.
lv oguid = me->av objid.
lo api ?= get api().
TRY .
    lt_dflow = lo_api->get_doc_flow( lv_oguid ).
  CATCH cx bapi error INTO lx error.
    RAISE EXCEPTION lx_error.
ENDTRY.
LOOP AT lt_dflow ASSIGNING <lw_dflow>
  WHERE objtype_b = 'BUS200012\overline{5}'.
  lv tguid = \langle lw dflow \rangle - objkey b.
  lo task = NEW zcl crm bor task( lv tguid ).
  APPEND lo task TO me->at ltasks.
 FREE lo task.
ENDLOOP.
" Details
lw guid-guid
               = me->av_objid.
lw guid-object type = me->av type.
APPEND lw guid TO lt guid.
swc_set_table lt_args 'Guid' lt_guid.
TRY .
    me->call method with container(
                 EXPORTING
                                 = 'GetDetailMultiple'
                   pt_container = lt_args
                 RECEIVING
                  rt container = lt retr ).
```

```
08.03.2015
21:23:24
```

```
ZCL_CRM_BOR_OPPORTUNITY Release 740 System CDA
```

```
swc_get_element lt_retr 'Return' lt_return.
    m_check_for_errors.
CATCH cx_bapi_error INTO lx_error.
    RAISE EXCEPTION lx_error.
ENDTRY.
swc_get_element: lt_retr 'Partner' me->at_partners,
```

```
lt_retr 'Organisation' me->at_organization,
                             lt_retr 'Item'
                                                   me->at_items,
                             lt_retr 'Product'
                                                   me->at_product,
                             lt retr 'Opportunity' me-
>aw opportunity data.
         ENDMETHOD.
        SET INSTANCE BY ID
          method SET INSTANCE BY ID.
            DATA: lw_return TYPE lt_return TYPE
                                         bapiret2,
                                          bapiret2 t,
                  lvc dummy(1) TYPE
                                         C,
                                     crmt_object_guid,
crmt_object_id_db,
                  lv guid TYPE
                             TYPE
                  lv id
                           TYPE REF TO lcl_db.
                  lo db
            lo_db ?= get_db().
            lv^{-}id = p_{id}.
            SHIFT lv id RIGHT DELETING TRAILING space.
            OVERLAY lv id WITH '000000000'.
            TRY .
                lo db->get guid( EXPORTING p type = me->av type
                                          p id = lv id
                                 RECEIVING r_guid = lv_guid).
              CATCH cx_sy_sql_error.
                FREE lo db.
                MESSAGE ID '00'
                  TYPE 'E'
                NUMBER 398
                  WITH 'Opportunity' (m01) p id 'not found!' (m02) space
                  INTO lvc dummy.
                lw return-type
                                    = sy-msqty.
                lw_return-message_v1 = sy-msgv1.
                lw_return-message_v2 = sy-msgv2.
                lw_return-message_v3 = sy-msgv3.
                lw_return-message_v4 = sy-msgv4.
                APPEND lw return TO lt return.
                RAISE EXCEPTION TYPE cx bapi error
                 EXPORTING
                   status = lt return.
           ENDTRY.
           me->av_objid = lv guid.
            FREE lo db.
          endmethod.
```

08.03.2015

21:23:24

```
ZCL_CRM_BOR_OPPORTUNITY Release 740
                                                           System
CDA
       Local Types
       *"* use this source file for any type of declarations (class
       \star"* definitions, interfaces or type declarations) you need for
       *"* components in the private section
       Local class definitions
       \star"\star use this source file for the definition and implementation of
       *"* local helper classes, interface definitions and type
       *"* declarations
       INCLUDE <cntn03>.
       *_____
       * Class LCL DB
       * OVERVIEW: Objects of this class mediates database queries. It
aims to
                  isolate this development from external dependencies,
as
                 might be desirable in tests.
                  The instances of this object is provided by the
private
                  method GET DB of the main class
(ZCL CRM BOR OPPORTUNITY).
                  By redefining the method GET DB one can provide
                  appropriated stubs, which must redefine the desired
                  methods of LCL DB, instead of accessing the actual
                  database tables.
       *-----
       CLASS 1cl db DEFINITION.
         PUBLIC SECTION.
          METHODS: get_guid IMPORTING p_type
                                                TYPE
crmt_subobject_category_db
                                    p id
crmt object id db
                           RETURNING VALUE (r guid) TYPE
crmt object guid
                       RAISING cx_sy_sql_error,
       * Method GET GUID
       *-----
       * EFFECTS.: If no related record is found in table
CRMD ORDERADM H
                 returns exception type CX SY SQL ERROR, otherwise
returns
                the related GUID.
       * -> P_TYPE Business Trans. Cat. 
* -> P_ID Transaction ID. 
* <- R_GUID UUID in character form.
```

```
_____
          get_paym_term_descr IMPORTING p_pterm
crmt pmnttrms
                          RETURNING VALUE (r descr) TYPE
crmt pmnttrms desc
                          RAISING cx_sy_sql_error,
      *----
      * Method GET PAYM TERM DESCR
      * EFFECTS.: If no related record is found in table
CRMC PMNTTRMS T
              returns exception type CX_SY_SQL_ERROR, otherwise
returns
              the related description.
                                  _____
      * -> P_PTERM Terms of Payment.
* <- R_DESCR Explanation of Payment Terms.</pre>
          RETURNING VALUE (r_descr) TYPE
crmt description 20
    08.03.2015
                              21:23:24
22
      ZCL_CRM_BOR_OPPORTUNITY Release 740
                                                   System
CDA
                    RAISING cx_sy_sql_error.
      * Method GET_PHASE_DESCR
      *-----
      * EFFECTS.: If no related record is found in table CRMC_PHASE_T
         returns exception type CX_SY_SQL_ERROR, otherwise
returns
              the related description.
      * -> P_PHASE Sales Stage.  
* <- R_DESCR Description (20 Characters).
```

```
ENDCLASS.
       * Class LCL API
       * OVERVIEW: Objects of this class mediates API calls. It aims to
                   isolate this development from external dependencies,
as
                   might be desirable in tests.
                    The instances of this object is provided by the
private
                    method GET API of the main class
(ZCL CRM BOR OPPORTUNITY).
                    By redefining the method GET API one can provide
                    appropriated stubs, which must redefine the desired
                    methods of LCL API, instead of accessing the real
APIs.
       CLASS 1cl api DEFINITION.
         PUBLIC SECTION.
           METHODS get doc flow IMPORTING p guid
crmt object guid
                                RETURNING VALUE (rt dflow) TYPE
crmt_doc_flow_db_wrkt
                                RAISING cx_bapi_error.
       * Method GET DOC FLOW
       *-----
       * REQUIRES: The GUID of the reference document must be provided.
       * EFFECTS.: If the API CRM DOC FLOW READ DB returns an error this
method
                   returns exception type CX BAPI ERROR, otherwise
returns
                  a table holding document flow data.
       * -> P_GUID GUID of a CRM Order Object.   
* <- RT_DFLOW Document flow.
       ENDCLASS.
       CLASS 1cl db IMPLEMENTATION.
         METHOD get_guid.
           SELECT guid
             FROM crmd_orderadm_h
               UP TO 1 ROWS
             INTO r guid
            WHERE object id = p id
              AND object_type = p_type.
           ENDSELECT.
           IF sy-subrc <> 0.
             RAISE EXCEPTION TYPE cx_sy_sql_error.
           ENDIF.
         ENDMETHOD.
         METHOD get paym term descr.
```

```
SELECT description
      FROM crmc_pmnttrms_t UP TO 1 ROWS
      INTO r descr
     WHERE langu = sy-langu
       AND payment terms = p pterm.
    ENDSELECT.
    IF sy-subrc <> 0.
      RAISE EXCEPTION TYPE cx sy sql error.
    ENDIF.
  ENDMETHOD.
  METHOD get phase descr.
    SELECT description 20
      FROM crmc phase t
        UP TO 1 ROWS
      INTO r descr
     WHERE langu = sy-langu
       AND phase = p phase.
    ENDSELECT.
    IF sy-subrc <> 0.
      RAISE EXCEPTION TYPE cx_sy_sql_error.
    ENDIF.
  ENDMETHOD.
ENDCLASS.
CLASS lcl api IMPLEMENTATION.
  METHOD get_doc_flow.
    DATA: lw_return TYPE bapiret2, lt_return TYPE bapiret2_t,
          ls_message TYPE string.
    CALL FUNCTION 'CRM_DOC_FLOW_READ_DB'
      EXPORTING
        iv_header_guid = p_guid
      IMPORTING
        et doc links = rt dflow
      EXCEPTIONS
        error occurred = 1
        OTHERS
    IF sy-subrc <> 0.
      m raise exception.
    ENDIF.
  ENDMETHOD.
ENDCLASS.
Macros
```

```
*"* use this source file for any macro definitions you need
*"* in the implementation part of the class
INCLUDE <cntn02>.
DEFINE m_raise_exception.
  message id sy-msgid
    type sy-msgty
  number sy-msgno
    with sy-msgv1 sy-msgv2
        sy-msgv3 sy-msgv4
  into ls_message.
```

```
08.03.2015 21:23:24
```

24

ZCL CRM BOR OPPORTUNITY Release 740 System

CDA

```
lw_return-type
lw_return-id
                    = sy-msgty.
  lw return-message v1 = sy-msgv1.
  lw return-message v2 = sy-msgv2.
  lw return-message v3 = sy-msgv3.
  lw return-message v4 = sy-msgv4.
  lw return-message = ls message.
  append lw_return to lt_return.
  raise exception type cx_bapi_error
   exporting
     status = lt return.
END-OF-DEFINITION.
DEFINE m check for errors.
  READ TABLE lt return WITH KEY type = 'E'
  TRANSPORTING NO FIELDS.
  IF sy-subrc = 0.
   RAISE EXCEPTION TYPE cx_bapi_error
      EXPORTING
       status = lt return.
 ENDIF.
END-OF-DEFINITION.
DEFINE m set msgty.
  IF i probcl IS SUPPLIED.
   CASE i_probcl.
     WHEN '1' OR '2'.
       lv_msgty = 'E'.
     WHEN '3'.
       lv msgty = 'W'.
      WHEN OTHERS.
       lv_msgty = 'I'.
```

2

```
ENDCASE.
ELSE.
lv_msgty = 'I'.
ENDIF.
END-OF-DEFINITION.
```

08.03.2015 21:23:24 25 ZCL_CRM_BOR_OPPORTUNITY Release 740 System CDA Overview Attributes 1 Attributes 1 Public attributes 1 Protected attribute 1 Methods 2 Public methods 2 CLASS_CONSTRUCTOR

	CONSTRUCTOR	
2	SET LINKED TASK	
2		
2	GET_LINKED_CASE_ID	
3	GET_1ST_LINKED_TASK	
	GET_SOLD_TO_PARTNER	
4	GET SALES ORGANIZATION	
4	GET_SALES_OFFICE	
5		
6	GET_SALES_GROUP	
7	GET_DISTRIBUTION_CHANNEL	
	GET_DIVISION	
7	GET PZE	
8	_	
9	GET_PAYMENT_TERM	
	GET_CONTACT_PERSON	1
	GET_INVOICE_RECEIVER	1
	GET_PAYER	1
	GET_PAYMENT_SOURCE	1
	GET_CREDIT_ANALYSIS GET ITEMS DATA	1
	GET_THEMS_DATA GET_SHIP_TO PARTY	1
	GET_SHIT_TO_TAKTT GET_PHASE	1
	Protected methods	1
	GET ITEM PRICE	1
	Private methods	1
	GET DB	1
	GET API	1
	Redefined Methods	2
		2
		2
	Local Types	2
	Local class definitions	2
	Macros	2

Grupo Meta IT Services

08.03.2015 21:23:24