



	REF:	SS27-M-SHORT DESIGN	GENDER:	MALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
	MODEL:	NUOR MENS PRACTICE SHORTS						FINISH:




REF:	SS27-M-SHORT SPECS	GENDER:	MALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR MENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH

FRONT VIEW:



BACK VIEW:




Waistband fusion on inner elastic



Outside detail:
The elastic don't have sewing appear is fixed on top and botton with f usion sewing (tapping)



Inside detail:
The elastic is folded and one side is fixed fusioned on body fabric waist



Inside detail:
Internal sewing channel for drawcord




Sealed Hem
Stitchless bonded flat hem



Woven label sealed in the seam between and zig zag stitching

REF:	SS27-M-SHORT SPECS	GENDER:	MALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR MENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH



FABRIC 3 - Right pocket

Inside pocket and zipper pocket.



Pocket mouth caught within waistband seam during construction — prevents pocket from flapping or separating from body during movement. Pocket bag reinforced with lightweight interfacing for structure



Waistband sewing 2 needles

Inside pocket

12cm

Start on the opening in this bartack

Reflective
silicon relief
heat transfer




FABRIC 3 - Left pocket

Inside pocket (NO zipper) pocket. Pocket mouth caught within waistband seam during construction — prevents pocket from flapping or separating from body during movement. Pocket bag reinforced with lightweight interfacing for structure


REF:	SS27-M-SHORT SPECS	GENDER:	MALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR MENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH

FRONT VIEW - INNER BODY DETAIL:



FRONT VIEW - FINAL PRODUCT


BACK VIEW - INNER BODY DETAIL:



REF:	SS27-M-SHORT BOM	GENDER:	MALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR MENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH

BILL OF MATERIALS

Code	Component	Material	Placement
1	FABRIC 1 Shell fabric	87% Nylon 13% Elastane - Perforated	Body
2	FABRIC 2 Liner fabric	76% Nylon 24% Elastane	Inner brief
3	FABRIC 3 Pocket bag	TDC - Pocket fabric	Pocket closure
4	FABRIC 4 Rubber material for cellphone	TDC - Rubber material for cellphone	
5	Zipper	Lightweight coil (not metal)	Inner valuables pocket
6	Elastic waistband	Fold-fusion elastic	Waistband
7	Drawcord	Flat cord	Waistband
8	Woven label	Woven brand label	Back seam
9	Care label	Composition + wash instructions	Inner side seam
10	Silicone logo	Reflective heat transfer	Leg opening
11	Hang tag	Card + pin	Waistband



Measurements to be taken from the approved reference sample supplied (size M). Supplier to measure the reference garment, complete this table across all sizes using the grade shown, and return the completed measurement table for written approval before bulk production. Stated tolerances apply to all production units.

GRADED MEASUREMENT

FRS = From Reference Sample

Code	Point of Measurement	Grade (cm/size)	S	M	L	XL	Tolerance (±cm)	Comments
A	Waist	2.00		FRS			0.5	
B	Hip	2.00		FRS			0.5	
C	Leg open	1.00		FRS			0.5	
D	Inseam tight	1.00		FRS			0.5	
E	Front hook	1.00		FRS			0.5	
F	Body length	2.00		FRS			0.5	
G	Waist length	0,5		FRS			0.5	
H	Inner body side depth (From waistband)	0,6		FRS			0.5	
I	Front hook (Curvature)	0,7		FRS			0.5	
J	Back hook (Curvature)	0,8		FRS			0.5	