




	REF:	SS27-W-SHORT DESIGN	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
	MODEL:	NUOR WOMENS PRACTICE SHORTS						FINISH:

DECEMBER 2026

OPAQUE SOFT TOUCH




nuor	REF:	SS27-W-SHORT DESIGN	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
	MODEL:	NUOR WOMENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH




COLOR	BODY	INNER BODY	ELASTIC WAIST	DRAWCORD	SILICON LOGO	WOVEN LABEL		
Princess Blue	 Pantone 19 4150 TCX	 Pantone 19 3911 TCX	 Pantone 19 3911 TCX	 Pantone 19 3911 TCX	 Pantone 11 0108 TCX	 Pantone 19 3911 TCX		
Black	 Pantone 19 3911 TCX	 Pantone 19 3911 TCX	 Pantone 19 3911 TCX	 Pantone 19 3911 TCX	 Pantone 11 0108 TCX	 Pantone 19 3911 TCX		
OBS	Version 4 - Last Updated: 09/10/2026							

REF:	SS27-W-SHORT DESIGN	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR WOMENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH




REF:	SS27-W-SHORT SPECS	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR WOMENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH

FRONT VIEW:



BACK VIEW:



Waistband fusion on inner elastic



Outside detail:

The elastic don't have sewing appear is fixed on top and botton with f usion sewing (tapping)



Inside detail:

The elastic is folded and one side is fixed fusioned on body fabric waist



Inside detail:

Internal sewing channel for drawcord




Sealed Hem

Stitchless bonded flat hem



Woven label sealed in the seam between and zig zag stitching

REF:	SS27-W-SHORT SPECS	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR WOMENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH



FABRIC 3 - Right pocket

Inside pocket and zipper pocket.





Pocket mouth caught within waistband seam during construction — prevents pocket from flapping or separating from body during movement. Pocket bag reinforced with lightweight interfacing for structure

Waistband sewing 2 needles

Inside pocket 12cm

Start on the opening in this bartack

Reflective silicon relief heat transfer




FABRIC 3 - Left pocket

Inside pocket (NO zipper) pocket. Pocket mouth caught within waistband seam during construction — prevents pocket from flapping or separating from body during movement. Pocket bag reinforced with lightweight interfacing for structure


REF:	SS27-W-SHORT SPECS	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR WOMENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH

FRONT VIEW - INNER BODY DETAIL:



FRONT VIEW - FINAL PRODUCT


BACK VIEW - INNER BODY DETAIL:



REF:	SS27-W-SHORT BOM	GENDER:	FEMALE	COLLECTION:	SS27	DELIVERY:	DECEMBER 2026
MODEL:	NUOR WOMENS PRACTICE SHORTS					FINISH:	OPAQUE SOFT TOUCH

BILL OF MATERIALS

Code	Component	Material	Placement
1	FABRIC 1 Shell fabric	87% Nylon 13% Elastane - Perforated	Body
2	FABRIC 2 Liner fabric	76% Nylon 24% Elastane	Inner brief
3	FABRIC 3 Pocket bag	TDC - Pocket fabric	Pocket closure
4	FABRIC 4 Rubber material for cellphone	TDC - Rubber material for cellphone	
5	Zipper	Lightweight coil (not metal)	Inner valuables pocket
6	Elastic waistband	Fold-fusion elastic	Waistband
7	Drawcord	Flat cord	Waistband
8	Woven label	Woven brand label	Back seam
9	Care label	Composition + wash instructions	Inner side seam
10	Silicone logo	Reflective heat transfer	Leg opening
11	Hang tag	Card + pin	Waistband



Measurements to be taken from the approved reference sample supplied (size S). Supplier to measure the reference garment, complete this table across all sizes using the grade shown, and return the completed measurement table for written approval before bulk production. Stated tolerances apply to all production units.

GRADED MEASUREMENT

Code	Point of Measurement	Grade (cm/size)	2XS	XS	S	M	L	XL	Tolerance (±cm)
A	Body length	2.50	68.5	71	73.5	76	78.5	81	±1.0
B	Chest width 1/2 (pit to pit)	4.00	45	49	53	57	61	65	±1.0
C	Shoulder width	2.00	22	24	26	28	30	32	±0.5
D	Neck width	1.00	16	17	18	19	20	21	±0.5
E	Front neck drop	0.50	17.5	18	18.5	19	19.5	20	±0.5
F	Hem width	4.00	46	50	54	58	62	66	±1.0
G	Side seam length	1.50	38	39.5	41	42.5	44	45.5	±1.0
H	Shoulder seam length	0.50	3.5	4	4.5	5	5.5	6	±0.5
I	Armhole 1/2	1.25	36.8	38	39.3	40.5	41.8	43	±1.0

BILL OF MATERIALS

Code	Component	Material	Placement
BoM A	Shell fabric	87% Nylon 13% Elastane - Perforated	Body
BoM B	Silicone logo	Reflective silicon relief heat transfer	Middle chest