Desenvolvimento Mobile: Introdução ao Flutter






Márcio Fiorenza

- ADS
- UmanoTec
- Dev Full Stack


Mauro Oviedo II

- SI
- UmanoTec
- Dev Android Full Stack


Timeline




Compilação Multi Plataformas




Como funciona?




Como funciona?




Como funciona?



Stateless e Stateful




A single StatelessWidget can build in many different BuildContexts




A StatefulWidget creates a new State object for each BuildContext

Widgets

- Quase tudo é um widget
- Appbar, Column, Container, Icon, Image, Row, RaisedButton, Text...







WWW

Flutter

XML


```
<div class="hello-world">
   Hello World!!
</div>
<style>
    .hello-world {
       width: 200px;
       height: 200px;
        background-color: #FFFFFF;
        border: 1px solid #CCC;
        font-weight: bold;
        color: #ff122d;
        text-align: center:
/style>
```

Hello World!!

```
eturn Container(
width: 200,
height: 200.
 decoration: BoxDecoration(
  color: Colors.white,
  border: Border.all(
  ), // Border.all
 child: Text('Hello World!!',
     textAlign: TextAlign.center,
    style: TextStyle(
       fontSize: 20.
       fontWeight: FontWeight.bold,
       color: Colors.red.
```

```
<?xml version="1.0" encoding="utf-8"?>
 LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout width="match parent"
    android:layout height="match parent"
    android:gravity="center"
    android:orientation="vertical"
    <TextView
        android:layout width="200dp"
        android:layout height="200dp"
        android:layout gravity="center"
        android:background="@drawable/shape border text view"
        android:textColor="#FF0000"
        android:textSize="20sp" />
```

Inspector



Hot reload

```
□ …
       ≣ main.dart ×
                                                                                          Flutter Demo Home Page
               void _incrementCounter() {
                 setState(() {
                   _counter++;
Widget build(BuildContext context) {
                 return new Scaffold(
                   appBar: new AppBar(
                     title: new Text(widget.title),
                   ), // AppBar
                   body: new Center(
                                                                                      Button clicked 0 times
                     child: new Text(
                       'Button clicked $_counter times',
                       style: Theme.of(context).textTheme.display1,
                   floatingActionButton: new FloatingActionButton(
                     onPressed: _incrementCounter,
                     tooltip: 'Increment',
                     child: new Icon(Icons.add),
```

Dependências

pub.dev/



Top Flutter-compatible packages

shared_preferences

FLUTTER

Flutter plugin for reading and writing simple key-value pairs. Wraps NSUserDefaults on iOS and SharedPreferences on Android.

url launcher

FLUTTER

Flutter plugin for launching a URL on Android and iOS. Supports web, phone, SMS, and email schemes.


path_provider

FLUTTER

Flutter plugin for getting commonly used locations on the Android & iOS file systems, such as the temp and app data directories.

Dependências

shared_preferences 0.5.3+4



About

Flutter plugin for reading and writing simple key-value pairs. Wraps
NSUserDefaults on iOS and
SharedPreferences on Android.

Homepage

Repository (GitHub)

View/report issues

API reference

Author

Q Flutter Team

Uploaders

- ☑ Q jackson@google.com
- ☑ Q mravn@google.com

- ☑ Q gspencer@google.com
- ☑ Q mehmetf@google.com
- ☑ Q mklim@google.com
- Q ychris@google.com

License

BSD (LICENSE)

Dependencies

flutter, meta


pubspec.yaml

```
name: tchelinux
                              flutter:
description: App Flutter
                                uses-material-design: true
version: 1.0.0
                                  - assets/


    assets/exemplo.png

 flutter:
   sdk: flutter
                                  - family: Quicksand
                                       - asset: assets/fonts/Quicksand-Bold.ttf
 shared_preferences: ^0.5.3+4
                                       - asset: assets/fonts/Quicksand-Light.ttf
                                       - asset: assets/fonts/Quicksand-Medium.ttf
                                       - asset: assets/fonts/Quicksand-Regular.ttf
   sdk: flutter
                                       - asset: assets/fonts/Quicksand-SemiBold.ttf
```


Arquiteturas




Arquiteturas - Redux



Arquiteturas - Redux



Arquiteturas - Scoped Model



Arquiteturas - Scoped Model


SCOPED MODEL




H

Anin	natedBuilder
In	heritedWidget
	Column
	ScopedModelDescendant Model
	Text: 1
	ScopedModelDescendant Model
	Button

Arquiteturas - BLoC e Flutter BLoC



Arquiteturas - BLoC e. Flutter BLoC



Casos de uso










Fontes de informação



flutter.dev startflutter.com flutterando.com.br






youtube.com/flutterdev



github.com/brianegan/flutter_architecture_samples github.com/iampawan/FlutterExampleApps

Cursos



flutter.dev/docs/codelabs



udemy.com/curso-completo-flutter-app-android-ios/
udacity.com/course/build-native-mobile-apps-with-flutter--ud905

Perguntas?

Obrigado

Contatos

- marciofiorenza@gmail.com
- mauro.oviedo2@gmail.com