



# Classes and Methods in R

Roger D. Peng, Associate Professor of Biostatistics  
Johns Hopkins Bloomberg School of Public Health

# Classes and Methods

- A system for doing object oriented programming
- R was originally quite interesting because it is both interactive *and* has a system for object orientation.
  - Other languages which support OOP (C++, Java, Lisp, Python, Perl) generally speaking are not interactive languages
- In R much of the code for supporting classes/methods is written by John Chambers himself (the creator of the original S language) and documented in the book *Programming with Data: A Guide to the S Language*
- A natural extension of Chambers' idea of allowing someone to cross the user → programmer spectrum
- Object oriented programming is a bit different in R than it is in most languages — even if you are familiar with the idea, you may want to pay attention to the details

# Two styles of classes and methods

## S3 classes/methods

- Included with version 3 of the S language.
- Informal, a little kludgy
- Sometimes called *old-style* classes/methods

## S4 classes/methods

- more formal and rigorous
- Included with S-PLUS 6 and R 1.4.0 (December 2001)
- Also called *new-style* classes/methods

# Two worlds living side by side

- For now (and the foreseeable future), S3 classes/methods and S4 classes/methods are separate systems (but they can be mixed to some degree).
- Each system can be used fairly independently of the other.
- Developers of new projects (you!) are encouraged to use the S4 style classes/methods.
  - Used extensively in the Bioconductor project
- But many developers still use S3 classes/methods because they are “quick and dirty” (and easier).
- In this lecture we will focus primarily on S4 classes/methods
- The code for implementing S4 classes/methods in R is in the *methods* package, which is usually loaded by default (but you can load it with `library(methods)` if for some reason it is not loaded)

# Object Oriented Programming in R

- A class is a description of an thing. A class can be defined using `setClass()` in the *methods* package.
- An *object* is an instance of a class. Objects can be created using `new()`.
- A *method* is a function that only operates on a certain class of objects.
- A generic function is an R function which dispatches methods. A generic function typically encapsulates a “generic” concept (e.g. `plot`, `mean`, `predict`, ...)
  - The generic function does not actually do any computation.
- A *method* is the implementation of a generic function for an object of a particular class.

# Things to look up

- The help files for the ‘methods’ package are extensive — do read them as they are the primary documentation
- You may want to start with `?classes` and `?Methods`
- Check out `?setClass`, `?setMethod`, and `?setGeneric`
- Some of it gets technical, but try your best for now—it will make sense in the future as you keep using it.
- Most of the documentation in the *methods* package is oriented towards developers/programmers as these are the primary people using classes/methods

# Classes

All objects in R have a class which can be determined by the class function

```
class(1)
```

```
## [1] "numeric"
```

```
class(TRUE)
```

```
## [1] "logical"
```

# Classes

```
class(rnorm(100))
```

```
## [1] "numeric"
```

```
class(NA)
```

```
## [1] "logical"
```

```
class("foo")
```

```
## [1] "character"
```

# Classes (cont'd)

Data classes go beyond the atomic classes

```
x <- rnorm(100)
y <- x + rnorm(100)
fit <- lm(y ~ x) ## linear regression model
class(fit)
```

```
## [1] "lm"
```

# Generics/Methods in R

- S4 and S3 style generic functions look different but conceptually, they are the same (they play the same role).
- When you program you can write new methods for an existing generic OR create your own generics and associated methods.
- Of course, if a data type does not exist in R that matches your needs, you can always define a new class along with generics/methods that go with it

# An S3 generic function (in the ‘base’ package)

The `mean` and `print` functions are generic

mean

```
## function (x, ...)  
## UseMethod("mean")  
## <bytecode: 0x7facdb660ad0>  
## <environment: namespace:base>
```

print

```
## function (x, ...)  
## UseMethod("print")  
## <bytecode: 0x7facd9ccfd58>  
## <environment: namespace:base>
```

# S3 methods

The `mean` generic function has a number of methods associated with it.

```
methods("mean")
```

```
## [1] mean.Date   mean.default mean.difftime mean.POSIXct mean.POSIXlt
```

# An S4 generic function

The `show` function is from the `methods` package and is the S4 equivalent of `print`

```
show
```

```
## standardGeneric for "show" defined from package "methods"
##
## function (object)
## standardGeneric("show")
## <bytecode: 0x7facdb8034d8>
## <environment: 0x7facdb779868>
## Methods may be defined for arguments: object
## Use showMethods("show") for currently available ones.
## (This generic function excludes non-simple inheritance; see ?setIs)
```

The `show` function is usually not called directly (much like `print`) because objects are auto-printed.

# S4 methods

```
showMethods( "show" )
```

```
## Function: show (package methods)
## object="ANY"
## object="classGeneratorFunction"
## object="classRepresentation"
## object="envRefClass"
## object="function"
##     (inherited from: object="ANY")
## object="genericFunction"
## object="genericFunctionWithTrace"
## object="MethodDefinition"
## object="MethodDefinitionWithTrace"
## object="MethodSelectionReport"
## object="MethodWithNext"
## object="MethodWithNextWithTrace"
## object="namedList"
## object="ObjectsWithPackage"
## object="oldClass"
## object="refClassRepresentation"
```

# Generic/method mechanism

The first argument of a generic function is an object of a particular class (there may be other arguments)

1. The generic function checks the class of the object.
2. A search is done to see if there is an appropriate method for that class.
3. If there exists a method for that class, then that method is called on the object and we're done.
4. If a method for that class does not exist, a search is done to see if there is a default method for the generic. If a default exists, then the default method is called.
5. If a default method doesn't exist, then an error is thrown.

# Examining Code for Methods

- You cannot just print the code for a method like other functions because the code for the method is usually hidden.
- If you want to see the code for an S3 method, you can use the function `getS3method`.
- The call is `getS3method(<generic>, <class>)`
- For S4 methods you can use the function `getMethod`
- The call is `getMethod(<generic>, <signature>)` (more details later)

# S3 Class/Method: Example 1

What's happening here?

```
set.seed(2)
x <- rnorm(100)
mean(x)
```

```
## [1] -0.0307
```

1. The class of x is “numeric”
2. But there is no mean method for “numeric” objects!
3. So we call the default function for `mean`.

# S3 Class/Method: Example 1

```
head(getS3method("mean", "default"), 10)
```

```
##  
## 1  function (x, trim = 0, na.rm = FALSE, ...)  
## 2  {  
## 3      if (!is.numeric(x) && !is.complex(x) && !is.logical(x)) {  
## 4          warning("argument is not numeric or logical: returning NA")  
## 5          return(NA_real_)  
## 6      }  
## 7      if (na.rm)  
## 8          x <- x[!is.na(x)]  
## 9      if (!is.numeric(trim) || length(trim) != 1L)  
## 10         stop("'trim' must be numeric of length one")
```

# S3 Class/Method: Example 1

```
tail(getS3method("mean", "default"), 10)
```

```
##  
## 15      if (any(is.na(x)))  
## 16          return(NA_real_)  
## 17      if (trim >= 0.5)  
## 18          return(stats::median(x, na.rm = FALSE))  
## 19      lo <- floor(n * trim) + 1  
## 20      hi <- n + 1 - lo  
## 21      x <- sort.int(x, partial = unique(c(lo, hi)))[lo:hi]  
## 22  }  
## 23  .Internal(mean(x))  
## 24 }
```

# S3 Class/Method: Example 2

What happens here?

```
set.seed(3)
df <- data.frame(x = rnorm(100), y = 1:100)
sapply(df, mean)
```

```
##          x         y
##  0.01104 50.50000
```

1. The class of `df` is "data.frame"; each column can be an object of a different class
2. We `sapply` over the columns and call the `mean` function
3. In each column, `mean` checks the class of the object and dispatches the appropriate method.
4. We have a `numeric` column and an `integer` column; `mean` calls the default method for both


# Calling Methods Directly

- Some S3 methods are visible to the user (i.e. `mean.default`),
- Never call methods directly
- Use the generic function and let the method be dispatched automatically.
- With S4 methods you cannot call them directly at all

# S3 Class/Method: Example 3

The `plot` function is generic and its behavior depends on the object being plotted.


```
set.seed(10)
x <- rnorm(100)
plot(x)
```



# S3 Class/Method: Example 3

For time series objects, `plot` connects the dots

```
set.seed(10)
x <- rnorm(100)
x <- as.ts(x)  ## Convert to a time series object
plot(x)
```



# Write your own methods!

If you write new methods for new classes, you'll probably end up writing methods for the following generics:

- print/show
- summary
- plot

There are two ways that you can extend the R system via classes/methods

- Write a method for a new class but for an existing generic function (i.e. like `print`)
- Write new generic functions and new methods for those generics

# S4 Classes

Why would you want to create a new class?

- To represent new types of data (e.g. gene expression, space-time, hierarchical, sparse matrices)
- New concepts/ideas that haven't been thought of yet (e.g. a fitted point process model, mixed-effects model, a sparse matrix)
- To abstract/hide implementation details from the user I say things are “new” meaning that R does not know about them (not that they are new to the statistical community).

# S4 Class/Method: Creating a New Class

A new class can be defined using the `setClass` function

- At a minimum you need to specify the name of the class
- You can also specify data elements that are called *slots*
- You can then define methods for the class with the `setMethod` function Information about a class definition can be obtained with the `showClass` function

# S4 Class/Method: Polygon Class

Creating new classes/methods is usually not something done at the console; you likely want to save the code in a separate file

```
library(methods)
setClass("polygon",
        representation(x = "numeric",
                      y = "numeric"))
```

- The slots for this class are `x` and `y`
- The slots for an S4 object can be accessed with the `@` operator.

# S4 Class/Method: Polygon Class

A plot method can be created with the `setMethod` function.

- For `setMethod` you need to specify a generic function (`plot`), and a *signature*.
- A signature is a character vector indicating the classes of objects that are accepted by the method.
- In this case, the `plot` method will take one type of object, a `polygon` object.

# S4 Class/Method: Polygon Class

Creating a `plot` method with `setMethod`.

```
setMethod("plot", "polygon",
  function(x, y, ...) {
    plot(x@x, x@y, type = "n", ...)
    xp <- c(x@x, x@x[1])
    yp <- c(x@y, x@y[1])
    lines(xp, yp)
  })
}
```

```
## Creating a generic function for 'plot' from package 'graphics' in the global environment
```

```
## [1] "plot"
```

- Notice that the slots of the polygon (the x- and y-coordinates) are accessed with the `@` operator.

# S4 Class/Method: Polygon Class

After calling `setMethod` the new `plot` method will be added to the list of methods for `plot`.


```
library(methods)
showMethods("plot")
```

```
## Function: plot (package graphics)
## x="ANY"
## x="polygon"
```

Notice that the signature for class `polygon` is listed. The method for `ANY` is the default method and it is what is called when no other signature matches

# S4 Class/Method: Polygon class

```
p <- new("polygon", x = c(1, 2, 3, 4), y = c(1, 2, 3, 1))  
plot(p)
```



# Summary

- Developing classes and associated methods is a powerful way to extend the functionality of R
- Classes define new data types
- Methods extend generic functions to specify the behavior of generic functions on new classes
- As new data types and concepts are created, classes/methods provide a way for you to develop an intuitive interface to those data/concepts for users

# Where to Look, Places to Start

- The best way to learn this stuff is to look at examples
- There are quite a few examples on CRAN which use S4 classes/methods. You can usually tell if they use S4 classes/methods if the methods package is listed in the `Depends:` field
- Bioconductor (<http://www.bioconductor.org>) — a rich resource, even if you know nothing about bioinformatics
- Some packages on CRAN (as far as I know) — SparseM, gpclib, flexmix, its, lme4, orientlib, filehash
- The `stats4` package (comes with R) has a bunch of classes/methods for doing maximum likelihood analysis.