

Intensificación Técnico Organizativa

Nombre:Rafael

Apellidos: Duque Colete

UVUS:rafduqcol

Enlace al repositorio de
GitHub:<https://github.com/rafduqcol/EGC-2425>

Ejercicio Git

Apartado 1

A terminal window with a dark background and light-colored text. The window title is 'practica@pc-14-58: ~/Escritorio'. The command 'git clone git@github.com:rafduqcol/EGC-2425.git' has been executed. The output shows the cloning process, including host authentication warnings and progress bars for enumerating, counting, and compressing objects. The process is complete, and the prompt is ready for the next command.

```
practica@pc-14-58: ~/Escritorio
practica@pc-14-58:~/Escritorio$ git clone git@github.com:rafduqcol/EGC-2425.git
Clonando en 'EGC-2425'...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvC0qU.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 382, done.
remote: Counting objects: 100% (382/382), done.
remote: Compressing objects: 100% (243/243), done.
remote: Total 382 (delta 84), reused 382 (delta 84), pack-reused 0 (from 0)
Recibiendo objetos: 100% (382/382), 1.60 MiB | 2.42 MiB/s, listo.
Resolviendo deltas: 100% (84/84), listo.
practica@pc-14-58:~/Escritorio$
```

Ejercicio Git

Apartado 2

```
practica@pc-14-58: ~/Escritorio/EGC-2425
INFO [alembic.runtime.migration] Running upgrade -> 001, first migration
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ rosemary db:seed
Seeding data for all modules...
AuthSeeder performed.
DataSetSeeder performed.
FeaturemodelSeeder performed.
FlamapySeeder performed.
WebhookSeeder performed.
HubfileSeeder performed.
Database populated with test data.
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ flask run --host=0.0.0.0 --reload --debug
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://10.1.14.58:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 120-601-726
```

Ejercicio Git

Apartado 3

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout feature/init-bug
error: Los cambios locales de los siguientes archivos serán sobrescritos por checkout:
      .moduleignore
Por favor realiza un commit con los cambios o un stash antes de cambiar de rama.
Abortando
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git stash
Directorio de trabajo y estado de índice WIP on main: 7260a34 Introduce a bug in the view_dataset card for the exam by commenting out the card section to simulate an error guardados
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout feature/init-bug
rama 'feature/init-bug' configurada para rastrear 'origin/feature/init-bug'.
Cambiado a nueva rama 'feature/init-bug'
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ flask run --host=0.0.0.0 --reload --debug
Traceback (most recent call last):
  File "/home/practica/Escritorio/EGC-2425/venv/bin/flask", line 8, in <module>
    sys.exit(main())
    ^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 1105, in main
    cli.main()
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/click/core.py", line 1078, in main
    rv = self.invoke(ctx)
    ^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/click/core.py", line 1688, in invoke
    return _process_result(sub_ctx.command.invoke(sub_ctx))
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/click/core.py", line 1434, in invoke
    return ctx.invoke(self.callback, **ctx.params)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/click/core.py", line 783, in invoke
    return __callback(*args, **kwargs)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/click/decorators.py", line 92, in new_func
    return ctx.invoke(f, obj, *args, **kwargs)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/click/core.py", line 783, in invoke
    return __callback(*args, **kwargs)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 953, in run_command
    raise e from None
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 937, in run_command
    app = WSGIApplication = info.load_app()
    ^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 339, in load_app
    app = locate_app(import_name, None, raise_if_not_found=False)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/home/practica/Escritorio/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 245, in locate_app
    __import__(module_name)
  File "/home/practica/Escritorio/EGC-2425/app/__init__.py", line 70, in <module>
    app = create_app()
    ^^^^^^^^^^
NameError: name 'create_app' is not defined
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio Git

Apartado 4

Ejercicio Git

Apartado 5

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout -b fix/app-init
Cambiado a nueva rama 'fix/app-init'
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git push -u origin fix/app-init
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'fix/app-init' on GitHub by visiting:
remote:   https://github.com/rafaelqcol/EGC-2425/pull/new/fix/app-init
remote:
To github.com:rafaelqcol/EGC-2425.git
 * [new branch]      fix/app-init -> fix/app-init
rama 'fix/app-init' configurada para rastrear 'origin/fix/app-init'.
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git status
En la rama fix/app-init
Tu rama está actualizada con 'origin/fix/app-init'.

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
    modificados:   app/__init__.py

sin cambios agregados al commit (usa "git add" y/o "git commit -a")
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git add app/__init__.py
git: orden no encontrada
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git add app/__init__.py
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git commit -m "fix: Descomentar create_app, para arreglar bug al iniciar app. Closes #1"
[fix/app-init 03c2b9a] fix: Descomentar create_app, para arreglar bug al iniciar app. Closes #1
 1 file changed, 2 insertions(+), 2 deletions(-)
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git push
Enumerando objetos: 7, listo.
Contando objetos: 100% (7/7), listo.
Compresión delta usando hasta 20 hilos.
Comprimiendo objetos: 100% (3/3), listo.
Escribiendo objetos: 100% (4/4), 498 bytes | 498.00 KiB/s, listo.
Total 4 (delta 2), reused 2 (delta 1), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:rafaelqcol/EGC-2425.git
   02d2aef..03c2b9a  fix/app-init -> fix/app-init
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio Git

Apartado 7

```
venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout -b feature/conflicto  
Cambiado a nueva rama 'feature/conflicto'  
venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git branch  
feature/conflicto  
feature/init-bug  
fix/app-init  
main  
venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio Git

Apartado 7

Everything up to date

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git add app/__init__.py
```

Everything up to date

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git commit -m "feat: Implementa nueva uri al iniciar app"
```

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git push -u origin feature/conflicto
```

Enumerando objetos: 7, listo.

Contando objetos: 100% (7/7), listo.

Compresión delta usando hasta 20 hilos

Comprimiendo objetos: 100% (4/4), listo.

Escribiendo objetos: 100% (4/4), 498 bytes | 498.00 KiB/s, listo.

Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (2/2), completed with 2 local objects.

remote:

remote: Create a pull request for 'feature/conflicto' on GitHub by visiting:

remote: <https://github.com/rafduqcol/EGC-2425/pull/new/feature/conflicto>

remote:

To github.com:rafduqcol/EGC-2425.git

* [new branch] feature/conflicto -> feature/conflicto

rama 'feature/conflicto' configurada para rastrear 'origin/feature/conflicto'.

Ejercicio Git

Apartado 7

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout fix/app-init
Cambiado a rama 'fix/app-init'
Tu rama está actualizada con 'origin/fix/app-init'.
```

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git status
En la rama fix/app-init
Tu rama está actualizada con 'origin/fix/app-init'.

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
    modificados:   app/__init__.py

sin cambios agregados al commit (usa "git add" y/o "git commit -a")
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git add app/__init__.py
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git commit -m "feat: Implementa uri al iniciar app"
[fix/app-init dc1c4cd] feat: Implementa uri al iniciar app
1 file changed, 1 insertion(+), 1 deletion(-)
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git push
Enumerando objetos: 7, listo.
Contando objetos: 100% (7/7), listo.
Compresión delta usando hasta 20 hilos
Comprimiendo objetos: 100% (4/4), listo.
Escribiendo objetos: 100% (4/4), 493 bytes | 493.00 KiB/s, listo.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:rafduqcol/EGC-2425.git
   03c2b9a..dc1c4cd  fix/app-init -> fix/app-init
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio Git

Apartado 7

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git merge feature/conflicto
```

Ejercicio Git

Apartado 7

Ejercicio Git



Apartado 7

Ejercicio Git

Apartado 8

Fix the bug in the view_dataset card by uncommenting the card section, restoring the dataset view functionality

 brgutierrez committed 2 days ago

678e7dc  

Ejercicio Git

Apartado 9

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout main
Cambiado a rama 'main'
Tu rama está actualizada con 'origin/main'.
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git cherry-pick 678e7dc6853fb1e1b1b64c5116e6b44e4a5054ab
[main 47469a9] Fix the bug in the view_dataset card by uncommenting the card section, restoring the dataset view functionality
Author: Belen Ramos <brgutierrez@us.es>
Date: Wed Jan 8 09:29:03 2025 +0100
2 files changed, 3 insertions(+), 2 deletions(-)
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git status
En la rama main
Tu rama está adelantada a 'origin/main' por 1 commit.
(usa "git push" para publicar tus commits locales)

nada para hacer commit, el árbol de trabajo está limpio
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git push
Enumerando objetos: 17, listo.
Contando objetos: 100% (17/17), listo.
Compresión delta usando hasta 20 hilos
Comprimiendo objetos: 100% (6/6), listo.
Escribiendo objetos: 100% (9/9), 726 bytes | 726.00 KiB/s, listo.
Total 9 (delta 6), reused 3 (delta 1), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
To github.com:rafduqcol/EGC-2425.git
7260a34..47469a9 main -> main
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio GitHub Actions

Apartado 1

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ git checkout config/ci
rama 'config/ci' configurada para rastrear 'origin/config/ci'.
Cambiado a nueva rama 'config/ci'
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

```
steps:
- uses: actions/checkout@v4

- uses: actions/setup-python@v5
  with:
    python-version: '3.11'
```

Ejercicio GitHub Actions

Apartado 2

```
MYSQL_ROOT_PASSWORD: uvlhub_root_password
MYSQL_DATABASE: uvlhubdb_test
MYSQL_USER: uvlhub_user
MYSQL_PASSWORD: uvlhub_password
ports:
  - 3306:3306
options: --health-cmd="mysqladmin ping" --health-interval=10s --heal
```

steps:

- uses: actions/checkout@v4
- uses: actions/setup-python@v5
 - with:
 - python-version: '3.11'
- name: Prepare environment
 - run: |
 - sed -i '/rosemary @ file:\\/\\/\\/app/d' requirements.txt
- name: Install dependencies
 - run: |
 - python -m pip install --upgrade pip
 - pip install -r requirements.txt
- name: Check for outdated dependencies
 - run: |
 - pip list --outdated

Ejercicio GitHub Actions

Apartado 3

Ejercicio GitHub Actions

Apartado 4

```
pytest:  
  runs-on: ubuntu-latest  
  
  services:  
    mysql:  
      image: mysql: [5.7, 8.0]  
      env:  
        MYSQL_ROOT_PASSWORD: uvlhub_root_password  
        MYSQL_DATABASE: uvlhubdb_test  
        MYSQL_USER: uvlhub_user  
        MYSQL_PASSWORD: uvlhub_password  
      ports:  
        - 3306:3306
```

Ejercicio GitHub Actions

Apartado 5

Ejercicio Docker

Apartado 1

```
venv) practica@pc-14-58:~/Escritorio/EGC-2425$ cp .env.docker.example .env
venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker compose -f docker/docker-compose.dev.yml up -d
[+] Running 9/9
! web Warning                manifest for drorganvidez/uvlhub:dev not found: manifest unknown: manifest unknown
✓ nginx Pulled
✓ fd674058ff8f Pull complete
✓ 566e42bcee1c Pull complete
✓ 2b99b9c5d9e5 Pull complete
✓ bd98674871f5 Pull complete
✓ 1e109dd2a0d7 Pull complete
✓ da8cc133ff82 Pull complete
✓ c44f27309e31 Pull complete
```

Ejercicio Docker

Apartado 1

```
[+] Running 6/7 Image sha256:b39b0cc77bc29ba12123351562039fcf474309999dc0586342ddc2587211031c
✓ Service db Built
✓ Service web Built
✓ Network docker_uvhub_network Created
✓ Volume "docker_db_data" Created
✖ Container mariadb_container Starting
✓ Container web_app_container Created
✓ Container nginx_web_server_container Created
Error response from daemon: driver failed programming external connectivity on endpoint mariadb_container (ea10560cf12953c034f43c88918ea981f5f5f549dac474f0e1824e6e6590aa42): fa
06/tcp: Error starting userland proxy: listen tcp4 0.0.0.0:3306: bind: address already in use
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ sudo lsof -i :3306
[sudo] contraseña para practica:
COMMAND PID USER FD TYPE DEVICE SIZE/OFF NODE NAME
mariabdd 1383 mysql 28u IPv4 24281 0t0 TCP localhost:mysql (LISTEN)
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ sudo kill 1383
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker compose -f docker/docker-compose.dev.yml down
[+] Running 4/4
✓ Container nginx_web_server_container Removed
✓ Container web_app_container Removed
✓ Container mariadb_container Removed
✓ Network docker_uvhub_network Removed
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker compose -f docker/docker-compose.dev.yml down -v
[+] Running 1/0
✓ Volume docker_db_data Removed
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker compose -f docker/docker-compose.dev.yml up -d
[+] Running 5/5
✓ Network docker_uvhub_network Created
✓ Volume "docker_db_data" Created
✓ Container mariadb_container Started
✓ Container web_app_container Started
✓ Container nginx_web_server_container Started
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
f6b44b4ffe2e	nginx:latest	"/docker-entrypoint...."	17 seconds ago	Up 16 seconds	0.0.0.0:80->80/tcp, :::80->80/tcp	nginx_web_server_container
d79253fc2a14	drorganvitez/uvlhub:dev	"sh -c 'sh /app/dock..."	17 seconds ago	Up 16 seconds	5000/tcp	web_app_container
c926a6b115da	docker-db	"docker-entrypoint.s..."	17 seconds ago	Up 16 seconds	0.0.0.0:3306->3306/tcp, :::3306->3306/tcp	mariadb_container

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio Docker

Apartado 2

```
app = create_app()

if __name__ == '__main__':
    app.run(host='0.0.0.0', port=5000, debug=False)
```

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker compose -f docker/docker-compose.dev.yml up -d
+ ] Running 5/5
✓ Network docker_uvlhub_network      Created
✓ Volume "docker_db_data"           Created
✓ Container mariadb_container        Started
✓ Container web_app_container        Started
✓ Container nginx_web_server_container Started
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
6e79202697a8	nginx:latest	"/docker-entrypoint..."	25 seconds ago	Up 23 seconds	0.0.0.0:80->80/tcp, :::80->80/tcp	nginx_web_server_container
87769c70aa8d	drorganvidez/uvlhub:dev	"sh -c 'sh /app/dock..."	25 seconds ago	Up 24 seconds	5000/tcp	web_app_container
1951d31967d9	docker-db	"docker-entrypoint.s..."	25 seconds ago	Up 24 seconds	0.0.0.0:3306->3306/tcp, :::3306->3306/tcp	mariadb_container

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$
```

Ejercicio Docker

Apartado 3

The screenshot displays the UVLHub.io website interface. On the left is a dark sidebar with the UVLHub.io logo and navigation links: Home, Explore, Team, Login, and Sign Up. The main content area is light gray and features a search bar at the top. Below the search bar, there are three dataset cards labeled 'Sample dataset 4', 'Sample dataset 3', and 'Sample dataset 2'. Each card includes a title, date, description, author information, a DOI link, tags, and buttons for 'View dataset' and 'Download (1.21 KB)'. To the right of the dataset cards, there are two sidebars. The 'Hub statistics' sidebar shows 4 datasets, 12 feature models, 0 datasets viewed, 0 feature models viewed, 0 datasets downloaded, and 0 feature models downloaded. The 'Related publication' sidebar lists a publication by David Romero-Organvitez, José A. Galindo, Chico Sundermann, Jose-Miguel Horcas, David Benavides, and UVLHub, with a link to the journal of Systems and Software, 2024, 112150. At the bottom right, there is a 'Let's get started!' section with a 'Sign up' button.

uvlhub.io

Search datasets...

Latest datasets

Sample dataset 4 Data Management Plan

January 10, 2025 at 04:32 PM

Description for dataset 4

Author 4 (Affiliation 4) (0000-0000-0000-0003)

<http://localhost/doi/10.1234/dataset4>

tag1 tag2

[View dataset](#) [Download \(1.21 KB\)](#)

Sample dataset 3 Data Management Plan

January 10, 2025 at 04:32 PM

Description for dataset 3

Author 3 (Affiliation 3) (0000-0000-0000-0002)

<http://localhost/doi/10.1234/dataset3>

tag1 tag2

[View dataset](#) [Download \(1.21 KB\)](#)

Sample dataset 2 Data Management Plan

January 10, 2025 at 04:32 PM

Description for dataset 2

Hub statistics

- 4 datasets
- 12 feature models
- 0 datasets viewed
- 0 feature models viewed
- 0 datasets downloaded
- 0 feature models downloaded

Related publication

David Romero-Organvitez, José A. Galindo, Chico Sundermann, Jose-Miguel Horcas, David Benavides. *UVLHub: A feature model data repository using UVL and open science principles*, Journal of Systems and Software, 2024, 112150, ISSN 0164-1212, <https://doi.org/10.1016/j.jss.2024.112150>

[Copy in BibTex](#) [Copy in RIS](#)

Let's get started!

What are you waiting for to upload your fantastic feature models in UVL format?

[Sign up](#)

Ejercicio Vagrant

Apartado 1

```
SHELL

# Provider configuration
config.vm.provider "virtualbox" do |vb|
  vb.memory = "4000"
  vb.cpus = 6
end
end
```


Ejercicio Vagrant

Apartado 2

cp .env.vagrant.example .env, y luego cd vagrant

```
(venv) practica@pc-14-58:~/Escritorio/EGC-2425$ cd vagrant
(venv) practica@pc-14-58:~/Escritorio/EGC-2425/vagrant$ vagrant up
Loading .env file from: /home/practica/Escritorio/EGC-2425/.env
FLASK_APP_NAME: "UVLHUB.IO(dev)"
FLASK_ENV: development
DOMAIN: localhost:5000
MARIADB_HOSTNAME: localhost
MARIADB_PORT: 3306
MARIADB_DATABASE: uvlhubdb
MARIADB_TEST_DATABASE: uvlhubdb_test
MARIADB_USER: uvlhubdb_user
MARIADB_PASSWORD: uvlhubdb_password
MARIADB_ROOT_PASSWORD: uvlhubdb_root_password
WORKING_DIR: /vagrant/
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Box 'ubuntu/jammy64' could not be found. Attempting to find and install...
    default: Box Provider: virtualbox
    default: Box Version: >= 0
==> default: Loading metadata for box 'ubuntu/jammy64'
    default: URL: https://vagrantcloud.com/api/v2/vagrant/ubuntu/jammy64
==> default: Adding box 'ubuntu/jammy64' (v20241002.0.0) for provider: virtualbox
    default: Downloading: https://vagrantcloud.com/ubuntu/jammy64/versions/20241002.0.0/providers/virtualbox/unknown/va
The box failed to unpack properly. Please verify that the box
file you're trying to add is not corrupted and that enough disk space
is available and then try again.
The output from attempting to unpack (if any):

bsdtar: Error opening archive: Unrecognized archive format
```