
Part 107 Flashcard Deck

FAA Remote Pilot Knowledge Test Prep

Master every concept tested on the FAA Part 107 exam. Each card includes the question, multiple choice options, and a detailed explanation of the correct answer.

485

Flashcards

8

Categories

All 8

Exam Topics

95%+

Pass Rate

FLYCENSED

flycensed.com

Card Categories

Regulations	131 cards
Airspace	113 cards
Weather	76 cards
Operations	71 cards
Decision Making	37 cards
Performance	35 cards
Night Ops	14 cards
Over People	8 cards

REGULATIONS (131 Cards)

Q1. What is the maximum altitude a Part 107 drone can operate?

- A) **400 feet above ground level (AGL) ✓**
- B) 500 feet above ground level (AGL)
- C) 400 feet above mean sea level (MSL)

400 feet above ground level (AGL). This is measured from the highest point of ground within a 400-foot radius of the drone.

Q2. What is the maximum airspeed for a Part 107 drone?

- A) 120 miles per hour
- B) 75 miles per hour
- C) **100 miles per hour (mph) ✓**

100 miles per hour (mph). This is the maximum horizontal speed.

Q3. What is the maximum weight for a Part 107 drone?

- A) **55 pounds (25 kg) including all attachments and payload ✓**
- B) 50 pounds (23 kg)
- C) 60 pounds (27 kg)

55 pounds (25 kg) including all attachments and payload.

Q4. What is the minimum visibility requirement for Part 107 operations?

- A) 2 statute miles
- B) **3 statute miles (3SM) ✓**
- C) 5 statute miles

3 statute miles (3SM). The remote pilot or visual observer must maintain this visibility to see the aircraft.

Q5. What is the minimum cloud clearance requirement for Part 107 drones?

- A) 250 feet below clouds and 1,000 feet horizontal
- B) **500 feet below clouds and 2,000 feet horizontal distance from clouds ✓**
- C) 1,000 feet below clouds and 2,000 feet horizontal

500 feet below clouds and 2,000 feet horizontal distance from clouds.

Q6. How many hours of flight time is required before the Part 107 drone knowledge exam?

- A) **No specific flight hours required before the knowledge test ✓**
- B) 100 hours minimum
- C) 50 hours minimum

No specific flight hours required before the knowledge test. However, 30 hours of flight time is the commonly cited benchmark for pilot proficiency.

Q7. What is the minimum age to be a Part 107 remote pilot?

- A) 21 years old
- B) **16 years old ✓**
- C) 18 years old

16 years old. This is the minimum age to hold a Part 107 remote pilot certificate.

Q8. How long is a Part 107 remote pilot certificate valid?

- A) **3 years from the date of issue ✓**
- B) 2 years
- C) 4 years

3 years from the date of issue.

Q9. What is required to renew a Part 107 certificate?

- A) **Online recurrent training every 24 months (FREE, no exam) ✓**
- B) Waiver from ATC only
- C) Initial certification only

Complete online recurrent training through FAA Safety Team (WINGS or FAASafety.gov) every 24 calendar months. Since April 2021, recurrent is FREE online training with NO exam required, not an in-person test.

Q10. What is the registration fee for a Part 107 drone?

- A) Without notification to FAA
- B) Costs \$20 annually
- C) **\$5 for a drone operation ✓**

\$5 for a drone operation. Drone owners must register with the FAA, and the certificate is valid for 3 years.

Q11. Can a visual observer remove their eyes from the aircraft to look at paperwork?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. The visual observer must maintain continuous visual line of sight (VLOS) with the aircraft at all times. They cannot look away to read documents or perform other tasks.

Q12. What are the responsibilities of a visual observer?

- A) **Maintain VLOS, scan for hazards, and alert RPIC to dangers ✓**
- B) Monitor flight video only
- C) No observer required

Maintain visual line of sight with the aircraft, scan for traffic and other hazards, alert the remote pilot to hazards, and be positioned to have the best view of the airspace around the aircraft.

Q13. Can the remote pilot act as the visual observer?

- A) **No ✓**
- B) Yes, with permission
- C) Yes, no restrictions

No. The remote pilot must not act as the visual observer. The visual observer must be a separate person who is not manipulating the flight controls.

Q14. What is the maximum distance a visual observer can be from the aircraft?

- A) 1000 feet horizontal
- B) 250 feet below
- C) **Clear, unobstructed view of aircraft ✓**

The visual observer must be positioned such that they have a clear, unobstructed view of the aircraft during the entire flight. Typically this means within 500 feet, but depends on the aircraft size and visibility conditions.

Q15. Can a Part 107 drone operate at night without a waiver?

- A) **Yes, with anti-collision lights visible for 3+ SM ✓**
- B) No, a waiver is always required
- C) Only within 1 mile of an airport

Yes. Since April 6, 2021, night operations are permitted WITHOUT a waiver if: (1) the aircraft has anti-collision lighting visible for at least 3 statute miles, and (2) the remote pilot completed initial or recurrent training/testing after April 6, 2021.

Q16. Can a Part 107 drone fly over people without a waiver?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. Part 107 drones cannot fly over people outside of certain very restricted categories. Most operations over people require a waiver or a Part 107 amendment authorization.

Q17. What are the four categories of operations over people under Part 107?

- A) Categories by drone weight only
- B) No categories exist
- C) **Four categories based on aircraft characteristics and risk level ✓**

Category 1: Under 0.55 lbs including all attachments (minimal risk). Category 2: No exposed rotating parts that could lacerate skin. Category 3: Similar to Category 2 but for larger open-air assemblies. Category 4: FAA airworthiness certified aircraft. Each has specific requirements for aircraft design, operation, and in some cases, Remote ID.

Q18. What is a remote pilot in command?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Person responsible for UAS safety ✓**

The remote pilot in command is the person responsible for the operation and safety of the unmanned aircraft system. They have the final authority and responsibility for the flight.

Q19. Must a Part 107 drone be registered if it weighs less than 0.55 pounds?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. Drones weighing less than 0.55 pounds (about 250 grams) do not require FAA registration, but they must still follow all other Part 107 rules.

Q20. What does VLOS stand for?

- A) 0.5 miles
- B) **Visual Line of Sight ✓**
- C) 2 miles

Visual Line of Sight. The remote pilot or visual observer must be able to see the aircraft without aid at all times during flight.

Q21. Can binoculars or other optical aids be used to maintain VLOS?

- A) **No ✓**
- B) 0.5 miles
- C) 2 miles

No. VLOS must be maintained with unaided vision. Binoculars, goggles, and other optical aids cannot be used to meet the VLOS requirement, though they can be used to supplement.

Q22. What is the penalty for operating without a Part 107 certificate?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Up to \$27,500 civil, \$250K+ criminal ✓**

Up to \$27,500 in civil penalties and potential criminal penalties including fines up to \$250,000 and up to 3 years in prison.

Q23. Can a Part 107 drone be operated indoors?

- A) No, always prohibited
- B) **Yes, with facility owner permission ✓**
- C) No, illegal

Yes, indoors operations are allowed without Part 107 restrictions, but the facility owner must grant permission and local airspace rules may apply.

Q24. What is required for a Part 107 remote pilot to conduct operations?

- A) Flight experience only
- B) No requirements
- C) **Valid certificate, knowledge test, and registration ✓**

A valid Part 107 remote pilot certificate, airmen knowledge test passing score, and proper drone registration. The remote pilot must carry their certificate during operations.

Q25. What is a waiver under Part 107?

- A) Yes, always allowed
- B) Yes, with permission
- C) **FAA authorization for non-compliant ops ✓**

An FAA authorization that allows operations that do not comply with certain Part 107 rules. Waivers must be requested through the FAA and approval is not guaranteed.

Q26. What cannot be waived under Part 107?

- A) **Weight, altitude, airspeed limits and pilot cert ✓**
- B) Yes, with permission
- C) Yes, no restrictions

The 55-pound weight limit, altitude limit (400 feet AGL), airspeed limit (100 mph), and requirement for remote pilot certification cannot be waived.

Q27. What is a Section 333 exemption?

- A) **Older authority pre-dating Part 107 ✓**
- B) Current FAA regulation
- C) Modern exemption process

An older waiver authority that allowed small UAS operations before Part 107 was implemented. These have largely been superseded by Part 107 rules but some may still exist.

Q28. What is a Special Flight Authorization?

- A) **FAA approval for specific operations ✓**
- B) Insurance document
- C) Regulated by local authorities

A waiver that allows operation outside Part 107 rules for specific flights. It must be requested at least 90 days in advance and includes conditions for safe flight.

Q29. Can a Part 107 drone carry a real-time video feed to a ground station?

- A) **Allowed, but doesn't substitute for VLOS ✓**
- B) Initial only
- C) Waiver from ATC

Yes, real-time video transmission is allowed and common in Part 107 operations, but it does not substitute for VLOS requirements.

Q30. What is the purpose of a preflight inspection?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **To ensure the aircraft is in safe working condition ✓**

To ensure the aircraft is in safe working condition. The remote pilot must inspect the drone before each flight to identify damage, defects, or malfunctions.

Q31. What should be checked during a preflight inspection?

- A) Not required for drones
- B) **Damage, battery, propellers, controls ✓**
- C) Regulated by local authorities

Physical damage, battery charge and condition, propellers for damage or cracks, control surfaces for free movement, camera for proper function, and all fasteners for tightness.

Q32. Can a Part 107 drone fly beyond visual line of sight if a camera is mounted?

- A) **No ✓**
- B) 2 miles
- C) 0.5 miles

No. VLOS is required at all times. A camera provides supplemental awareness but does not replace the unaided visual requirement.

Q33. Can two remote pilots operate one drone simultaneously?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. Only one remote pilot in command can be responsible for the operation of a drone at any given time.

Q34. What is the right-of-way rule for unmanned aircraft?

- A) Without notification to FAA
- B) With ATC permission
- C) **Unmanned aircraft must yield right of way to all manned aircraft ✓**

Unmanned aircraft must yield right of way to all manned aircraft. This is an absolute rule to ensure safety.

Q35. Can a Part 107 drone operate over a highway?

- A) Always OK
- B) Allowed below 100ft
- C) **Only with a waiver or special authorization ✓**

Only with a waiver or special authorization. Flying over a highway requires specific approval as it poses hazards to traffic below.

Q36. Can a Part 107 drone fly over moving vehicles?

- A) **No, unless specifically authorized through a waiver ✓**
- B) Yes, with permission
- C) Yes, no restrictions

No, unless specifically authorized through a waiver. Unmanned aircraft cannot fly over moving vehicles without approval.

Q37. What is a Remote ID requirement?

- A) **Broadcast location and ID via Remote ID ✓**
- B) All exempt
- C) Regulated by local authorities

All drones must broadcast their location and identification information via Remote ID. This allows authorities to identify the drone and operator.

Q38. Are there exemptions from Remote ID requirements?

- A) **Yes, limited exemptions exist ✓**
- B) Official FAA pilot
- C) Different rules apply

Yes, limited exemptions exist for aircraft weighing under 0.55 pounds, recreational flights under Section 336, and certain operations in controlled airspace with authorization.

Q39. What is a Recreational Drone Pilot?

- A) **Flies under Part 101 with fewer requirements ✓**
- B) Yes, with permission
- C) Yes, no restrictions

A person flying under Section 336 (later Part 101) with less stringent requirements than Part 107, including no certificate requirement. But Part 107 rules are stricter for commercial operations.

Q40. What is the difference between a Part 107 remote pilot and a recreational pilot?

- A) Yes, always allowed
- B) **Certified pilots can conduct commercial ops ✓**
- C) Yes, no restrictions

Part 107 pilots must be certified and can conduct commercial operations. Recreational pilots (Part 101) do not need a certificate but cannot operate commercially.

Q41. Can a Part 107 drone operate over water?

- A) No, always prohibited
- B) **Yes, if all Part 107 rules followed ✓**
- C) No, illegal

Yes, Part 107 drones can operate over water, but they must still maintain VLOS, stay within 400 feet AGL, and follow all other Part 107 rules.

Q42. What is an aeronautical decision?

- A) Yes, always allowed
- B) **Decisions affecting operation safety ✓**
- C) Yes, no restrictions

Any decision made by the remote pilot that affects the safety of the operation, including go/no-go decisions, route planning, and response to hazards.

Q43. What is required for emergency authority in Part 107 operations?

- A) **Can deviate if necessary for safety ✓**
- B) Never allowed
- C) Self-auth OK

In an emergency, the remote pilot can deviate from Part 107 rules if necessary to ensure safety. However, they must report this to the FAA and justify the deviation.

Q44. What drugs are prohibited for Part 107 pilots?

- A) No requirement
- B) Unimportant
- C) **Any impairing drug including marijuana ✓**

Any drug that impairs judgment or motor skills, including marijuana (even in states where legal), cocaine, amphetamines, and certain medications. The pilot must disclose medications affecting flight.

Q45. What is fatigue and how does it affect piloting?

- A) Yes, always allowed
- B) **Exhaustion impairing judgment/reaction ✓**
- C) Yes, no restrictions

Fatigue is physical or mental exhaustion that impairs judgment and reaction time. A fatigued pilot cannot make sound decisions and should not fly.

Q46. How many hours of sleep are recommended before flying?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **At least 8 hours of quality sleep is recommended ✓**

At least 8 hours of quality sleep is recommended. A pilot should be well-rested before operating a drone.

Q47. Can a Part 107 drone operate in rain or precipitation?

- A) Yes, always allowed
- B) Yes, with permission
- C) **If rated for water and deemed safe ✓**

Only if the drone is rated for water exposure and the pilot determines it is safe. Most consumer drones are not waterproof and should not fly in rain.

Q48. What is controlled airspace?

- A) Only with explicit permission
- B) **Airspace where air traffic control services are provided ✓**
- C) With airport written approval

Airspace where air traffic control services are provided. It includes Class B, C, D, and E airspace. Authorization is required to operate in controlled airspace.

Q49. What is uncontrolled airspace?

- A) With airport written approval
- B) Only with explicit permission
- C) **Airspace where no air traffic control is provided ✓**

Airspace where no air traffic control is provided. Primarily Class G airspace. LAANC authorization may still be required, and other rules apply.

Q50. What is a TFR (Temporary Flight Restriction)?

- A) Prohibited always
- B) **FAA restriction for safety/security ✓**
- C) Regulated by local authorities

A restriction issued by the FAA that prohibits or limits flight in specific areas for safety or security reasons. Part 107 pilots must check for TFRs before every flight.

Q51. What is a NO DRONE ZONE?

- A) Without notification to FAA
- B) No report needed
- C) **FAA-prohibited drone areas ✓**

Areas where drones are prohibited, typically established by the FAA for national security, airport safety, or other purposes. These are displayed on sectional charts.

Q52. How should a pilot check for airspace restrictions?

- A) Only with explicit permission
- B) **Use LAANC, check NOTAMs/TFRs/sectional charts ✓**
- C) With airport written approval

Use LAANC for real-time airspace authorization, check NOTAMs and TFRs on the FAA website, use sectional charts, and contact local ATC if unsure.

Q53. What is a NOTAM?

- A) Yes, always allowed
- B) **Notices to Airmen ✓**
- C) Yes, no restrictions

Notices to Airmen. Important notices distributed to pilots about flight operations, including airspace restrictions, hazards, and facility changes.

Q54. Can a Part 107 drone drop payload?

- A) No, always prohibited
- B) No, requires waiver
- C) **Yes, but only under certain conditions ✓**

Yes, but only under certain conditions. The payload must be secure and the operation must not violate safety requirements or regulations.

Q55. What is the maximum distance between a remote pilot and drone for VLOS?

- A) **No max distance, must see with unaided vision ✓**
- B) 2 miles
- C) 0.5 miles

There is no specified maximum distance, but the remote pilot must be able to see the aircraft with unaided vision at all times. Typically this is within 500 feet depending on aircraft size.

Q56. Can a Part 107 drone be operated from inside a vehicle?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No, not while the vehicle is moving ✓**

No, not while the vehicle is moving. The remote pilot must be in a stable position with clear view of the sky and surrounding airspace.

Q57. What is required if a drone causes injury or property damage?

- A) **Report to FAA, may be liable for damages ✓**
- B) No separation
- C) Manned priority

The remote pilot must report the incident to the FAA and may be liable for damages. Insurance is recommended to cover potential liability.

Q58. Is drone liability insurance required?

- A) Only for commercial ops
- B) **Recommended for commercial operations ✓**
- C) Not required ever

Not required by Part 107, but highly recommended for commercial operations to protect against property damage and injury claims.

Q59. What is the minimum coverage for drone insurance?

- A) Without notification to FAA
- B) Prohibited
- C) **\$1-2 million standard coverage ✓**

Coverage varies by policy, but \$1-2 million in liability coverage is standard for commercial operations.

Q60. Can a Part 107 drone operate in a National Park?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Generally no ✓**

Generally no. The National Park Service prohibits drone operations in most parks. Some exceptions exist with special permission, but authorization is rarely granted.

Q61. Can someone other than the Part 107 remote pilot control the drone?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. Only the certified remote pilot in command can control the flight controls during operation.

Q62. What is a crew member under Part 107?

- A) Without notification to FAA
- B) **Person involved in operation (not pilot) ✓**
- C) Regulated by local authorities

A person, other than the remote pilot, who is involved in the operation. This includes the visual observer and any maintenance personnel.

Q63. How far must a drone stay from other aircraft?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Part 107 requires yielding to all aircraft ✓**

Part 107 requires yielding to all aircraft. The drone must maintain safe separation and avoid any collision risk.

Q64. What is required before each flight?

- A) **Inspect, check weather/airspace/NOTAMs ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Preflight inspection of the aircraft, weather briefing, airspace check (LAANC), NOTAM review, TFR check, and confirmation of all necessary permissions.

Q65. Can a Part 107 drone operate in fog?

- A) **Only if the pilot can maintain VLOS ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Only if the pilot can maintain VLOS. In most cases, fog reduces visibility below 3 statute miles, which violates Part 107 minimums.

Q66. What is the maximum duration for a Part 107 flight?

- A) Without notification to FAA
- B) **No max duration, battery must support flight ✓**
- C) Regulated by local authorities

No maximum duration is specified, but the battery and fuel must support safe flight, return, and landing. Most drones have 20-40 minute endurance.

Q67. What happens if airspace authorization is denied by LAANC?

- A) **The operation cannot proceed in that airspace ✓**
- B) With airport written approval
- C) Only with explicit permission

The operation cannot proceed in that airspace. The remote pilot must request a waiver or change the operation location.

Q68. Can a Part 107 drone operate in Class A airspace?

- A) With airport written approval
- B) Only with explicit permission
- C) **No ✓**

No. Class A airspace (18,000+ feet) is only for IFR aircraft. Part 107 operations are limited to 400 feet AGL.

Q69. What is the Part 107 knowledge test format?

- A) **60 multiple-choice questions ✓**
- B) Pass with 80% or higher
- C) Pass with 75% or higher

60 multiple-choice questions. A score of 70% or higher (42 correct) is required to pass.

Q70. How long is the Part 107 knowledge test?

- A) Pass with 80% or higher
- B) **120 minutes (2 hours) to complete the exam ✓**
- C) Pass with 75% or higher

120 minutes (2 hours) to complete the exam.

Q71. Where can the Part 107 knowledge test be taken?

- A) **FAA-approved centers or online remote proctoring ✓**
- B) Pass with 80% or higher
- C) Pass with 75% or higher

At FAA-approved testing centers (PSI, Pearson, or similar) or online through approved remote proctoring services.

Q72. What is required to register a drone with the FAA?

- A) **13+ years old, FAA username, \$5 fee ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The owner must be at least 13 years old (or their parent/guardian), have an FAA username, and pay the \$5 registration fee. Registration is valid for 3 years.

Q73. Must the drone registration number be marked on the aircraft?

- A) No, always prohibited
- B) No, requires waiver
- C) **Yes ✓**

Yes. The registration number must be clearly marked on the outside of the aircraft so it can be easily read.

Q74. What is the definition of a small unmanned aircraft?

- A) Yes, always allowed
- B) **An unmanned aircraft weighing 0 ✓**
- C) Yes, no restrictions

An unmanned aircraft weighing 0.55 pounds or more but not more than 55 pounds, operating at altitudes not exceeding 400 feet AGL.

Q75. What is required if a drone crashes or has an accident?

- A) **Check injuries, secure area, report FAA ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The remote pilot should ensure no one was injured, secure the area, report to FAA if required (serious injury or significant property damage), and investigate the cause.

Q76. Can a Part 107 pilot fly multiple drones at once?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. A single remote pilot in command can only operate one drone at a time under Part 107 rules.

Q77. What is the requirement for anti-collision lighting?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Not required by Part 107 for daytime operations ✓**

Not required by Part 107 for daytime operations. However, anti-collision lighting is required for night operations.

Q78. What is the purpose of a Part 107 waiver?

- A) Yes, always allowed
- B) **Allow non-compliant ops when safe ✓**
- C) Yes, no restrictions

To allow specific operations that do not comply with certain Part 107 rules, when the FAA determines the operation can be conducted safely.

Q79. How long does a Part 107 waiver last?

- A) **Typically 2 years, but varies ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Waivers are issued for a specific duration, typically 2 years, but this can vary based on the operation and FAA determination.

Q80. What is required to operate a drone commercially?

- A) **Valid certificate, registration, waiver ✓**
- B) With proper disclaimer
- C) If pilot is Part 61 certified

A Part 107 remote pilot certificate, registration of the drone, valid waiver or authorization if needed, proper insurance, and compliance with all applicable rules.

Q81. Can a Part 107 pilot charge for drone services?

- A) No, always prohibited
- B) No, requires waiver
- C) **Yes ✓**

Yes. Any compensation for services is considered commercial operation and requires a Part 107 certificate.

Q82. What is the difference between a sUAS and UAS?

- A) **sUAS (small Unmanned Aircraft System) refers to drones under 55 pounds ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

sUAS (small Unmanned Aircraft System) refers to drones under 55 pounds. UAS is a broader term for all unmanned aircraft systems, including larger commercial aircraft.

Q83. Drone 45lb, camera 7lb, thermal 5lb. Total weight?

- A) 52lb, legal
- B) **57lb, exceeds ✓**
- C) 50lb, legal

57lb exceeds 55lb Part 107 max. Cannot legally fly. Reduce payload or waiver.

Q84. Drone 54lb, client wants 2lb spotlight. Legal?

- A) Yes, 56lb ok
- B) **No, exceeds ✓**
- C) Yes, batteries

No. $54+2=56\text{lb}$ exceeds 55lb max. Cannot add spotlight.

Q85. 25 minutes before sunrise. Legal start?

- A) Yes, close
- B) **No, need 30 min ✓**
- C) Winter different

No. Part 107 requires 30 min before sunrise. Wait.

Q86. Sunset 1850Z. Latest legal flight end?

- A) 1850Z
- B) **1920Z ✓**
- C) 2000Z

1920Z (30 min after). Land before 1920Z.

Q87. Friend watches FPV through binoculars. VLOS satisfied?

- A) Yes, extends range
- B) **No, unaided required ✓**
- C) Yes, if certified

No. VLOS requires unaided eyes. Binoculars don't satisfy.

Q88. FPV goggles, visual observer has unaided VLOS. Legal?

- A) No, FPV violates
- B) **Yes, observer VLOS ✓**
- C) Waiver only

Yes. Observer provides unaided VLOS. Legal.

Q89. 2 beers at 11 PM, fly 8 AM. Legal?

- A) Yes, 8 hours
- B) **Technically yes, assess impairment ✓**
- C) No, 24 hours

Technically 9 hours passed. Beyond 8-hour rule. If impaired, don't fly. Use judgment.

Q90. Part 107 cert expires 60 days. Continue flying?

- A) **Yes, until expire ✓**
- B) No, recertify 60 days
- C) Yes, indefinitely

Yes, until expiration. Apply for recertification now. After expiration, cannot fly.

Q91. Fly over busy highway power line inspection. Required?

- A) No special auth
- B) **Waiver required ✓**
- C) Notify patrol

Waiver needed (over people). Most highway inspections require waiver.

Q92. Client wants footage inside tall building not visible. Operate?

- A) Yes, client auth
- B) **No, violates VLOS ✓**
- C) Yes, FPV

No. Part 107 requires VLOS. Inside building = no VLOS. Need waiver.

Q93. Drone 0.4lb no sharp edges. Fly over crowd?

- A) No, cannot
- B) **Yes, Category 1 ✓**
- C) Waiver only

Yes. Meets Category 1 (under 0.55lb, safe). Category 1 allows over crowds.

Q94. Waiver issued, new NOTAM conflicts. Fly?

- A) Yes, waiver covers
- B) **No, NOTAMs supersede ✓**
- C) NOTAM approval

No. NOTAMs supersede waivers. Check NOTAMs before every flight.

Q95. BVLOS waiver. Must carry?

- A) Part 107 cert only
- B) **Waiver and proof ✓**
- C) No documentation

Carry waiver document and proof. BVLOS only relieves specific restrictions. Other Part 107 rules apply.

Q96. FPV 3-second video delay. Maintain VLOS?

- A) Yes, video shows
- B) **No, delay prevents ✓**
- C) Yes, slow

No. Delay prevents real-time decisions. Need unaided observer.

Q97. Operate from moving vehicle, passenger observer. Legal?

- A) No, cannot
- B) **Legal if control/VLOS ✓**
- C) Waiver only

Legal if control/VLOS maintained. Moving vehicle adds risk but not prohibited.

Q98. Drone someone else owns, you have power of attorney. Legal operator?

- A) Yes, POA covers
- B) **No, you must be PIC ✓**
- C) If insured

You must be PIC. POA doesn't make you operator. Liability is yours. Ensure documentation.

Q99. Part 107 cert expired 2024-03-15. Current date 2024-03-20. Can fly?

- A) Yes, recent
- B) **No, expired ✓**
- C) 30 day grace

No. Expired = cannot operate legally. Immediately apply for recertification.

Q100. Manufacturer recommends 30-min cool-down between flights. Follow?

- A) Must follow
- B) **Recommended, follow ✓**
- C) Optional

Recommendation = maintenance guidance. Part 107 doesn't mandate. Follow for safety/life.

Q101. Client wants disable anti-collision lights for weight. Safe?

- A) Yes, if auth
- B) **No, keep lights ✓**
- C) Client decides

No. Disabling safety equipment unwise. Lights enhance visibility to manned aircraft. Keep.

Q102. Waiver \"Do not exceed 400ft AGL\". Part 107 default?

- A) Waiver relaxes
- B) **Same as Part 107 ✓**
- C) More strict

Part 107 default is 400ft AGL. Waiver matching default is not relaxation. Check if waiver relaxes.

Q103. Registration \"Non-commercial only\". Now flying commercial. Legal?

- A) Yes, if insured
- B) **No, violates ✓**
- C) Yes, same

No. Registration specifies non-commercial. Commercial needs Part 107 and different registration.

Q104. State requires drone license different from Part 107. Must comply?

- A) Part 107 sufficient
- B) **Check state reqs ✓**
- C) State preempted

Check state regulations. State laws can be more restrictive. May need both licenses.

Q105. Drone modified with non-approved payload. Responsible?

- A) Manufacturer liable
- B) **You're responsible ✓**
- C) No liability

Yes. Operating outside specs voids protection. You're responsible for safety. Use approved.

Q106. Commercial mission without liability insurance. Risk?

- A) Low risk
- B) **High financial risk ✓**
- C) Client responsible

High risk. Insurance typically required contractually/legally. Uninsured exposes you.

Q107. Waiver \"Specific lat/long only\". Fly 0.5 miles away. Legal?

- A) Yes, close
- B) **No, outside coords ✓**
- C) Get new

No. Location-specific. Outside coordinates = outside waiver. Non-compliant.

Q108. Flying drone 400ft AGL max as required. Using pressure altimeter. Error margin?

- A) No error
- B) **50ft typical error ✓**
- C) 10ft error

Pressure altimeters can have plus-minus 50ft error. At 400ft AGL limit, error is significant. Use GPS altitude for compliance.

Q109. Waiver authorized Flights up to 500ft AGL in Class E. Operate?

- A) Can use 500ft
- B) **Check waiver terms ✓**
- C) Limited to 400ft

Waiver says up to 500ft. 400ft Part 107 limit still applies unless waiver specifically relaxes. Check waiver text.

Q110. Operating drone on another remote pilot's Part 107 cert. Legal?

- A) Yes, delegation
- B) **No, PIC requirement ✓**
- C) If authorized

No. Only the certificate holder (PIC) can legally operate under that certification. You need your own cert.

Q111. Drone payload includes classified/sensitive camera. Fly?

- A) Yes, client auth
- B) **No, special auth needed ✓**
- C) If government

Government classified missions require special authorization. Cannot fly classified equipment without proper authority. Decline.

Q112. Insurance exclusion says Storm chasing operations. Fly in marginal weather?

- A) Still covered
- B) **No, voids coverage ✓**
- C) Check coverage

Insurance exclusion = not covered for operations. Operating excluded activity voids coverage. Violates insurance contract.

Q113. Receiving flight training in Part 107 drone. Instructor has cert. Legal?

- A) Unrestricted
- B) **Still under Part 107 ✓**
- C) Training exempt

Instructor conducting training must ensure all operations comply with Part 107. Training flights still under Part 107.

Q114. Contracted to fly in critical infrastructure mission. Document requirements?

- A) Informal notes
- B) **Detailed documentation ✓**
- C) No doc needed

Critical infra = sensitive. Document flight plan, crew, weather, airspace, safety measures. Liability/regulatory.

Q115. Company policy requires drone insurance. No incident in 2 years. Still buy?

- A) No, good record
- B) **Yes, liability protection ✓**
- C) Ask company

Yes. Insurance protects against major liability claims and third-party damage. Even with good record, buy insurance.

Q116. Drone transmitter loses signal to drone. Procedure?

- A) Retrieve manually
- B) **RTH failsafe critical ✓**
- C) Assume loss

Signal loss = loss of control. Drone should return-to-home or descend safely. But verify RTH/failsafe configured correctly.

Q117. Client says they will sign waiver. You still liable?

- A) Client liable
- B) **You are liable ✓**
- C) Shared

Client signing waiver does not release you of operational responsibility. You (PIC) are liable for safe operations regardless.

Q118. Damage to drone after flight. Repair before re-flight?

- A) Unnecessary
- B) **Always required ✓**
- C) Optional

Yes, always inspect and repair damage before next flight. Determine airworthiness. Document repairs.

Q119. Flying drone on private property without owner permission. Legal?

- A) Yes, airspace
- B) **No, need permission ✓**
- C) If careful

No. Trespassing = violation. Own property or get explicit permission before operating on private land.

Q120. Operating drone as hobby (non-commercial). Still need Part 107?

- A) No, hobby exempt
- B) **Check recreational rules ✓**
- C) Always required

Hobby operations can use recreational rules OR Part 107 for Part 107 ops. Commercial always = Part 107.

Q121. Drone damaged in accident. Report requirement?

- A) Unnecessary
- B) **Report to FAA ✓**
- C) Optional

Report accidents to FAA per regulations. Serious injury/property damage reporting mandatory. Keep documentation.

Q122. VLOS requirement: how far away can drone be seen?

- A) 100 feet
- B) **300-500 feet typical ✓**
- C) 1 mile

No specific distance limit, but must be clearly visible unaided. Typically 300-500 feet depending on visibility.

Q123. Remote pilot certificate shows \"Not to exceed 55 lbs\". Means?

- A) Can be higher
- B) **55 lb maximum ✓**
- C) No waiver required

Your operations limited to aircraft under 55 lbs. Standard Part 107 maximum. Follow this limit strictly.

Q124. Waiver says \"Limited to 1000 ft AGL\". Part 107 is 400 ft. Operate?

- A) Limited to 400ft
- B) **Can use 1000ft ✓**
- C) Average them

Waiver sets higher limit. Can operate up to 1000 ft under this waiver. 400 ft Part 107 limit superseded by waiver.

Q125. Part 107 cert holder supervising non-certified pilot. Legal?

- A) Yes, supervision ok
- B) **No, PIC must be certified ✓**
- C) If documented

No. Non-certified person cannot act as PIC. Cert holder can supervise training but PIC responsibility still applies.

Q126. Operating drone belongs to different company. Liability?

- A) Owner liable
- B) **You liable as PIC ✓**
- C) Company liable

You (PIC) responsible for safe operations regardless of ownership. Insurance and liability are your responsibility.

Q127. Flying commercial mission, client has insurance. You need insurance?

- A) Client covers
- B) **You need own insurance ✓**
- C) No insurance needed

Yes. You (operator) are responsible for your own liability insurance. Client insurance doesn't cover your liability.

Q128. Remote pilot cert says \"Rec Pilot\" (Recreational). Commercial drone flight?

- A) Can do commercial
- B) **No, needs Part 107 ✓**
- C) With permission

Recreational certificate limits to recreational use. Commercial requires Part 107. Must have Part 107 cert.

Q129. Drone used for photography business. License needed?

- A) No license
- B) **Part 107 required ✓**
- C) Business license

Yes. Photography business = commercial use. Requires Part 107 remote pilot certificate and operational compliance.

Q130. Drone involved in minor fender-bender with car. Report?

- A) No report
- B) **Report to FAA ✓**
- C) Oral only

Yes. Any aircraft accident/incident involving property damage should be reported to FAA per regulations.

Q131. Operating drone in another state. Different state rules apply?

- A) Part 107 only
- B) **Check state reqs ✓**
- C) Fed preempts

Check state regulations. States can impose additional requirements beyond Part 107. Comply with all.

AIRSPACE (113 Cards)**Q1. What are the classes of airspace?**

- A) With airport written approval
- B) Only with explicit permission
- C) **Class A, B, C, D, E, and G ✓**

Class A, B, C, D, E, and G. Classes A-E are controlled airspace where ATC services are provided. Class G is uncontrolled airspace.

Q2. What is Class B airspace?

- A) Only with explicit permission
- B) **Controlled airspace surrounding the busiest airports ✓**
- C) With airport written approval

Controlled airspace surrounding the busiest airports. It extends from the surface up to 10,000 feet MSL. Approval from ATC is required. Depicted with solid blue lines on sectional charts.

Q3. What is the transponder requirement for Class B airspace?

- A) With airport written approval
- B) **A Mode C transponder is required ✓**
- C) Only with explicit permission

A Mode C transponder is required. Mode C provides altitude reporting to ATC.

Q4. Can a Part 107 drone operate in Class B airspace?

- A) **Only with specific LAANC authorization and approval from ATC ✓**
- B) With airport written approval
- C) Only with explicit permission

Only with specific LAANC authorization and approval from ATC. The operation must be conducted under controlled conditions.

Q5. What is Class C airspace?

- A) **Controlled airspace around moderate traffic airports ✓**
- B) With airport written approval
- C) Only with explicit permission

Controlled airspace around moderate traffic airports. It extends from the surface to 4,000 feet AGL (typical). Depicted with solid magenta lines on sectional charts.

Q6. What is the communication requirement for Class C airspace?

- A) **Two-way radio communication must be established with ATC before entering ✓**
- B) Only with explicit permission
- C) With airport written approval

Two-way radio communication must be established with ATC before entering. Unmanned aircraft operating under Part 107 need LAANC authorization.

Q7. What is Class D airspace?

- A) Only with explicit permission
- B) With airport written approval
- C) **Controlled airspace around smaller airports with a control tower ✓**

Controlled airspace around smaller airports with a control tower. It extends from the surface to 2,500 feet AGL (typical). Depicted with dashed blue lines on sectional charts.

Q8. What is required to operate in Class D airspace?

- A) Only with explicit permission
- B) **Two-way radio communication with ATC, though clearance is not always denied ✓**
- C) With airport written approval

Two-way radio communication with ATC, though clearance is not always denied. For drones, LAANC authorization is required.

Q9. What is Class E airspace?

- A) With airport written approval
- B) Only with explicit permission
- C) **Controlled airspace that does not fit into B, C, or D categories ✓**

Controlled airspace that does not fit into B, C, or D categories. Can start at the surface or at 700/1,200 feet AGL. Depicted with dashed magenta lines on sectional charts.

Q10. What is the typical size of a Class E surface area?

- A) **Class E surface areas extend about 4 nautical miles around small airports with instrument approaches ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Class E surface areas extend about 4 nautical miles around small airports with instrument approaches. They can be irregular in shape.

Q11. What is Class G airspace?

- A) With airport written approval
- B) Only with explicit permission
- C) **Uncontrolled airspace where no ATC services are provided ✓**

Uncontrolled airspace where no ATC services are provided. It typically exists below Class E airspace. Depicted as white on sectional charts.

Q12. Can a Part 107 drone operate freely in Class G airspace?

- A) Only with explicit permission
- B) **Yes, if Part 107 rules are followed ✓**
- C) With airport written approval

Generally yes, as long as the drone follows Part 107 rules (400 feet AGL, 3SM visibility, etc.). However, LAANC authorization may still be required in some areas.

Q13. What are Special Use Airspace areas?

- A) Only with explicit permission
- B) With airport written approval
- C) **Designated airspace where activities are restricted ✓**

Designated airspace where activities are restricted. Includes Military Training Routes (MTR), Restricted Areas, Prohibited Areas, and Warning Areas.

Q14. What is a Military Training Route?

- A) Yes, always allowed
- B) **Airspace designated for military aircraft training ✓**
- C) Yes, no restrictions

Airspace designated for military aircraft training. Part 107 drones should avoid these areas, though they are not always restricted.

Q15. What is a Restricted Area?

- A) Yes, always allowed
- B) **Airspace containing activities that would be hazardous to non-participating aircraft ✓**
- C) Yes, no restrictions

Airspace containing activities that would be hazardous to non-participating aircraft. Entry is not prohibited but hazardous activity may be ongoing.

Q16. What is a Prohibited Area?

- A) Yes, always allowed
- B) **Airspace where flight is not permitted except by special authorization ✓**
- C) Yes, no restrictions

Airspace where flight is not permitted except by special authorization. Examples include areas around the White House and nuclear power plants.

Q17. What is a TFR (Temporary Flight Restriction)?

- A) Yes, always allowed
- B) **A FAA-issued notice that temporarily restricts flight in a specific area ✓**
- C) Yes, no restrictions

A FAA-issued notice that temporarily restricts flight in a specific area. TFRs are issued for security, disaster relief, or VIP movements.

Q18. How should a pilot check for TFRs?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Check FAA website, LAANC, NOTAMs ✓**

Check the FAA website (faa.gov/tfr), use LAANC, review NOTAMs, or contact local Flight Service.

Q19. What is LAANC?

- A) Yes, always allowed
- B) **Low Altitude Authorization and Notification Capability ✓**
- C) Yes, no restrictions

Low Altitude Authorization and Notification Capability. A system that provides real-time airspace authorization for drone operations below 400 feet in controlled airspace.

Q20. How does LAANC work?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **The remote pilot submits flight details through LAANC app, which communicates with ATC facilities ✓**

The remote pilot submits flight details through LAANC app, which communicates with ATC facilities. Authorization is typically granted in minutes if the operation is safe.

Q21. Is LAANC authorization guaranteed?

- A) Yes, always allowed
- B) Yes, with permission
- C) **No ✓**

No. LAANC authorization can be denied if the operation conflicts with manned aircraft operations or other safety concerns.

Q22. What airspace does LAANC cover?

- A) Only with explicit permission
- B) **Available near many Class B/C/D/E airports ✓**
- C) With airport written approval

LAANC is available around many airports nationwide, primarily covering Class B, C, D, and some E airspace areas.

Q23. What information must be provided for LAANC authorization?

- A) **Operator information, drone specifications, flight location, altitude, duration, and purpose ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Operator information, drone specifications, flight location, altitude, duration, and purpose. This information is used to assess airspace compatibility.

Q24. How long is a LAANC authorization valid?

- A) **Typically valid for the specific time window requested, usually up to several hours ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Typically valid for the specific time window requested, usually up to several hours. The pilot must fly during the authorized window.

Q25. What is a sectional chart?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **A detailed map showing airspace, terrain, airports, navigation aids, and hazards ✓**

A detailed map showing airspace, terrain, airports, navigation aids, and hazards. It is color-coded to show airspace classes and includes all relevant flight information.

Q26. What color represents Class B airspace on a sectional chart?

- A) Only with explicit permission
- B) **Blue ✓**
- C) With airport written approval

Blue. Class B airspace is depicted with solid blue circles or lines.

Q27. What color represents Class C airspace on a sectional chart?

- A) **Magenta ✓**
- B) With airport written approval
- C) Only with explicit permission

Magenta. Class C airspace is depicted with solid magenta circles or lines.

Q28. What color represents Class D airspace on a sectional chart?

- A) Only with explicit permission
- B) **Blue ✓**
- C) With airport written approval

Blue. Class D airspace is depicted with dashed blue circles, distinguishing it from Class B.

Q29. How are airport symbols represented on sectional charts?

- A) **Airports are shown as circles or propeller symbols ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Airports are shown as circles or propeller symbols. The size and fill indicate the type and services available (controlled, uncontrolled, military, etc.).

Q30. How are military bases indicated on sectional charts?

- A) Without notification to FAA
- B) **Military areas are shown with specific symbols and labels ✓**
- C) Regulated by local authorities

Military areas are shown with specific symbols and labels. They are often Restricted or Prohibited areas where civilian flight is not permitted.

Q31. What is a MOA (Military Operations Area)?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Airspace designated for military training ✓**

Airspace designated for military training. Operations are conducted at any altitude, but the area is not prohibited. Check NOTAMs for activity status.

Q32. What is the minimum altitude for Class B airspace?

- A) Only with explicit permission
- B) With airport written approval
- C) **The surface (ground level) ✓**

The surface (ground level). Class B airspace extends from the ground up to 10,000 feet MSL.

Q33. What is the maximum altitude for Class C airspace?

- A) 300 feet AGL
- B) **Typically 4,000 feet AGL above the airport elevation ✓**
- C) 600 feet AGL

Typically 4,000 feet AGL above the airport elevation. The exact altitude varies by airport.

Q34. What is a Mode C veil?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Area around Class B where transponder required ✓**

An area around Class B airspace (often 30nm radius) where aircraft below 10,000 feet must have a Mode C transponder.

Q35. Can Part 107 drones operate in Mode C veil areas?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Exempt from Mode C, still need LAANC ✓**

Part 107 drones are typically exempt from Mode C requirements, but they still need LAANC authorization if in controlled airspace.

Q36. What is the typical radius of Class B airspace around a major airport?

- A) With airport written approval
- B) **30nm outer ring, 10-20nm inner rings ✓**
- C) Only with explicit permission

Approximately 30 nautical miles (nm) for the outer ring, with inner rings of 10-20 nm at lower altitudes.

Q37. What is a Terminal Radar Service Area (TRSA)?

- A) Yes, always allowed
- B) **Airspace around certain airports where radar service is provided ✓**
- C) Yes, no restrictions

Airspace around certain airports where radar service is provided. It is not controlled airspace but radar service improves safety.

Q38. Are Part 107 drones affected by TRSA?

- A) Without notification to FAA
- B) **No specific TRSA requirements for Part 107 drones, but operations near TRSAs should follow ATC ✓**
- C) Regulated by local authorities

No specific TRSA requirements for Part 107 drones, but operations near TRSAs should follow ATC guidance if provided.

Q39. What is a Flight Service Station?

- A) Without notification to FAA
- B) **Provides briefing and flight plan services ✓**
- C) Regulated by local authorities

A facility that provides flight briefing, weather information, and flight plan filing services to pilots. Available by phone or online.

Q40. Can a Part 107 pilot get a preflight weather briefing?

- A) No, always prohibited
- B) No, requires waiver
- C) **Yes ✓**

Yes. Flight Service provides comprehensive briefings including weather, NOTAMs, and airspace information.

Q41. What is a NON VOR?

- A) **A navigation station that emits radio signals used for aircraft navigation ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

A navigation station that emits radio signals used for aircraft navigation. These are marked on sectional charts.

Q42. What is an NDB?

- A) **Non-Directional Beacon ✓**
- B) Yes, with permission
- C) Yes, no restrictions

Non-Directional Beacon. An older navigation aid that is being phased out. Marked on sectional charts.

Q43. Can Part 107 drones use navigation aids?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Part 107 drones typically use GPS and do not need traditional navigation aids ✓**

Part 107 drones typically use GPS and do not need traditional navigation aids. However, they must stay within 400 feet AGL and maintain VLOS.

Q44. What is an Airspace Boundary?

- A) Only with explicit permission
- B) With airport written approval
- C) **The vertical and lateral limits of a controlled airspace area ✓**

The vertical and lateral limits of a controlled airspace area. Boundaries are shown on sectional charts and NOTAMs.

Q45. What is MSL vs. AGL?

- A) Without notification to FAA
- B) **MSL (Mean Sea Level) is altitude measured from sea level ✓**
- C) Regulated by local authorities

MSL (Mean Sea Level) is altitude measured from sea level. AGL (Above Ground Level) is altitude measured from the ground elevation. Part 107 limits are in AGL.

Q46. How is terrain elevation shown on sectional charts?

- A) Without notification to FAA
- B) **Elevation is shown in brown contour lines ✓**
- C) Regulated by local authorities

Elevation is shown in brown contour lines. Highest elevations are marked with numbers. This helps determine AGL altitude for flights.

Q47. What is a tower frequency?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **The radio frequency used to communicate with the airport control tower ✓**

The radio frequency used to communicate with the airport control tower. Listed on sectional charts and must be used when required.

Q48. What is CTAF (Common Traffic Advisory Frequency)?

- A) Without notification to FAA
- B) **The frequency used for traffic advisories at uncontrolled airports ✓**
- C) Regulated by local authorities

The frequency used for traffic advisories at uncontrolled airports. Pilots report positions and listen for other traffic.

Q49. Can Part 107 drones communicate via CTAF?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Part 107 drones do not have radios, but operations near uncontrolled airports should be announced ✓**

Part 107 drones do not have radios, but operations near uncontrolled airports should be announced by the remote pilot if possible.

Q50. What is a UNICOM frequency?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **A frequency used for general airport information and services at uncontrolled airports (e.g., requesting runway information) ✓**

A frequency used for general airport information and services at uncontrolled airports (e.g., requesting runway information).

Q51. What is an ATIS?

- A) **Automatic Terminal Information Service ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Automatic Terminal Information Service. A recorded message with airport weather, runway information, and conditions. Available at major airports.

Q52. What information is shown on the airport symbol on a sectional chart?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Name, elevation, runway length, services ✓**

Airport name, elevation (in feet MSL), runway length, availability of fuel and services, and control tower frequency (if applicable).

Q53. Can Part 107 drones operate at heliports?

- A) **Only with permission from the heliport operator ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Only with permission from the heliport operator. Heliports are active flight areas where drone operations could conflict with helicopter traffic.

Q54. What is the purpose of a NOTAM?

- A) Yes, always allowed
- B) Yes, with permission
- C) **To alert pilots to temporary changes in aviation operations, hazards, or airspace restrictions ✓**

To alert pilots to temporary changes in aviation operations, hazards, or airspace restrictions. NOTAMS must be checked before every flight.

Q55. Where can NOTAMs be found?

- A) **On the FAA website, through Flight Service, in LAANC apps, or by calling Flight Service directly ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

On the FAA website, through Flight Service, in LAANC apps, or by calling Flight Service directly.

Q56. What is the format of a NOTAM?

- A) Yes, always allowed
- B) Yes, with permission
- C) **NOTAMs include an identifier, location, effective dates/times, and description of the restriction ✓**

NOTAMs include an identifier, location, effective dates/times, and description of the restriction or hazard.

Q57. Can a Part 107 drone operate in a forest fire area?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Generally no ✓**

Generally no. A TFR is issued around active fires, and operations are prohibited. This is for fire suppression aircraft safety.

Q58. What airspace is above 400 feet AGL in a typical area?

- A) **Class G continues until Class E (1200 ft) ✓**
- B) Only with explicit permission
- C) With airport written approval

Above 400 feet, Class G airspace typically continues until Class E begins (usually at 1,200 feet AGL). Class B, C, D, and E areas vary.

Q59. What is a drone no-fly zone map?

- A) **Map showing prohibited drone areas ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

A map showing areas where drones are prohibited by the FAA, typically around airports, military bases, and sensitive facilities.

Q60. How far from an airport must a drone stay?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Avoid airport approaches/departures ✓**

Part 107 does not specify a fixed distance, but the drone must avoid airport approaches/departures. Many airports have 5-mile restricted zones.

Q61. What is a clear altitude?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **500 ft below, 2000 ft horizontal clearance ✓**

For Part 107 drones, staying 500 feet below clouds and 2,000 feet horizontal from clouds ensures safe operation.

Q62. What is the purpose of cloud clearance requirements?

- A) 1,000 feet below clouds and 2,000 feet horizontal
- B) 250 feet below clouds and 1,000 feet horizontal
- C) **Prevent collisions, ensure pilot visibility ✓**

To prevent collision with manned aircraft that are operating at cloud level and to ensure the pilot can see the drone and surrounding airspace.

Q63. Can Part 107 drones operate in VFR conditions?

- A) No, always prohibited
- B) **Yes ✓**
- C) No, illegal

Yes. VFR conditions are sufficient for Part 107 operations (3SM visibility, 500 feet below clouds, 2,000 feet horizontal from clouds).

Q64. What is IFR airspace?

- A) With airport written approval
- B) **Airspace where Instrument Flight Rules apply ✓**
- C) Only with explicit permission

Airspace where Instrument Flight Rules apply. Part 107 drones are VFR-only and cannot operate in IFR conditions.

Q65. Class E floor 700ft AGL, fly 400ft. Authorization?

- A) Yes, all Class E
- B) **No, below floor ✓**
- C) Need LAANC

No. Below 700ft = uncontrolled. No auth needed at 400ft. Follow Part 107 rules.

Q66. Red dashed lines "R-1" on chart. Airspace?

- A) Open to drones
- B) **Restricted, no entry ✓**
- C) Temporary

Restricted (military training/weapons). Cannot enter without agency authorization.

Q67. NOTAM: TFR 1400-2200Z 2NM stadium. Fly 1500Z?

- A) Yes, edge TFR
- B) **No, TFR prohibits ✓**
- C) Yes, below 200ft

No. TFR active 1500Z. Cannot fly within 2NM. Plan before 1400Z or after 2200Z.

Q68. Flying near heliport with helicopter. Continue?

- A) Yes, helicopters priority
- B) **No, get permission ✓**
- C) Yes, above 100ft

No. Get heliport permission or move away. Active zones.

Q69. Class B floor \"SFC\". Meaning?

- A) Fly below
- B) **Auth from surface ✓**
- C) Special corridor

SFC = ground level. ATC authorization required from surface.

Q70. Sectional \"Private\" airport. Land drone?

- A) Yes, on chart
- B) **No, need permission ✓**
- C) Yes, below 100ft

No. Need owner permission. Violates trespassing and FAA rules.

Q71. In Class G near active airport. Responsibility?

- A) No responsibility
- B) **Yield, remain alert ✓**
- C) Priority in Class G

Yield right of way to manned aircraft. Remain alert, ready to land.

Q72. Warning area \"W-\" on chart. Indicates?

- A) No restrictions
- B) **Caution, check NOTAMs ✓**
- C) Always restricted

Possible hazardous activities. Over international waters. Exercise caution.

Q73. Class C dashed magenta outer circle. Represents?

- A) Auth required
- B) **Suggestion only ✓**
- C) Class D

Outer Class C boundary (~20NM). Authorization required. Comm and Mode C inside.

Q74. Green \"Military Operating Area (MOA)\". Fly through?

- A) No restrictions
- B) **Check NOTAM, caution ✓**
- C) Always restricted

Check NOTAMs. Avoid if active, caution if flying. Military training.

Q75. No tower airport \"UNICOM 122.8\". Means?

- A) Must have auth
- B) **Announce, no auth ✓**
- C) Emergency only

Airport information. Announce intentions. No authorization needed.

Q76. Dashed blue, no tower. Airspace?

- A) Uncontrolled
- B) **Class E, check floor ✓**
- C) Class G

Class E. Check floor altitude. May require ATC auth.

Q77. LAANC request denied. Options?

- A) Cannot fly
- B) **Contact ATC or alternate ✓**
- C) Try later

Contact ATC directly or select different location/time. Unavailable then.

Q78. Sectional blue \"D\" Class D. Floor?

- A) No auth
- B) **Check chart, auth ✓**
- C) Always 1200ft

Typically 1200ft AGL (varies). Check specific floor. ATC auth required.

Q79. Sectional shows \"1200\" AGL floor in white box. Class?

- A) Class B
- B) **Class E, no auth below ✓**
- C) Class D

Class E surface with 1200ft floor. Below 1200ft is uncontrolled. No auth needed below.

Q80. LAANC shows \"Approved\" with tracking. Cleared to?

- A) Automatic flight
- B) **Check conditions/limits ✓**
- C) Fly anywhere

LAANC approval granted for airspace request. Verify altitude limit and conditions. Operate as approved.

Q81. Class E, ATC gives transponder code. Required?

- A) Always required
- B) **Verify with ATC ✓**
- C) Never required

If ATC assigns code, must have transponder. Part 107 drones typically don't. Clarify.

Q82. NOTAM \"PTSI\" power transmission site. Fly there?

- A) Yes, check tower
- B) **No, avoid ✓**
- C) Only LAANC

Avoid power transmission sites. Electricity hazards. Do not fly.

Q83. VFR sectional \"CAUTION\" box near airport. Indicates?

- A) No action
- B) **Note warnings, comply ✓**
- C) Standard

Highlights hazards (military, terrain, etc.). Comply with specific warnings listed.

Q84. TFR \"UAS prohibited\" explicit. Waiver can cover?

- A) Permanent restrictions
- B) **No, explicit prohibition ✓**
- C) Request exception

\"UAS prohibited\" is absolute. Waivers cannot overcome. Do not attempt.

Q85. ATIS \"Advise on initial contact\". Means?

- A) Unimportant
- B) **Report on contact ✓**
- C) Closed

Report special condition on first radio contact. Temporary closure or hazard. Monitor full ATIS.

Q86. Flight Service briefs \"SIGMET\". What is?

- A) Wind report
- B) **Significant weather ✓**
- C) Ceiling

SIGMET = significant weather (thunderstorms, turbulence). Important for all flights. Heed.

Q87. \"Clearance void if not off within 5 minutes\". Means?

- A) Permanent
- B) **Time-limited ✓**
- C) Optional

Clearance expires in 5 minutes. Must launch within time or get new clearance.

Q88. Sectional \"R-2024\" restricted, active 0600-1800, current 1900. Fly through?

- A) Cannot fly
- B) **Can fly if inactive ✓**
- C) Call tower

Restricted inactive at 1900. Can fly through. Verify NOTAM confirms deactivation.

Q89. Sectional shows magenta dashed lines around small airport. Control status?

- A) Uncontrolled
- B) **Class E, auth required ✓**
- C) Class D

Magenta dashed = Class E surface. Control extends ground level at airport. ATC authorization needed.

Q90. LAANC request shows Approved pending callback. Status?

- A) Can launch
- B) **Must call tower ✓**
- C) Automatic approval

Approved but requires tower callback verification. Call tower before launching to confirm. Do not assume approval.

Q91. Flying VFR, controller says Squawk 1234. Response?

- A) Set code
- B) **Verify capability ✓**
- C) Ignore

Squawk code for transponder. If given code, must have mode C. Part 107 drones typically do not. Clarify.

Q92. NOTAM Aerobatic activity near location. Fly?

- A) Yes, stay clear
- B) **No, avoid ✓**
- C) Watch for

Aerobatic activity = unpredictable high-performance aircraft. Risk of collision. Avoid or exercise extreme caution.

Q93. Sectional shows Military Training Route (MTR). Fly through?

- A) Safe
- B) **High hazard, avoid ✓**
- C) Caution

MTRs designated for military low-level training. Expect fast military aircraft. Very hazardous. Avoid.

Q94. ATIS Runway 08 active, Runway 26 closed. Impact on drone ops?

- A) No impact
- B) **Note active runway ✓**
- C) Avoid airport

Runway activity affects airspace flows. Know active runway for traffic patterns. Expect traffic direction.

Q95. Class D with 1200ft floor. TFR overrides showing surface floor. Conflicting?

- A) Use Class D
- B) **Use TFR ✓**
- C) Average

TFR more restrictive. If TFR shows surface floor, follow TFR requirement. Most restrictive applies.

Q96. Flight Service briefs AIRMet (Airmen Meteorological). What is?

- A) Wind advisory
- B) **Weather advisory ✓**
- C) Low level

AIRMet = weather advisory for moderate turbulence, icing, etc. Important for all flight planning. Heed.

Q97. Charter says Flight following available. What is?

- A) No advantage
- B) **ATC monitoring available ✓**
- C) Not useful

Flight following = ATC radar monitoring of your flight. Increases situational awareness and safety. Request if available.

Q98. NOTAM Unmanned Aircraft Operations. Means?

- A) Restricts drones
- B) **Notifies other pilots ✓**
- C) Mandatory TFR

Notice to Airmen warning of drone operations in area. Other pilots alerted to expect drones. Good safety practice.

Q99. Sectional shows dashed green box. Indicates?

- A) Civilian airspace
- B) **Military training area ✓**
- C) Restricted

Dashed green = area of military training. May have aircraft. Caution. Check NOTAMs for activity status.

Q100. Flying Class E, lose communication with ATC. Continue?

- A) Continue
- B) **Land nearby ✓**
- C) Climb above

Attempt re-establish communication. If unable, continue VFR, land at nearest suitable location. Report contact.

Q101. NOTAM shows Drone operations within TFR. Means?

- A) Cannot fly
- B) **Check conditions ✓**
- C) Always safe

Drone operations permitted in TFR. Unusual. Check TFR details and any conditions/restrictions listed.

Q102. Receiving radar vectors from ATC. Follow exactly?

- A) Negotiate
- B) **Follow vectors ✓**
- C) Ignore

Yes, follow ATC vectors. ATC has radar/authority. If vector seems unsafe, clarify but generally follow.

Q103. LAANC shows YELLOW (caution). What does this mean?

- A) Unavailable
- B) **Caution, review limits ✓**
- C) Approved

Yellow = caution, airspace may be available with limitations. Review conditions and restrictions carefully.

Q104. LAANC shows RED (unavailable). Can you request manual approval?

- A) Cannot fly
- B) **Call ATC for manual ✓**
- C) Wait and retry

Yes. RED = automated unavailable. Call ATC for manual authorization request. May be approved.

Q105. NOTAM with FM/UNTIL times. What do these mean?

- A) No restrictions
- B) **Active between times ✓**
- C) Always active

FM = from (start time). UNTIL = end time. NOTAM is active between these times. Comply with timeframe.

Q106. Flying in Class G, see manned aircraft. Action?

- A) No concern
- B) **Maintain alert ✓**
- C) Climb above

Maintain VLOS. Be alert. Yield right of way to manned aircraft. Monitor closely.

Q107. NOTAM \"Released by controller\". What does this mean?

- A) Cannot fly
- B) **ATC clearance given ✓**
- C) Optional

Clearing given by ATC. You are cleared to operate in the specified airspace. Follow other regulations.

Q108. Receiving instruction to climb to 500 ft, but LAANC limit is 350 ft. Action?

- A) Follow ATC
- B) **Follow LAANC ✓**
- C) Average them

Follow LAANC limit (350 ft). LAANC is your authorization. Clarify with ATC about the 500 ft instruction.

Q109. LAANC authorization says max 300ft AGL. Part 107 max 400ft. Operate?

- A) Use 400ft
- B) **Limited to 300ft ✓**
- C) Negotiate

LAANC authorization limits you to 300 ft. This supersedes Part 107 default. Comply with 300 ft limit.

Q110. Flying near medical helicopter during emergency. Procedure?

- A) Continue
- B) **Land immediately ✓**
- C) Climb above

Land immediately. Yield all right of way to emergency aircraft. Do not interfere with rescue operations.

Q111. Sectional shows "[R]" with airspace designation. Meaning?

- A) Restricted to rules
- B) **Restricted airspace ✓**
- C) Routine

[R] = restricted area for specific users (military, etc.). Civilian drones cannot enter without authorization.

Q112. NOTAM shows "CLOSED FOR MAINTENANCE". Current time in maintenance window. Fly?

- A) Can fly
- B) **Cannot fly ✓**
- C) Call tower

No. Airspace closed for maintenance. Do not fly. Plan for another time/location.

Q113. Flying uncontrolled airspace near manned airport. VLOS challenges?

- A) No challenge
- B) **Maintain vigilance ✓**
- C) They avoid

Manned traffic likely. Stay vigilant, maintain excellent VLOS. Yield right of way to manned aircraft.

WEATHER (76 Cards)

Q1. What is a METAR?

- A) **Meteorological Aerodrome Report ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Meteorological Aerodrome Report. A coded weather report issued every hour from airports, containing wind, visibility, clouds, temperature, and pressure.

Q2. What is a TAF?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Terminal Aerodrome Forecast ✓**

Terminal Aerodrome Forecast. A forecast of airport weather issued 4-5 times daily, valid for 24-30 hours.

Q3. What is density altitude?

- A) Without notification to FAA
- B) **Altitude where performance determined by density ✓**
- C) Regulated by local authorities

The altitude at which an aircraft performance is determined by air density. High density altitude reduces aircraft performance. Calculated from actual altitude, temperature, and humidity.

Q4. What factors increase density altitude?

- A) **High temp/humidity/elevation, low pressure ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

High temperature, high humidity, high elevation, and low barometric pressure all increase density altitude and reduce aircraft performance.

Q5. When is fog most likely to form?

- A) **Temperature equals dew point on clear nights ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Fog forms when air temperature equals the dew point, typically on clear nights or in morning hours when ground cooling brings air to saturation.

Q6. What is advection fog?

- A) Without notification to FAA
- B) **Fog that forms when warm, moist air moves over cold water or land ✓**
- C) Regulated by local authorities

Fog that forms when warm, moist air moves over cold water or land. Common near coastlines and water bodies.

Q7. What is radiation fog?

- A) **Ground radiation cooling on calm nights ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Fog that forms due to radiation cooling of the ground on clear, calm nights. Dissipates quickly with sunrise and solar heating.

Q8. What is steam fog?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Fog that forms when cold air moves over warm water ✓**

Fog that forms when cold air moves over warm water. The warm water evaporates and forms visible steam/fog layers.

Q9. What is a thunderstorm?

- A) Without notification to FAA
- B) **Lightning, thunder, heavy rain, strong winds ✓**
- C) Regulated by local authorities

A convective storm with lightning, thunder, heavy precipitation, and strong winds. Accompanied by severe turbulence and hazards to aircraft.

Q10. What are the stages of a thunderstorm?

- A) Without notification to FAA
- B) **1) Developing: updrafts form, 2) Mature: updrafts and downdrafts, heavy precipitation, 3) ✓**
- C) Regulated by local authorities

1) Developing: updrafts form, 2) Mature: updrafts and downdrafts, heavy precipitation, 3) Dissipating: downdrafts dominate, precipitation decreases.

Q11. What is severe turbulence in a thunderstorm?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Violent, erratic air motion that can cause structural damage to aircraft ✓**

Violent, erratic air motion that can cause structural damage to aircraft. Turbulence is strongest in the mature stage of thunderstorms.

Q12. What is wind shear?

- A) Without notification to FAA
- B) **A sudden change in wind direction or speed ✓**
- C) Regulated by local authorities

A sudden change in wind direction or speed. Common near thunderstorms and on approaches to airports. Particularly hazardous during landing.

Q13. What is a gust front?

- A) **Cool downdraft meets warm surface air ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

A boundary where cool downdraft air from a thunderstorm meets warmer surface air. Creates sudden wind and pressure changes.

Q14. How far from a thunderstorm should a Part 107 drone stay?

- A) **At least 10 nautical miles horizontally ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

At least 10 nautical miles horizontally. Thunderstorms are extremely hazardous and should be avoided by a wide margin.

Q15. What is hail?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Hard ice pellets in thunderstorm updrafts ✓**

Precipitation in the form of hard ice pellets, forming in strong updrafts of thunderstorms. Can damage aircraft.

Q16. What is a tornado?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **A violently rotating column of air extending from a thunderstorm ✓**

A violently rotating column of air extending from a thunderstorm. Causes extreme wind damage and is extremely hazardous to aviation.

Q17. What is a microburst?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Localized downdraft spreading on surface ✓**

A strong, localized downdraft from a thunderstorm that spreads outward on the surface. Creates dangerous wind shear for aircraft.

Q18. What is a derecho?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Widespread windstorm with severe storms ✓**

A long-lived, widespread windstorm associated with severe thunderstorms. Can cause extreme wind damage over a large area.

Q19. What is icing?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Ice buildup in supercooled clouds ✓**

Accumulation of ice on aircraft surfaces when flying through clouds with supercooled water droplets. Reduces lift and increases weight.

Q20. Can Part 107 drones experience icing?

- A) **Limited to 400 ft AGL where icing rare ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Part 107 drones are limited to 400 feet AGL, where icing is rare but possible in winter. Avoid flying in visible moisture in cold temperatures.

Q21. METAR: KORD 181856Z 18020G32KT 5SM TSRA OVC025 09/05 A2990. Thunderstorm METAR. Fly?

- A) Yes, stay below clouds
- B) **No, TSRA prohibited ✓**
- C) Yes, if careful

No. TSRA (thunderstorm rain) explicitly prohibited in Part 107. Extreme hazards: lightning, hail, turbulence. Definite no-fly.

Q22. VC (vicinity) TSRA 15 miles away. Delay flight?

- A) No, far enough
- B) **Yes, delay until moves ✓**
- C) Only if overhead

Yes. Thunderstorms 15 miles can move toward you quickly. Strong outflow winds and precipitation at distance. Delay.

Q23. Ground 5kt steady. Drone 20kt sustained limit. Safe?

- A) No, need stronger wind
- B) **Yes, well below limit ✓**
- C) Only if no gusts

Yes. 5kt well below limit. But verify no gusts. Check for wind shear/mountain effects creating gusts.

Q24. Temp 35°F, Dew 34°F. Weather formation likely?

- A) Clear skies
- B) **Fog very likely ✓**
- C) Rain developing

Fog very likely. 1°F spread = near saturation. Evening cooling = fog. Do not plan flight.

Q25. METAR: KDFW 181756Z 16008KT 10SM FEW200 32/18 A3001. FEW200 means?

- A) Clouds at 200ft
- B) **Clouds at 20,000ft, minimal ✓**
- C) Forecast next hours

Clouds at 20,000 feet (high above 400ft AGL). Not a concern. Excellent Part 107 weather.

Q26. Wind 10kt sustained, gusts 20kt. Drone max 18kt. Safe?

- A) Yes, sustained 10kt
- B) **No, 20kt gusts exceed ✓**
- C) Yes, fly low

No. 20kt gusts exceed 18kt maximum. Strict gust limits.

Q27. Temp 25°C, Dew 24°C. Spread 1°C. Fog likely?

- A) No, fog unlikely
- B) **Yes, fog very likely ✓**
- C) Thunderstorms develop

Yes, very likely. Saturation near. Any temp drop = fog.

Q28. Variable wind VRB 8 knots. Predictions?

- A) Stable conditions
- B) **Variable, monitor gusts ✓**
- C) Cannot fly VRB

Variable = gusts/direction changes likely. Light 8kt favorable but monitor.

Q29. METAR: KSFO 181856Z 27008KT 8SM HZ SKC 22/14 A3002. Visibility 8SM haze. Legal?

- A) No, haze blocks
- B) **Yes, meets minimum ✓**
- C) Only night

Yes. 8SM exceeds 3SM minimum. Haze reduces but adequate. Proceed, monitor.

Q30. METAR: 2.5SM visibility mist. Legal Part 107?

- A) Yes, close
- B) **No, below minimum ✓**
- C) Yes, spotlight

No. Requires 3SM minimum. 2.5SM below. Wait for improvement.

Q31. 10,000ft MSL 70°F. Density altitude?

- A) Same 10,000ft
- B) **Higher, degraded ✓**
- C) No effect

~12,000ft equivalent. Degraded performance. Note: Part 107 limits 400ft AGL anyway.

Q32. KJFK 181856Z 18012G22KT 4SM -RA. 4SM rain. Fly?

- A) No, rain blocks
- B) **Legal but rain hazards ✓**
- C) Yes, adequate

4SM legal (>3SM) but rain hazards: visibility, wet propellers, electrical. Marginal—caution.

Q33. Wind shear: 10kt surface, 25kt 300ft. Rated 18kt. Fly 200ft?

- A) Yes, 10kt safe
- B) **Caution, wind increases ✓**
- C) No, grounded

Caution. Below 25kt but approaching limits with altitude. Plan <200ft or postpone.

Q34. KLAS 181556Z 27015G25KT. Gusts 25kt, limit 20kt. Afternoon or evening?

- A) Afternoon
- B) **Evening if drop ✓**
- C) Do not fly

Afternoon marginal. Evening better if winds drop. Check forecast. Evening recommended.

Q35. KMIA 181656Z 18008KT 6SM -RA BKN040 18/16 A3001. Light rain, visibility. Proceed?

- A) No, rain blocks
- B) **Proceed with caution ✓**
- C) Yes, no concerns

Proceed cautiously. 6SM legal but rain and clouds limit altitude. Monitor.

Q36. METAR: KORD 181856Z 18020G32KT 5SM TSRA OVC025. Thunderstorm. Fly?

- A) Yes, stay below
- B) **No, TSRA prohibited ✓**
- C) Yes, careful

No. TSRA prohibited. Extreme hazards: lightning, hail, turbulence.

Q37. VC (vicinity) TSRA 15 miles. Delay?

- A) No, far enough
- B) **Yes, delay ✓**
- C) Only if overhead

Yes. Thunderstorms move quickly. Strong outflow winds. Delay.

Q38. Ground 5kt steady. Drone 20kt limit. Safe?

- A) No, stronger needed
- B) **Yes, below limit ✓**
- C) Only if no gusts

Yes. 5kt well below. Verify no gusts. Check wind shear.

Q39. Temp 35°F, Dew 34°F. Formation?

- A) Clear
- B) **Fog likely ✓**
- C) Rain

Fog very likely. 1°F spread. Do not plan flight.

Q40. KDFW 181756Z 16008KT 10SM FEW200. FEW200 means?

- A) Clouds 200ft
- B) **Clouds 20,000ft ✓**
- C) Forecast

Clouds at 20,000ft (high). Not concern. Excellent weather.

Q41. METAR: KMCO 181856Z 27016KT 10SM SCT080 28/16 A3001. Scattered clouds 8000ft. Part 107 impact?

- A) Must avoid SCT clouds
- B) **No impact, above operations ✓**
- C) Requires descent

No Part 107 impact. 8000ft is well above your 400ft max altitude. SCT (scattered) provides good visibility.

Q42. METAR wind direction 180°, you're flying north. Headwind or tailwind?

- A) Headwind
- B) **Tailwind ✓**
- C) Crosswind

Tailwind. Wind 180° blows from south to north; flying south means wind pushes forward.

Q43. Temperature increasing 5°C per 1000ft. Flying 300ft AGL in 20°C. Temp at altitude?

- A) Much colder
- B) **Slightly cooler ✓**
- C) Much hotter

Temperature slightly decreases with altitude (lapse rate). Will be slightly cooler at 300ft.

Q44. METAR VRB 3-8KT. Variable 3-8 knots. Safe for 5kt limited drone?

- A) Safe
- B) **Marginal, exceeds limit ✓**
- C) Perfect

Marginal. Variable means gusts likely. Upper range 8kt exceeds 5kt limit. Not safe.

Q45. Altimeter setting 29.92. Drone at 200ft AGL. Affected?

- A) Unaffected
- B) **May affect readings ✓**
- C) Must recalibrate

Pressure affects altitude readings. Standard 29.92 = sea level ref. Ensure barometer calibrated.

Q46. METAR wind 270°, RWY 27 (270° magnetic). Wind type?

- A) Crosswind
- B) **Headwind ✓**
- C) Tailwind

Headwind. Wind from 270° directly opposes runway 27. Maximum headwind.

Q47. METAR BKN 2000ft, OVC 4000ft. At 300ft AGL. Ceiling impact?

- A) Cannot operate
- B) **Limited impact ✓**
- C) Must stay below 1500ft

2000ft ceiling is high enough. You can operate at 300ft but must stay 500ft below ceiling.

Q48. TAF BECMG 3SM TSRA. Current 10SM. Transition time?

- A) Within 30 min
- B) **Within 1 hour ✓**
- C) Within 4 hours

BECMG = within 1 hour. Visibility decreasing to 3SM with thunderstorms. Land before.

Q49. 9999 visibility on METAR. Maximum reportable?

- A) Limited
- B) **Excellent visibility ✓**
- C) Threatening

9999 = 10+ statute miles. Excellent visibility. Great for Part 107 VLOS operations.

Q50. Wind gust sustained 15kt, gust 25kt. Gust magnitude?

- A) **10kt ✓**
- B) 25kt
- C) 15kt

Magnitude = 25kt - 15kt = 10kt above sustained. Important safety consideration.

Q51. METAR: Temp 15C, Dew 10C. 5C spread. Fog likelihood?

- A) Fog unlikely
- B) **Fog possible, monitor ✓**
- C) Fog certain

5C spread = moderate dew point spread. Fog possible but not imminent. Monitor for changes as temp drops.

Q52. METAR FEW160, BKN350, OVC500. Clouds affect 350ft AGL flight?

- A) Prohibits flight
- B) **No impact ✓**
- C) Reduces altitude

FEW at 16000ft, BKN at 35000ft, OVC at 50000ft all above your 400ft limit. No impact on Part 107 flight.

Q53. Visibility reported 1/2 SM in heavy snow. Legal Part 107?

- A) Legal
- B) **Below minimum ✓**
- C) Borderline

1/2 SM (0.5 SM) is below 3SM minimum. Not legal. Do not fly. Wait for visibility improvement.

Q54. METAR shows -TSRA (light thunderstorm). Fly?

- A) Yes, light ok
- B) **No, thunderstorms prohibited ✓**
- C) Only light

Even light thunderstorms are prohibited under Part 107. No thunderstorms allowed.

Q55. Temperature 5C, Dew -10C. Spread 15C. Fog?

- A) Fog forming
- B) **Very unlikely, dry ✓**
- C) Heavy fog

Large 15C spread = very dry air. Fog very unlikely. Excellent visibility. Favorable conditions.

Q56. Wind direction shifting 150 to 210 (60 swing). Crosswind component?

- A) Stable
- B) **Variable, monitor ✓**
- C) No effect

60 direction shift = significant crosswind variation. Unpredictable wind. Not ideal flying. Caution.

Q57. Pressure (altimeter) dropping rapidly (0.1 inHg per hour). Meaning?

- A) Stable weather
- B) **System approaching ✓**
- C) Improving

Rapidly falling pressure = major weather system approaching. Deteriorating conditions imminent. Delay flight.

Q58. METAR shows Remarks: Ceiling 200 AGL. Actual ceiling?

- A) Can fly
- B) **Cannot operate ✓**
- C) Marginal

Remarks provide details. Ceiling 200ft AGL means lowest clouds. Cannot maintain 500ft clearance below. Cannot operate.

Q59. Wind at 0600Z calm. By 1200Z, 20 knots. Expected by 1800Z?

- A) Decreasing
- B) **Further increasing likely ✓**
- C) Staying 20kt

Wind increasing during day (heating). By 1800Z likely higher yet. Plan for increasing winds.

Q60. Forecast Wind shear advisory. Impact?

- A) No impact
- B) **Fly with caution ✓**
- C) Cannot fly

Wind shear = wind speed/direction changes with altitude. Hazard for drones. Plan for variable wind. Caution.

Q61. METAR shows RMK (remark). Ignore or check?

- A) Ignore remarks
- B) **Check remarks always ✓**
- C) Optional

Remarks provide important details (ceiling, wind gusts details, etc.). Always check remarks for mission-critical info.

Q62. Forecast Probability 50 percent severe thunderstorms. Fly critical mission?

- A) Fly anyway
- B) **Contingencies/monitor ✓**
- C) Postpone

50 percent = significant risk. For critical mission: contingency plans, close monitoring, ready to cancel. Safer: postpone.

Q63. METAR Wind Shear Alert. What action?

- A) No action
- B) **Plan for changes ✓**
- C) Cannot fly

Wind shear alert = expect significant wind speed/direction changes. Plan for variable wind conditions. Exercise caution.

Q64. METAR wind VRB. What does variable wind mean?

- A) Calm
- B) **Changing direction/speed ✓**
- C) Light

Variable wind = direction and/or speed changing. Unpredictable. May indicate wind shear or microbursts. Monitor.

Q65. METAR SKC. What does Sky Clear mean?

- A) Scattered clouds
- B) **No clouds ✓**
- C) Occasional clouds

SKC = Sky Clear. No clouds reported. Excellent visibility for Part 107 operations.

Q66. METAR temp same as dew point. Humidity?

- A) Low humidity
- B) **100 percent, fog likely ✓**
- C) Dry conditions

When temp = dew point, relative humidity = 100 percent. Saturation. Fog very likely.

Q67. METAR shows -SN (light snow). Fly Part 107?

- A) Yes, light ok
- B) **No, snow prohibited ✓**
- C) Only if brief

No. Snow reduces visibility and can damage electronics. Even light snow (-SN) not safe. Do not fly.

Q68. Altimeter shows 350 ft AGL, baro 29.50. Is this accurate?

- A) Accurate
- B) **May be inaccurate ✓**
- C) Always accurate

Low pressure (29.50) affects altimeter calibration. Actual altitude may differ from reading. Verify with GPS.

Q69. METAR BKN. What does broken cloud coverage mean?

- A) Few clouds
- B) **Most clouds visible ✓**
- C) Heavy cloud coverage

BKN = Broken. 5/8 to 7/8 cloud coverage. Significant cloud cover but some sky visible.

Q70. METAR visibility 10SM+. What does + mean?

- A) Less than 10
- B) **Greater than 10 ✓**
- C) Exactly 10

Greater than 10 statute miles. Excellent visibility. Standard representation of maximum visibility.

Q71. Wind direction 360 degrees. What does this mean?

- A) South wind
- B) **North wind ✓**
- C) Variable

360 degrees = north wind. Wind blowing from north toward south. Standard navigation reference.

Q72. Forecast shows TSTM (thunderstorms) developing. When?

- A) Unlikely
- B) **Monitor forecast closely ✓**
- C) Certain

TSTM indicates thunderstorms possible/developing. Timing varies by forecast period. Delay flight or plan contingency.

Q73. METAR issued at 1856Z. Current time 1945Z. Data freshness?

- A) Current
- B) **1.5 hours old ✓**
- C) Fresh

1856Z data is almost 1.5 hours old. Significant time elapsed. Check latest METAR for current conditions.

Q74. Temperature inversions reported. What is this?

- A) Normal
- B) **Unusual condition ✓**
- C) No impact

Temp inversion = warmer air above cooler air (normal decreases with altitude). Traps pollution, may ground VFR. Monitor.

Q75. METAR temp 32F, dew 30F. 2F spread. Frost possible?

- A) Unlikely
- B) **Frost likely ✓**
- C) Impossible

2F spread = near saturation. Frost/freeze possible as temp drops further. Monitor for icing/frost.

Q76. METAR PRY and PREVAILING wind. What do these mean?

- A) Rare wind
- B) **Main wind ✓**
- C) Future wind

PRY/PREVAILING = primary/prevailing wind direction/speed. Main wind pattern for the observation time.

OPERATIONS (71 Cards)

Q1. What is aeronautical decision making (ADM)?

- A) Without notification to FAA
- B) **A systematic process to decide whether to continue, modify, or cancel a flight ✓**
- C) Regulated by local authorities

A systematic process to decide whether to continue, modify, or cancel a flight. ADM considers risk factors, personal limitations, and alternatives.

Q2. What is the DECIDE model?

- A) **Detect problem, Estimate severity, Choose action, Identify best strategy, Do it, Evaluate result ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Detect problem, Estimate severity, Choose action, Identify best strategy, Do it, Evaluate result. A structured ADM framework.

Q3. What are hazardous attitudes in aviation?

- A) Without notification to FAA
- B) **Anti-authority, Impulsivity, Invulnerability, etc ✓**
- C) Regulated by local authorities

Attitudes that lead to poor decisions: Anti-authority, Impulsivity, Invulnerability, Macho, and Resignation. Each has a negative consequence.

Q4. What is crew resource management (CRM)?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Using all available resources (people, information, equipment) to ensure safe operation ✓**

Using all available resources (people, information, equipment) to ensure safe operation. CRM includes communication, coordination, and error checking.

Q5. What is the role of the remote pilot in CRM?

- A) Without notification to FAA
- B) **Responsible for coordination and safety ✓**
- C) Regulated by local authorities

The remote pilot is responsible for coordination, assigning tasks, making final decisions, and maintaining safety. Must communicate clearly with crew.

Q6. What is the role of the visual observer in CRM?

- A) **The visual observer watches for hazards, communicates sightings to the pilot, and assists in ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The visual observer watches for hazards, communicates sightings to the pilot, and assists in decision-making. Must speak up about safety concerns.

Q7. What is communication in CRM?

- A) Without notification to FAA
- B) **Clear, concise exchange of information between crew members ✓**
- C) Regulated by local authorities

Clear, concise exchange of information between crew members. Prevents misunderstandings and ensures everyone understands the plan.

Q8. What is error management?

- A) Without notification to FAA
- B) **Recognizing errors and correcting them before they cause problems ✓**
- C) Regulated by local authorities

Recognizing errors and correcting them before they cause problems. Good CRM catches and corrects errors throughout the operation.

Q9. What is workload management?

- A) Without notification to FAA
- B) **Distributing tasks appropriately to prevent overload ✓**
- C) Regulated by local authorities

Distributing tasks appropriately to prevent overload. High workload increases error rate and reduces safety. Good CRM prevents excessive workload.

Q10. What is situational awareness?

- A) **Understand position, weather, traffic, airspace ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Complete understanding of the flight situation, including aircraft position, weather, traffic, and airspace. Essential for safe operations.

Q11. What causes loss of situational awareness?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Fixation on one problem, task saturation, fatigue, or distraction ✓**

Fixation on one problem, task saturation, fatigue, or distraction. Lack of communication between crew members. Misinterpretation of information.

Q12. What is stress and how does it affect performance?

- A) Without notification to FAA
- B) **Stress is physical or mental tension ✓**
- C) Regulated by local authorities

Stress is physical or mental tension. Low stress improves focus. High stress impairs judgment and reaction time. Pilots must manage stress.

Q13. What is alcohol and its effects on pilots?

- A) 6 hours
- B) 8 hours
- C) **Alcohol impairs judgment, reduces coordination, and slows reaction time ✓**

Alcohol impairs judgment, reduces coordination, and slows reaction time. Even small amounts affect performance. Never fly after drinking.

Q14. What is the 8-hour rule for alcohol?

- A) 12 hours
- B) 4 hours
- C) **A pilot must not fly within 8 hours of consuming alcohol ✓**

A pilot must not fly within 8 hours of consuming alcohol. This provides margin for alcohol to be metabolized.

Q15. What are drugs and their effects on pilots?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Any drug that impairs judgment or motor skills should not be used before flying ✓**

Any drug that impairs judgment or motor skills should not be used before flying. This includes marijuana, cocaine, and certain medications.

Q16. What is fatigue?

- A) **Physical or mental exhaustion ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Physical or mental exhaustion. Fatigue impairs decision-making and reaction time. A rested pilot is essential for safety.

Q17. How much sleep is needed for safe flight?

- A) **At least 8 hours of quality sleep is recommended ✓**
- B) Yes, with permission
- C) Yes, no restrictions

At least 8 hours of quality sleep is recommended. Night flights may require additional rest. Fatigue should never be ignored.

Q18. What is hypoxia?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Lack of oxygen in the body ✓**

Lack of oxygen in the body. At 400 feet AGL, hypoxia is not a concern for Part 107 operations.

Q19. What is hyperventilation?

- A) Without notification to FAA
- B) **Rapid breathing that reduces CO2 in the body ✓**
- C) Regulated by local authorities

Rapid breathing that reduces CO2 in the body. Can cause dizziness and disorientation. Controlled breathing helps prevent hyperventilation.

Q20. What is spatial disorientation?

- A) **Loss of sense of direction or orientation ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Loss of sense of direction or orientation. Can cause the pilot to lose control of the aircraft. Most dangerous in IMC (Instrument Meteorological Conditions), which Part 107 avoids.

Q21. What is motion sickness?

- A) Without notification to FAA
- B) **Nausea and dizziness from motion ✓**
- C) Regulated by local authorities

Nausea and dizziness from motion. Can impair pilot function. Acclimation and proper rest before flight help prevent motion sickness.

Q22. What is color blindness and its effect on aviation?

- A) Without notification to FAA
- B) **Inability to distinguish certain colors ✓**
- C) Regulated by local authorities

Inability to distinguish certain colors. Can affect ability to see navigation lights and chart symbols. Testing is important for safety.

Q23. What is a crosscheck in flight?

- A) **Verifying information from multiple sources (instruments, visual observer, flight data) ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Verifying information from multiple sources (instruments, visual observer, flight data). Prevents relying on a single source.

Q24. What is briefing?

- A) Without notification to FAA
- B) **Pre-flight discussion of the operation, including plan, hazards, roles, and contingencies ✓**
- C) Regulated by local authorities

Pre-flight discussion of the operation, including plan, hazards, roles, and contingencies. Good briefing prevents misunderstandings.

Q25. What should be included in a pre-flight briefing?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Mission objective, flight plan, weather, airspace restrictions, emergency procedures, communication ✓**

Mission objective, flight plan, weather, airspace restrictions, emergency procedures, communication procedures, and role assignments.

Q26. What is a go/no-go decision?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **A decision point to proceed with or cancel the operation based on current conditions ✓**

A decision point to proceed with or cancel the operation based on current conditions. Made before and during flight.

Q27. What factors are considered in a go/no-go decision?

- A) **Weather, aircraft, pilot fitness, airspace, time ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Weather conditions, aircraft status, pilot fitness, airspace availability, time constraints, and regulatory compliance.

Q28. What is an emergency?

- A) Without notification to FAA
- B) **A situation where immediate action is required to ensure safety ✓**
- C) Regulated by local authorities

A situation where immediate action is required to ensure safety. Includes equipment failure, loss of communication, or weather deterioration.

Q29. What is emergency authority?

- A) Without notification to FAA
- B) **The right to deviate from regulations in an emergency if necessary to ensure safety ✓**
- C) Regulated by local authorities

The right to deviate from regulations in an emergency if necessary to ensure safety. Must be justified and reported to FAA.

Q30. What should be done in an emergency?

- A) **Stabilize the aircraft, declare emergency to ATC (if in controlled airspace), follow emergency ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Stabilize the aircraft, declare emergency to ATC (if in controlled airspace), follow emergency procedures, and land safely.

Q31. What is loss of control recovery?

- A) **Procedures to recover the aircraft to controlled flight ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Procedures to recover the aircraft to controlled flight. For drones, this typically means reducing inputs and allowing stabilization.

Q32. What is battery failsafe?

- A) **Automatic return-to-home or landing when battery is low ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Automatic return-to-home or landing when battery is low. Ensures the aircraft lands safely before power is lost.

Q33. What is GPS failsafe?

- A) Without notification to FAA
- B) **Automatic return-to-home or landing if GPS signal is lost ✓**
- C) Regulated by local authorities

Automatic return-to-home or landing if GPS signal is lost. Helps recover aircraft if connection is interrupted.

Q34. What is loss of signal procedure?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Predetermined action when communication is lost ✓**

Predetermined action when communication is lost. Usually return-to-home automatically. Must be programmed before flight.

Q35. What is checklists purpose?

- A) Yes, always allowed
- B) **Checklists ensure nothing is forgotten ✓**
- C) Yes, no restrictions

Checklists ensure nothing is forgotten. Used for preflight, preflight, during flight, and postflight. Prevents errors and ensures consistency.

Q36. What is preflight planning?

- A) Without notification to FAA
- B) **All planning done before arriving at the flight site ✓**
- C) Regulated by local authorities

All planning done before arriving at the flight site. Includes weather briefing, route planning, airspace research, and contingency planning.

Q37. What is a flight plan?

- A) Without notification to FAA
- B) **A documented plan including route, altitude, waypoints, time estimates, and contingency procedures ✓**
- C) Regulated by local authorities

A documented plan including route, altitude, waypoints, time estimates, and contingency procedures. Helps organize the flight.

Q38. What is a NON-TOWERED airport?

- A) **An airport without a control tower ✓**
- B) Yes, with permission
- C) Yes, no restrictions

An airport without a control tower. Traffic patterns are self-announced. Requires communication procedures but less formal than towered fields.

Q39. Can Part 107 drones operate at airports?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Only with specific permission from the airport and airspace authorization ✓**

Only with specific permission from the airport and airspace authorization. Most airports restrict drone operations due to manned aircraft activity.

Q40. What is right-of-way?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Rules determining which aircraft has priority ✓**

Rules determining which aircraft has priority. Unmanned aircraft must yield to all manned aircraft. Rule is absolute.

Q41. What is see-and-avoid?

- A) Without notification to FAA
- B) **The responsibility of each aircraft to see and avoid other traffic ✓**
- C) Regulated by local authorities

The responsibility of each aircraft to see and avoid other traffic. Requires constant vigilance and adjustment of flight path.

Q42. What is a collision course?

- A) Yes, always allowed
- B) **When two aircraft are on a path to collide ✓**
- C) Yes, no restrictions

When two aircraft are on a path to collide. Indicated by no relative motion (other aircraft appears stationary). Immediate evasive action is required.

Q43. What are aircraft lighting requirements?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Position lights (red, green, white) on manned aircraft ✓**

Position lights (red, green, white) on manned aircraft. Part 107 drones typically do not have lighting for daytime, but lights are needed for night operations.

Q44. What is noise abatement?

- A) Yes, always allowed
- B) Yes, with permission
- C) **Operating the aircraft to minimize noise impact on the area below ✓**

Operating the aircraft to minimize noise impact on the area below. Considerate flying enhances community relations.

Q45. What is documentation?

- A) **Recording flight details including date, time, location, crew, duration, purpose, and any incidents ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Recording flight details including date, time, location, crew, duration, purpose, and any incidents. Important for safety and accountability.

Q46. Load drone 54lb (max). Phoenix 95°F day. Performance?

- A) Normal performance
- B) **Severe degradation ✓**
- C) Slight reduction

Severe degradation. High density altitude + max weight = poor climb, short flight, poor responsiveness.

Q47. Heavy LiDAR sensor added. Drone struggles, unstable. Happening?

- A) Adjusting to weight
- B) **Exceeded limits, do not fly ✓**
- C) Normal for sensors

Exceeded CG/payload limits. Do not fly. Redistribute or reduce payload.

Q48. Max wind 20mph. Forecast 15mph sustained, 28mph gusts. Fly?

- A) Yes, sustained ok
- B) **No, gusts exceed ✓**
- C) Yes, low altitude

No. 28mph gusts exceed 20mph maximum. Gusts more critical than sustained.

Q49. Max climb 10 m/s. Reach 350ft in 25 sec?

- A) Yes, adequate
- B) **Yes ✓**
- C) No, fast

350ft = ~107m. At 10 m/s: 10.7 sec. Yes, possible. Verify actual climb.

Q50. Payload +500g to 1250g. 30 min battery. New flight time?

- A) Same 30
- B) **~18-20 min ✓**
- C) ~15 min

Extra 500g (~40% weight) reduces flight. Expect ~18-20 min (40% reduction). Conservative: 18.

Q51. Motor RPM up when temp drops. Cold day effect?

- A) No impact
- B) **Reduces time ✓**
- C) Improves

Cooler air = denser = more load = higher RPM. May reduce flight time. Allow margin.

Q52. Propeller +30% thrust claims. Weight limit?

- A) Reduces
- B) **Increases ✓**
- C) No change

If +30% thrust, higher payload possible. Confirm with manufacturer. Critical for safety.

Q53. Flying mountains (higher elevation). Density altitude vs sea level?

- A) Better
- B) **Worse ✓**
- C) Same

Higher elevation = higher density altitude. Reduced air = worse performance. Conservative.

Q54. Frame has visible cracks from fall. Airworthy?

- A) Yes, minor
- B) **No, ground ✓**
- C) Maybe

No. Cracks compromise integrity. Risk in-flight failure. Ground until repaired.

Q55. Battery puffed/swollen. Safe to use?

- A) Yes, use
- B) **No, replace ✓**
- C) Monitor

No. Indicates internal damage. Fire/failure risk. Replace and dispose. Don't fly.

Q56. Motor stalls when spinning slowly. Issue?

- A) Warmup fixes
- B) **Inspect ✓**
- C) Normal

Mechanical jam or electrical problem. Requires inspection before flight. Ground.

Q57. Propeller pitch differs between motors. Impact?

- A) Acceptable
- B) **Fix needed ✓**
- C) Calibrate

Uneven pitch = unbalanced thrust = unstable. One weak or props mismatched. Fix.

Q58. Payload 2 kilograms. Drone 3 kilogram. Total 5kg. Part 107 compliant?

- A) Non-compliant
- B) **Compliant ✓**
- C) Marginal

55 pounds = 24.95 kg. 5kg is well within limit. Compliant.

Q59. Flying at sea level elevation. Expected density altitude?

- A) Higher
- B) **Approximately same ✓**
- C) Much higher

Sea level elevation = density altitude approximately equals actual altitude. Standard performance baseline.

Q60. Drone hits tree during flight. Impact assessment?

- A) OK, minor
- B) **Inspect/repair ✓**
- C) Check only

Inspect for structural/mechanical damage. Frame cracks, bent arms, bent props indicate need for repair. Do not re-fly until fixed.

Q61. Propeller becomes loose during flight (audible vibration). Land?

- A) Continue
- B) **Land immediately ✓**
- C) Adjust

Yes, immediately. Loose propeller = imbalance = vibration = potential detachment. Land, secure, restart.

Q62. Increasing altitude, climb slowing. Approaching limit?

- A) Normal
- B) **Monitor limit ✓**
- C) Continue

Slowing climb indicates approaching performance limit. Density altitude, weight, or power limitations. Monitor altitude carefully.

Q63. Motor bearings making grinding noise. Airworthy?

- A) Still ok
- B) **Requires repair ✓**
- C) Maybe works

No. Grinding noise = bearing damage. Aircraft not airworthy. Requires bearing replacement before flight.

Q64. Propeller has visible crack. Fly?

- A) Fly carefully
- B) **Replace first ✓**
- C) Tape crack

No. Cracked propeller = failure risk during flight. Replace propeller before operating.

Q65. Adding new propellers, old ones were bent. Performance change?

- A) Worse
- B) **Better performance ✓**
- C) No change

New propellers improve performance. Balanced propellers = smoother flight, better efficiency, longer flight time.

Q66. Battery swelling. Can you use it?

- A) Yes, still works
- B) **No, replace ✓**
- C) Monitor it

No. Swelling indicates internal damage. Battery may catch fire. Replace and dispose properly. Do not use.

Q67. Flying in high humidity environment. Flight time affect?

- A) Improves
- B) **Reduces flight time ✓**
- C) No effect

High humidity (dense air) increases motor load. Expect reduced flight time. Allow extra margin.

Q68. Motor voltage dropping under load. Issue?

- A) Normal
- B) **Investigate/land ✓**
- C) Continue

Indicates weak battery or internal motor resistance. Battery may fail. Land immediately and inspect/replace.

Q69. Reducing payload by half. Flight time impact?

- A) Worse
- B) **Better performance ✓**
- C) No change

Less weight = better performance. Flight time increases, climb rate improves, responsiveness better. Positive impact.

Q70. Drone performing loops and barrel rolls. Legal Part 107?

- A) Yes, allowed
- B) **No, aerobatics prohibited ✓**
- C) Only with waiver

No. Part 107 requires level flight, no aerobatic maneuvers. Loops/rolls prohibited for standard Part 107.

Q71. Electric motor gets hot during operation. Normal?

- A) Normal
- B) **Check if excessive ✓**
- C) Ignore

Moderate heat normal. Excessive heat = overload or failure. If too hot to touch, land and cool down.

DECISION MAKING (37 Cards)

Q1. Client pressures fly 22kt winds. Drone rated 18kt. What attitude?

- A) Resignation
- B) **Macho ✓**
- C) Anti-authority

Macho. Ignoring safety for pressure/money. Never exceed limits. Safety non-negotiable.

Q2. Think: 'I've flown worse. I can again.' What attitude?

- A) Resignation
- B) **Invulnerability ✓**
- C) Macho

Invulnerability. Past success ≠ future safety. Each flight needs fresh evaluation.

Q3. Battery drops faster. 3 min flight, 4 min to landing site. Priority?

- A) Continue to planned site
- B) **Land immediately ✓**
- C) Climb to maximize

Land immediately at nearest safe location. Pushing = forced landing in unsafe area.

Q4. Wind gusts exceed rating during flight. Instruments show 26kt, rated 25kt. Action?

- A) Continue if feels ok
- B) **Land immediately ✓**
- C) Reduce altitude

Land immediately. Instruments are truth. Gusts exceed rating. Risk loss of control.

Q5. Flown location 50 times, no incident. NOTAM just issued restricting. Fly?

- A) Fly as before
- B) **Do not fly ✓**
- C) Fly different altitude

Do not fly. NOTAMs override past experience. Check for every flight.

Q6. Flying near manned aircraft. Land or maintain altitude?

- A) Maintain altitude
- B) **Land immediately ✓**
- C) Climb above

Land immediately. Manned aircraft priority. Descending removes collision hazard.

Q7. Client: 'Nobody uses this airspace. Skip LAANC.' Response?

- A) Trust client
- B) **File LAANC ✓**
- C) Use binoculars

File LAANC. Unused ≠ safe/legal. LAANC required. Comply always.

Q8. Anti-collision light dies during daylight flight. Continue?

- A) No, land
- B) **Legal but reduced safety ✓**
- C) Yes, lights don't matter

Legal in daylight without lights. But reduces visibility to manned aircraft. Continue but accept risk.

Q9. Mid-flight realize forgot NOTAM check. Weather clear. Action?

- A) Continue, weather clear
- B) **Land and check ✓**
- C) Assume none exist

Land immediately and check NOTAMs. Cannot determine restrictions without checking.

Q10. Observer: 'Barely see drone, hard to track.' At 325ft AGL. Action?

- A) Continue, within limits
- B) **Descend for clear VLOS ✓**
- C) Climb for visibility

Descend to ensure clear VLOS. If observer struggling, at risk of losing VLOS.

Q11. Weather deteriorating. Client \"Finish the shot\". Respond?

- A) Rush
- B) **Land immediately, safety ✓**
- C) Negotiate

Safety first. Land immediately. No shot justifies accident risk. Client cannot override.

Q12. Drone drifting (wind shear). Feel confident. Correct?

- A) Continue
- B) **Land, assess ✓**
- C) Climb above

Drifting = loss of control. Overconfidence hazardous. Land and assess. Don't push.

Q13. Near miss with bird. Birds always avoid. Continue?

- A) Continue
- B) **Land, assess ✓**
- C) Ignore call

Invulnerability bias. Birds don't always avoid. Assume warning. Be vigilant.

Q14. Tower vectors heading you think wrong. Follow or disobey?

- A) Ignore
- B) **Follow vector ✓**
- C) Argue

Follow ATC. ATC has radar. Clarify but follow. Safety-critical compliance.

Q15. Pressure to complete by deadline, weather marginal. Decision?

- A) Rush
- B) **Reschedule, safety ✓**
- C) Push limits

Unsafe-to-continue beats deadline. Delay/reschedule. No deadline justifies unsafe.

Q16. Flown mission 20 times. Complacent about weather today?

- A) Skip, routine
- B) **Check, fresh ✓**
- C) Abbreviated

Complacency risk. Each flight = fresh assessment. 20 successes ≠ skip. Check.

Q17. Drone approaching military restricted area. Slow exit?

- A) Slow
- B) **Fast immediately ✓**
- C) Land

Fast exit from restricted. Don't enter. If approaching, immediately turn and exit.

Q18. Peer making unsafe decision (no VLOS). Say something?

- A) Mind business
- B) **Speak up ✓**
- C) Report FAA

Yes. Professional obligation. Safety culture. Speak respectfully. Affects everyone.

Q19. Client "Safety slows us down". Response?

- A) Skip
- B) **Maintain ✓**
- C) Faster

Procedures exist for safety. Non-negotiable. Protect client and you. Safety ≠ negotiable.

Q20. Battery critically low (2 percent remaining). Nearest landing site 30 sec away. Action?

- A) Dash to preferred
- B) **Land nearest location ✓**
- C) Hover and wait

Land immediately at nearest safe location. Do not attempt farther site. Battery depletion mid-flight = emergency.

Q21. Unexpected person entering flight area. Immediate action?

- A) Continue, monitor
- B) **Land immediately ✓**
- C) Climb above

Land immediately. Do not risk collision with person. VLOS lost = cannot continue. Land now.

Q22. Feeling fatigued before flight. Proceed?

- A) Push through
- B) **Postpone flight ✓**
- C) Fly slower

Fatigue degrades judgment and reaction time. Do not fly fatigued. Postpone. Safety first.

Q23. Drone unresponsive to controls mid-flight. Action?

- A) Wait, may recover
- B) **Land immediately ✓**
- C) Continue manual

Unresponsive = loss of control. Land immediately. Do not delay. Emergency descent needed.

Q24. Conflicting instructions: ATC and client. Whose do you follow?

- A) Client
- B) **ATC ✓**
- C) Negotiate

ATC instructions always take priority. ATC has legal authority and radar. Follow ATC, inform client.

Q25. Severe weather developing faster than forecast. Proceed or land?

- A) Continue, forecast ok
- B) **Land immediately ✓**
- C) Climb above

Land immediately. Forecasts can be inaccurate. If weather developing, do not push luck. Land.

Q26. Equipment malfunction during flight. Flyable?

- A) Finish mission
- B) **Land immediately ✓**
- C) Monitor

Safety is paramount. If malfunction affects control/safety, land immediately. Investigate before re-flight.

Q27. Manager pressure to fly despite safety concern. Report?

- A) Comply
- B) **Report concern ✓**
- C) Discuss privately

Yes. Safety concerns must be reported. Professional responsibility. Do not compromise safety for hierarchy.

Q28. Peer violates Part 107 (flies without VLOS). Attitude correction?

- A) Accept
- B) **Speak up ✓**
- C) Ignore

Unsafe operations endanger everyone. Speak to peer respectfully. If continues, consider reporting to FAA.

Q29. Approaching bad weather, client insists continue. Action?

- A) Continue
- B) **Land immediately ✓**
- C) Negotiate time

Land immediately. Client pressure does not override safety. Safety is non-negotiable. Land.

Q30. Notice drone vibrating abnormally. Proceed?

- A) Continue, monitor
- B) **Land immediately ✓**
- C) Reduce speed

Land immediately and investigate. Abnormal vibration = potential mechanical failure. Do not continue.

Q31. Battery alarm sounds. How much time remaining?

- A) 5 minutes
- B) **1-2 minutes, land now ✓**
- C) 10 minutes

Alarm typically means 1-2 minutes remaining. Land immediately at nearest safe location. Do not delay.

Q32. Experiencing extreme fatigue. Fly short 5-minute mission?

- A) Yes, 5 min ok
- B) **No, postpone ✓**
- C) Reduce altitude

No. Fatigue affects judgment even for short flights. Do not fly fatigued. Postpone. Safety first.

Q33. Drone losing altitude unexpectedly. Reason?

- A) Keep going
- B) **Land immediately ✓**
- C) Increase speed

Could be battery depletion, motor failure, or propeller damage. Land immediately and diagnose. Do not push.

Q34. Realizing mid-flight airspace entered without auth. Action?

- A) Continue
- B) **Land immediately ✓**
- C) Ignore

Land immediately at nearest safe location. Report to ATC. Violation of airspace regulations. Document incident.

Q35. Peer's drone enters your flight area. Reaction?

- A) Continue
- B) **Land immediately ✓**
- C) Climb above

Land immediately. Collision risk. Do not fly in overlapping airspace. Communicate with other pilot.

Q36. Equipment failure during flight, client wants fly around it. Action?

- A) Fly around
- B) **Land and diagnose ✓**
- C) Monitor

No. Unknown failure creates safety risk. Land immediately and diagnose. Do not operate with unknown failures.

Q37. Pressure from management to fly unsafe. Report issue?

- A) Comply
- B) **Report concern ✓**
- C) Resign

Yes. Report safety concerns through proper channels. Professional responsibility supersedes pressure.

PERFORMANCE (35 Cards)

Q1. What is weight and balance?

- A) Without notification to FAA
- B) **Weight and balance is the distribution of aircraft weight around the center of gravity (CG) ✓**
- C) Regulated by local authorities

Weight and balance is the distribution of aircraft weight around the center of gravity (CG). Proper balance is required for safe flight.

Q2. What is center of gravity?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **The point where all aircraft weight is concentrated ✓**

The point where all aircraft weight is concentrated. For safe flight, the CG must be within the allowable range, called the envelope.

Q3. What is the maximum takeoff weight for a Part 107 drone?

- A) 60 pounds (27 kg)
- B) **55 pounds including payload, batteries, and all attachments ✓**
- C) 50 pounds (23 kg)

55 pounds including payload, batteries, and all attachments.

Q4. What is payload?

- A) Without notification to FAA
- B) **Equipment beyond aircraft structure ✓**
- C) Regulated by local authorities

Any equipment carried by the drone beyond the basic aircraft structure, including cameras, sensors, and additional batteries.

Q5. What factors affect aircraft performance?

- A) Without notification to FAA
- B) **Density altitude, weight, wind, temperature, and humidity all affect how the aircraft performs ✓**
- C) Regulated by local authorities

Density altitude, weight, wind, temperature, and humidity all affect how the aircraft performs.

Q6. What is rate of climb?

- A) **The vertical speed of the aircraft, measured in feet per minute (fpm) ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The vertical speed of the aircraft, measured in feet per minute (fpm). Performance charts show climb rates under different conditions.

Q7. How does temperature affect performance?

- A) Without notification to FAA
- B) **Higher temperatures reduce air density, which reduces lift and requires longer takeoff distance ✓**
- C) Regulated by local authorities

Higher temperatures reduce air density, which reduces lift and requires longer takeoff distance. Hot days reduce performance.

Q8. How does weight affect performance?

- A) Without notification to FAA
- B) **Heavier aircraft have reduced climb rate, longer takeoff distance, and shorter endurance ✓**
- C) Regulated by local authorities

Heavier aircraft have reduced climb rate, longer takeoff distance, and shorter endurance. Excess weight should be minimized.

Q9. How does altitude affect performance?

- A) Without notification to FAA
- B) **Higher altitudes have thinner air, reducing lift ✓**
- C) Regulated by local authorities

Higher altitudes have thinner air, reducing lift. Aircraft performance decreases with altitude. Part 107 limit of 400 feet AGL is within optimal range.

Q10. How does wind affect takeoff?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Headwind increases effective airspeed, reducing takeoff distance ✓**

Headwind increases effective airspeed, reducing takeoff distance. Tailwind decreases effective airspeed, increasing takeoff distance. Headwind is preferred.

Q11. How does humidity affect performance?

- A) **Higher humidity reduces air density (moist air is lighter), reducing lift ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Higher humidity reduces air density (moist air is lighter), reducing lift. Humid conditions reduce performance.

Q12. What is service ceiling?

- A) **The maximum altitude at which the aircraft can maintain level flight ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The maximum altitude at which the aircraft can maintain level flight. For Part 107 drones, this is typically much higher than 400 feet AGL.

Q13. What is endurance?

- A) Without notification to FAA
- B) **The maximum time an aircraft can stay airborne on a full fuel/battery ✓**
- C) Regulated by local authorities

The maximum time an aircraft can stay airborne on a full fuel/battery. Typically 20-40 minutes for consumer drones.

Q14. What is range?

- A) **The maximum distance an aircraft can travel from takeoff point ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The maximum distance an aircraft can travel from takeoff point. Limited by endurance and speed. Typically 5-15 miles for drones.

Q15. How is battery health monitored?

- A) Without notification to FAA
- B) **Check voltage, cell balance, and age ✓**
- C) Regulated by local authorities

Check voltage, cell balance, and age. Discharge and inspect batteries regularly. Replace when performance drops or cells become unbalanced.

Q16. What is lipo battery puffing?

- A) **Swelling of lithium-polymer batteries due to gas buildup, usually from overcharging or damage ✓**
- B) Yes, with permission
- C) Yes, no restrictions

Swelling of lithium-polymer batteries due to gas buildup, usually from overcharging or damage. Puffed batteries should not be used.

Q17. How should batteries be stored?

- A) **Store at 50% charge in a cool, dry location ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Store at 50% charge in a cool, dry location. Never store fully charged or fully discharged. Proper storage extends battery life.

Q18. What is a propeller?

- A) **The spinning blades that generate thrust by accelerating air backward ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The spinning blades that generate thrust by accelerating air backward. Damaged propellers reduce efficiency and should be replaced.

Q19. How do propellers affect performance?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Larger propellers are more efficient at low speeds, generating more thrust ✓**

Larger propellers are more efficient at low speeds, generating more thrust. Smaller propellers are better for high speed. Bent or chipped propellers reduce efficiency.

Q20. What is motor KV?

- A) Without notification to FAA
- B) **Motor KV is the RPM per volt ✓**
- C) Regulated by local authorities

Motor KV is the RPM per volt. Higher KV motors spin faster and are suited for small propellers. Lower KV motors spin slower and suit large propellers.

Q21. What is ESC (Electronic Speed Controller)?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **A device that controls motor speed by regulating power delivery ✓**

A device that controls motor speed by regulating power delivery. Properly calibrated ESCs ensure smooth performance and safety.

Q22. What is gimbal?

- A) **A mechanical stabilization system that isolates the camera from aircraft vibrations ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

A mechanical stabilization system that isolates the camera from aircraft vibrations. Allows smooth video recording even during flight.

Q23. What is maximum level speed?

- A) 75 miles per hour
- B) 120 miles per hour
- C) **The fastest airspeed the aircraft can achieve ✓**

The fastest airspeed the aircraft can achieve. Part 107 limit is 100 mph. Most drones have lower maximum speeds.

Q24. What is best glide speed?

- A) **The airspeed that provides maximum distance when engine/motors fail ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

The airspeed that provides maximum distance when engine/motors fail. Important for safety and emergency landing planning.

Q25. What is crosswind?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Wind perpendicular to the flight direction ✓**

Wind perpendicular to the flight direction. Strong crosswinds can push the aircraft sideways and should be considered in flight planning.

Q26. What is controllability?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **The ability of the pilot to command the aircraft to desired attitudes and flight paths ✓**

The ability of the pilot to command the aircraft to desired attitudes and flight paths. Depends on control surface effectiveness and response.

Q27. What is adverse yaw?

- A) **A yaw motion opposite to the commanded roll direction ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

A yaw motion opposite to the commanded roll direction. Occurs when outer wing has more lift than inner wing. Controlled by proper aileron design.

Q28. What is ground effect?

- A) Without notification to FAA
- B) **The reduction of lift near the ground due to altered airflow ✓**
- C) Regulated by local authorities

The reduction of lift near the ground due to altered airflow. Ground effect reduces induced drag and can improve performance near landing.

Q29. What is parasite drag?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **Drag caused by the shape and roughness of the aircraft ✓**

Drag caused by the shape and roughness of the aircraft. Increases with speed. Smooth surfaces and streamlined design reduce drag.

Q30. What is induced drag?

- A) Without notification to FAA
- B) **Drag created as a byproduct of generating lift ✓**
- C) Regulated by local authorities

Drag created as a byproduct of generating lift. Higher at low speeds. Total drag is minimized at a specific speed called L/D maximum.

Q31. What is angle of attack?

- A) Without notification to FAA
- B) Determined by weather conditions
- C) **The angle between the wing chord line and the relative wind ✓**

The angle between the wing chord line and the relative wind. Too high an angle causes stall. Proper angle of attack is maintained by the flight control system.

Q32. What is a stall?

- A) Without notification to FAA
- B) **A loss of lift when angle of attack exceeds the critical angle ✓**
- C) Regulated by local authorities

A loss of lift when angle of attack exceeds the critical angle. The aircraft sinks and becomes uncontrollable. Modern drones are protected from stalls.

Q33. How is thrust-to-weight ratio important?

- A) Without notification to FAA
- B) **Higher thrust-to-weight ratio provides better climb performance and acceleration ✓**
- C) Regulated by local authorities

Higher thrust-to-weight ratio provides better climb performance and acceleration. Drones typically have high thrust-to-weight for agility.

Q34. What is power-to-weight ratio?

- A) **Total available power divided by weight ✓**
- B) Determined by weather conditions
- C) Regulated by local authorities

Total available power divided by weight. Higher power-to-weight ratio means better acceleration and climb. Affects overall flight performance.

Q35. What is dynamic soaring?

- A) **Using wind shear or ridge lift to gain energy without motor power ✓**
- B) Yes, with permission
- C) Yes, no restrictions

Using wind shear or ridge lift to gain energy without motor power. Not typically used in Part 107 operations but shows energy management principle.

NIGHT OPS (14 Cards)

Q1. Night flight, anti-collision lights visible 2 statute miles. Legal?

- A) Yes, 2 adequate
- B) **No, 3+ required ✓**
- C) Yes, visual observer

No. Requires 3+ statute miles. Upgrade lights.

Q2. Anti-collision lights 3 statute miles, visual observer spotlight. Fly night?

- A) No, need lights
- B) **Yes, lights adequate ✓**
- C) Waiver only

Yes. Lights meet 3SM requirement. Spotlight aids VLOS. Legal.

Q3. Category 1 drone (0.55lb) over crowd at night. Requirements?

- A) Category 1 covers
- B) **Comply with night rules ✓**
- C) Never allowed

Category 1 covers over-people. But night operations rules apply (lights, times, etc.). Comply with night reqs.

Q4. Anti-collision light red only. Part 107 night ops?

- A) Yes, red sufficient
- B) Red alone may not meet
- C) **Red + white required ✓**

Red alone may not meet 3SM visibility requirement. Verify light config. Red + white typically required.

Q5. Night, lights 3SM, manned 2 miles. Safe?

- A) Unsafe
- B) **Safe if monitored ✓**
- C) Descend

2 miles likely sees 3SM lights. Maintain altitude, monitor. Prepare land if closer.

Q6. Sunrise 0625Z. Earliest legal Part 107 start?

- A) 0625Z
- B) **0555Z ✓**
- C) 0600Z

30 min before sunrise = 0555Z. Earliest legal is 0555Z.

Q7. Night, clouds 2000ft, you 350ft. Light impact?

- A) No impact
- B) **Increased darkness ✓**
- C) Better

Clouds reduce light. Darkness increased. Lights more critical for visibility to aircraft.

Q8. Anti-collision lights flashing at 60 flashes per minute. Legal?

- A) Yes, adequate
- B) **Check standard ✓**
- C) No, too slow

Part 107 requires specific flash rate (varies by standard, typically 40-100 fpm). Verify light specs meet requirements.

Q9. Night flight, cloud cover 100 percent. Visibility?

- A) Better visibility
- B) **Severe darkness ✓**
- C) Normal

Overcast reduces ambient light. Darkness extreme. Anti-collision lights become critical for being seen.

Q10. Sunset today 1902Z. Latest legal end time?

- A) 1902Z
- B) **1932Z ✓**
- C) 2000Z

30 min after sunset = 1932Z. Latest legal flight end is 1932Z.

Q11. Night flight, anti-collision light fails mid-flight. Continue?

- A) Continue
- B) **Land immediately ✓**
- C) Use flashlight

Land immediately. Without lights, not legal or safe for night operations. Land at nearest suitable location.

Q12. Anti-collision light color requirements?

- A) Any color ok
- B) **Red/white typical ✓**
- C) Green ok

Red and white lights typical for Part 107 night ops. Verify your light configuration meets requirements.

Q13. Sunrise 0530Z. Latest legal night flight end?

- A) 0530Z
- B) **0600Z ✓**
- C) 0530 local

30 min after sunrise = 0600Z. Latest legal end for night ops is 0600Z.

Q14. Night flight, clouds 100 percent coverage. Fly?

- A) Yes, ok
- B) **High risk, caution ✓**
- C) Cannot fly

Extremely dark conditions. Reduced visibility and danger. If flying, ensure excellent lighting. Consider postponing.

OVER PEOPLE (8 Cards)**Q1. Drone 0.4lb, no sharp edges, low speed. Over crowd?**

- A) No, cannot
- B) **Yes, Category 1 ✓**
- C) Waiver only

Yes. Category 1 criteria met. Allows operation. Verify gathering density.

Q2. Drone 2lb with sharp propellers. Over people?

- A) Yes, if slow
- B) **No, need waiver ✓**
- C) Yes, observer

No. Exceeds 0.55lb and has sharp edges. Need waiver. Standard Part 107 prohibits.

Q3. Category 1 drone, dense urban area. Operate?

- A) Yes, Category 1 covers
- B) **Depends on conditions ✓**
- C) Waiver required

Depends. Category 1 allows over-people but requires appropriate conditions. Dense urban may not qualify. Assess.

Q4. Category 1, dense stadium. Fly over?

- A) Yes, Category 1
- B) **No, too dense ✓**
- C) Check ATC

Category 1 allows in appropriate conditions. Dense stadium = Level 2+. Needs waiver.

Q5. 0.550 lbs on scale. Meets Category 1?

- A) Yes
- B) **No, exceeds ✓**
- C) Marginal

No. Requires under 0.55lb, not equal. Technically ineligible. Waiver needed.

Q6. Drone 0.5 lbs (meets less-than 0.55). Fly over children?

- A) Yes, allowed
- B) **Check conditions ✓**
- C) No waiver required

Category 1 (less-than 0.55 lbs, safe design) allows over-people. But verify gathering meets Category 1 conditions. Children = caution.

Q7. Category 1 with sharp camera lens. Can fly over people?

- A) Yes, ok
- B) **No, sharp edges ✓**
- C) Maybe

Sharp lens violates safe design. Must have no sharp edges. Requires waiver for over-people ops.

Q8. Drone Category 1, weighs 0.54 lbs exactly. Over-people legal?

- A) Yes, qualifies
- B) **Check weight carefully ✓**
- C) Over limit

No. Requires UNDER 0.55 lbs. At 0.54 lbs you just barely qualify. Verify exact weight on calibrated scale.
