Introduction to the R Language

Control Structures

Roger Peng, Associate Professor
Johns Hopkins Bloomberg School of Public Health

Control Structures

Control structures in R allow you to control the flow of execution of the program, depending on runtime conditions. Common structures are

- `if`, `else`: testing a condition

- `for`: execute a loop a fixed number of times

- `while`: execute a loop *while* a condition is true

- `repeat`: execute an infinite loop

- `break`: break the execution of a loop

- `next`: skip an interation of a loop

- `return`: exit a function

Most control structures are not used in interactive sessions, but rather when writing functions or longer expresisons.

Control Structures: if

```
if(<condition>) {
        ## do something
} else {
        ## do something else
}
if(<condition1>) {
        ## do something
} else if(<condition2>)  {
        ## do something different
} else {
        ## do something different
}
```

if

This is a valid if/else structure.

```
if(x > 3) {
        y <- 10
} else {
        y <- 0
}
```

So is this one.

```
y <- if(x > 3) {
        10
} else {
        0
}
```

if

Of course, the else clause is not necessary.

```
if(<condition1>) {

}

if(<condition2>) {

}
```

for

`for` loops take an interator variable and assign it successive values from a sequence or vector. For loops are most commonly used for iterating over the elements of an object (list, vector, etc.)

```
for(i in 1:10) {
        print(i)
}
```

This loop takes the `i` variable and in each iteration of the loop gives it values 1, 2, 3, ..., 10, and then exits.

for

These three loops have the same behavior.

```r
x <- c("a", "b", "c", "d")

for(i in 1:4) {
        print(x[i])
}

for(i in seq_along(x)) {
        print(x[i])
}

for(letter in x) {
        print(letter)
}

for(i in 1:4) print(x[i])
```

Nested for loops

`for` loops can be nested.

```r
x <- matrix(1:6, 2, 3)

for(i in seq_len(nrow(x))) {
    for(j in seq_len(ncol(x))) {
        print(x[i, j])
    }
}
```

Be careful with nesting though. Nesting beyond 2–3 levels is often very difficult to read/understand.

while

While loops begin by testing a condition. If it is true, then they execute the loop body. Once the loop body is executed, the condition is tested again, and so forth.

```
count <- 0
while(count < 10) {
        print(count)
        count <- count + 1
}
```

While loops can potentially result in infinite loops if not written properly. Use with care!

while

Sometimes there will be more than one condition in the test.

```r
z <- 5

while(z >= 3 && z <= 10) {
        print(z)
        coin <- rbinom(1, 1, 0.5)

        if(coin == 1) {   ## random walk
                z <- z + 1
        } else {
                z <- z - 1
        }
}
```

Conditions are always evaluated from left to right.

repeat

Repeat initiates an infinite loop; these are not commonly used in statistical applications but they do have their uses. The only way to exit a `repeat` loop is to call `break`.

```r
x0 <- 1
tol <- 1e-8

repeat {
        x1 <- computeEstimate()

        if(abs(x1 - x0) < tol) {
                break
        } else {
                x0 <- x1
        }
}
```

repeat

The loop in the previous slide is a bit dangerous because there's no guarantee it will stop. Better to set a hard limit on the number of iterations (e.g. using a for loop) and then report whether convergence was achieved or not.

next, return

next is used to skip an iteration of a loop

```
for(i in 1:100) {
      if(i <= 20) {
              ## Skip the first 20 iterations
              next
      }
      ## Do something here

}
```

return signals that a function should exit and return a given value

Control Structures

Summary

- Control structures like `if`, `while`, and `for` allow you to control the flow of an R program

- Infinite loops should generally be avoided, even if they are theoretically correct.

- Control structures mentiond here are primarily useful for writing programs; for command-line interactive work, the *apply functions are more useful.