

NAMA : RAFEYFA ASYLA

NPM : 2415061107

KELAS : PPW-B

1. SS terminal





2. SS Terminal

```
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch main
M       index.html
Already on 'main'
Your branch is up to date with 'origin/main'.
PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
warning: in the working copy of '02/02/img/avatar-default.svg', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '02/02/img/logo-sima.svg', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '02/02/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '02/02/style.css', LF will be replaced by CRLF the next time Git touches it
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "Judul 2 CSS"
[main a188d11] Judul 2 CSS
 6 files changed, 587 insertions(+)
 create mode 100644 02/02/img/avatar-default.svg
 create mode 100644 02/02/img/logo-sima.svg
 create mode 100644 02/02/index.html
 create mode 100644 02/02/style.css
PS D:\COLLEGEZONE\SEM_5\PPW1> git push origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to git switch -c feat/styling-responsiveobjects: 100% (10/10), done.
Switched to a new branch 'feat/styling-responsive'/s,
PS D:\COLLEGEZONE\SEM_5\PPW1> git status
On branch feat/styling-responsiveta 0), pack-reused 0
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed) objects.
  (use "git restore <file>..." to discard changes in working directory)11  main -> main
PS D:\COmodified:   index.htmlgit status
On branch main
no changes added to commit (use "git add" and/or "git commit -a")
PS D:\COLLEGEZONE\SEM_5\PPW1> git diff index.html
diff --git a/index.html b/index.html
index 0251dce..c128052 100644
--- a/index.html
+++ b/index.html
@@ -4,7 +4,6 @@
     <meta charset="UTF-8">
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <title>Sistem Informasi Mahasiswa</title>
-    <link rel="stylesheet" href="style.css">
```

```
  </head>
  <body>
      <header>
PS D:\COLLEGEZONE\SEM_5\PPW1> git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
        add
PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "feat: implementaso tata letak responsif flexbox dan css grid judul 2"
[feat/styling-responsive 6ae7c21] feat: implementaso tata letak responsif flexbox dan css grid judul 2
 1 file changed, 1 deletion(-)
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\COLLEGEZONE\SEM_5\PPW1> git emrge feat/styling-responsive
git: 'emrge' is not a git command. See 'git --help'.

The most similar command is
        merge
PS D:\COLLEGEZONE\SEM_5\PPW1> git merge feat/styling-responsive
Updating a188d11..6ae7c21
Fast-forward
 index.html | 1 -
 1 file changed, 1 deletion(-)
PS D:\COLLEGEZONE\SEM_5\PPW1> git branch -d feat/styling-responsive
Deleted branch feat/styling-responsive (was 6ae7c21).
PS D:\COLLEGEZONE\SEM_5\PPW1> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 331 bytes | 331.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/rafeysl/PPW_1.git
   a188d11..6ae7c21  main -> main
PS D:\COLLEGEZONE\SEM_5\PPW1> git log --graph --oneline --decorate -n 5
* 6ae7c21 (HEAD -> main, origin/main) feat: implementaso tata letak responsif flexbox dan css grid judul 2
```

```
* a188d11 Judul 2 CSS
* 5202579 feat: inisialisasi struktur dokumen dan formulir html5 sima
PS D:\COLLEGEZONE\SEM_5\PPW1>
 * History restored

PS D:\COLLEGEZONE\SEM_5\PPW1>
 * History restored

PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'app.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'img/avatar-default.svg', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'img/logo-sima.svg', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'style.css', LF will be replaced by CRLF the next time Git touches it
PS D:\COLLEGEZONE\SEM_5\PPW1>
PS D:\COLLEGEZONE\SEM_5\PPW1>
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "Re init repository"
[main 589a8c2] Re init repository
 6 files changed, 959 insertions(+)
 create mode 100644 README.md
 create mode 100644 app.js
 create mode 100644 img/avatar-default.svg
 create mode 100644 img/logo-sima.svg
 create mode 100644 index.html
 create mode 100644 style.css
PS D:\COLLEGEZONE\SEM_5\PPW1> git push origin main
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 12 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (9/9), 9.25 KiB | 4.63 MiB/s, done.
Total 9 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/rafeysl/PPW_1.git
   6550626..589a8c2  main -> main
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch main
Already on 'main'
Your branch is up to date with 'origin/main'.
```

```
PS D:\COLLEGEZONE\SEM_5\PPW1> git pull origin main
From https://github.com/rafeysl/PPW_1
 * branch            main       -> FETCH_HEAD
Already up to date.
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch -c feat/dom-interaction
Switched to a new branch 'feat/dom-interaction'
PS D:\COLLEGEZONE\SEM_5\PPW1> git status
On branch feat/dom-interaction
nothing to commit, working tree clean
PS D:\COLLEGEZONE\SEM_5\PPW1> git add index.html app.js
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "feat: interaktivitas dom tabel dan validasi form"
On branch feat/dom-interaction
nothing to commit, working tree clean
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit --amend-
error: unknown option `amend-'
usage: git commit [-a | --interactive | --patch] [-s] [-v] [-u[<mode>]] [--amend]
                  [--dry-run] [(-c | -C | --squash) <commit> | --fixup [(amend|reword):]<commit>]
                  [-F <file> | -m <msg>] [--reset-author] [--allow-empty]
                  [--allow-empty-message] [--no-verify] [-e] [--author=<author>]
                  [--date=<date>] [--cleanup=<mode>] [--[no-]status]
                  [-i | -o] [--pathspec-from-file=<file> [--pathspec-file-nul]]
                  [(--trailer <token>[(=|:)<value>])...] [-S[<keyid>]]
                  [--] [<pathspec>...]

    -q, --[no-]quiet      suppress summary after successful commit
    -v, --[no-]verbose    show diff in commit message template

Commit message options
    -F, --[no-]file <file>
                          read message from file
    --[no-]author <author>
                          override author for commit
    --[no-]date <date>    override date for commit
    -m, --[no-]message <message>
                          commit message
    -c, --[no-]reedit-message <commit>
```

```
    --[no-]author <author>
                          override author for commit
    --[no-]date <date>    override date for commit
    -m, --[no-]message <message>
                          commit message
    -c, --[no-]reedit-message <commit>
                          reuse and edit message from specified commit
    -C, --[no-]reuse-message <commit>
                          reuse message from specified commit
    --[no-]fixup [(amend|reword):]commit
                          use autosquash formatted message to fixup or amend/reword specified commit
    --[no-]squash <commit>
                          use autosquash formatted message to squash specified commit
    --[no-]reset-author   the commit is authored by me now (used with -C/-c/--amend)
    --[no-]trailer <trailer>
                          add custom trailer(s)
    -s, --[no-]signoff    add a Signed-off-by trailer
    -t, --[no-]template <file>
                          use specified template file
    -e, --[no-]edit       force edit of commit
    --[no-]cleanup <mode> how to strip spaces and #comments from message
    --[no-]status         include status in commit message template
    -S, --[no-]gpg-sign[=<key-id>]
                          GPG sign commit

Commit contents options
    -a, --[no-]all        commit all changed files
    -i, --[no-]include    add specified files to index for commit
    --[no-]interactive    interactively add files
    -p, --[no-]patch      interactively add changes
    -U, --unified <n>     generate diffs with <n> lines context
    --inter-hunk-context <n>
                          show context between diff hunks up to the specified number of lines
    -o, --[no-]only       commit only specified files
    -n, --no-verify       bypass pre-commit and commit-msg hooks
    --verify              opposite of --no-verify
```

```
    --verify              opposite of --no-verify
    --[no-]dry-run        show what would be committed
    --[no-]short          show status concisely
    --[no-]branch         show branch information
    --[no-]ahead-behind   compute full ahead/behind values
    --[no-]porcelain      machine-readable output
    --[no-]long           show status in long format (default)
    -z, --[no-]null       terminate entries with NUL
    --[no-]amend          amend previous commit
    --no-post-rewrite     bypass post-rewrite hook
    --post-rewrite        opposite of --no-post-rewrite
    -u, --[no-]untracked-files[=<mode>]
                          show untracked files, optional modes: all, normal, no. (Default: all)
    --[no-]pathspec-from-file <file>
                          read pathspec from file
    --[no-]pathspec-file-nul
                          with --pathspec-from-file, pathspec elements are separated with NUL character

PS D:\COLLEGEZONE\SEM_5\PPW1> git commit --amend -m "feat: implementasi manipulasi dom tabel live search dan validasi form sima"
[feat/dom-interaction 67a6fd8] feat: implementasi manipulasi dom tabel live search dan validasi form sima
 Date: Thu Oct 15 16:17:55 2026 +0700
 6 files changed, 959 insertions(+)
 create mode 100644 README.md
 create mode 100644 app.js
 create mode 100644 img/avatar-default.svg
 create mode 100644 img/logo-sima.svg
 create mode 100644 index.html
 create mode 100644 style.css
PS D:\COLLEGEZONE\SEM_5\PPW1> git log --oneline -n 6
67a6fd8 (HEAD -> feat/dom-interaction) feat: implementasi manipulasi dom tabel live search dan validasi form sima
6550626 Pembersihan Judul 3 PPW
6ae7c21 feat: implementaso tata letak responsif flexbox dan css grid judul 2
a188d11 Judul 2 CSS
5202579 feat: inisialisasi struktur dokumen dan formul:
67a6fd8 (HEAD -> feat/dom-interaction) feat: implementasi manipulasi dom tabel live search dan validasi form sima
6550626 Pembersihan Judul 3 PPW
6ae7c21 feat: implementaso tata letak responsif flexbox dan css grid judul 2
a188d11 Judul 2 CSS
```

```
PS D:\COLLEGEZONE\SEM_5\PPW1> git checkout <a188d11>
At line:1 char:14
+ git checkout <a188d11>
+              ~
The '<' operator is reserved for future use.
    + CategoryInfo          : ParserError: (:) [], P
   arentContainsErrorRecordException
    + FullyQualifiedErrorId : RedirectionNotSupporte
   d

PS D:\COLLEGEZONE\SEM_5\PPW1> git checkout a188d11
Note: switching to 'a188d11'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

  git switch -c <new-branch-name>

Or undo this operation with:

  git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at a188d11 Judul 2 CSS
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch feat/com-interaction
fatal: invalid reference: feat/com-interaction
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch feat/dom-interaction
Previous HEAD position was a188d11 Judul 2 CSS
Switched to branch 'feat/dom-interaction'
```


```
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch feat/dom-interaction
PS D:\COLLEGEZONE\SEM_5\PPW1> git status
On branch feat/dom-interaction
nothing to commit, working tree clean
PS D:\COLLEGEZONE\SEM_5\PPW1> git status
On branch feat/dom-interaction
nothing to commit, working tree clean
PS D:\COLLEGEZONE\SEM_5\PPW1> git diff app.js
PS D:\COLLEGEZONE\SEM_5\PPW1> git restore app.js
PS D:\COLLEGEZONE\SEM_5\PPW1> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\COLLEGEZONE\SEM_5\PPW1> git merge feat/dom-interaction
Merge made by the 'ort' strategy.
PS D:\COLLEGEZONE\SEM_5\PPW1> git branch -d feat/dom-interaction
Deleted branch feat/dom-interaction (was 67a6fd8).
PS D:\COLLEGEZONE\SEM_5\PPW1> echo "//uji coba fitur eksperimental">> app.js
PS D:\COLLEGEZONE\SEM_5\PPW1> git add app.js
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "test: eksperimen penambahan baris komentar sementara"
[main 73c2496] test: eksperimen penambahan baris komentar sementara
 1 file changed, 0 insertions(+), 0 deletions(-)
PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
PS D:\COLLEGEZONE\SEM_5\PPW1> git revert HEAD --no-edit
[main f764471] Revert "test: eksperimen penambahan baris komentar sementara"
 Date: Thu Oct 15 17:28:31 2026 +0700
 1 file changed, 0 insertions(+), 0 deletions(-)
PS D:\COLLEGEZONE\SEM_5\PPW1> git push origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 1.50 KiB | 1.50 MiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/rafeysl/PPW_1.git
   589a8c2..f764471  main -> main
PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "Judul 3"
On branch main
```

```
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS D:\COLLEGEZONE\SEM_5\PPW1> git push origin main
Everything up-to-date
PS D:\COLLEGEZONE\SEM_5\PPW1> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
warning: in the working copy of 'app.js', LF will be replaced by CRLF the next time Git touches it
PS D:\COLLEGEZONE\SEM_5\PPW1> git add .
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it
PS D:\COLLEGEZONE\SEM_5\PPW1> git commit -m "Judul 3"
[main 9d9dccc] Judul 3
 1 file changed, 128 insertions(+), 29 deletions(-)
PS D:\COLLEGEZONE\SEM_5\PPW1> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.52 KiB | 2.52 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/rafeysl/PPW_1.git
   f764471..9d9dccc  main -> main
PS D:\COLLEGEZONE\SEM_5\PPW1>
```

3. SS Github



4. Link Github
   https://github.com/rafeysl/PPW_1