LAPORAN PRAKTIKUM

PRAKTIKUM PEMROGRAMAN KOMPUTER DASAR

PERTEMUAN 3

Input, If Else

Disusun oleh:

Nama	: Rafi Bagus Setiawan
NIM	: 26/578857/SV/28079
Kelas	: A2 TRPL 2026
Dosen Pengampu	: Anindita Suryarasmi, S.Kom., M.Cs., Ph.D.

PROGRAM STUDI D-IV TEKNOLOGI REKAYASA PERANGKAT LUNAK

DEPARTEMEN TEKNIK ELEKTRO DAN INFORMATIKA

SEKOLAH VOKASI


UNIVERSITAS GADJAH MADA

YOGYAKARTA

2026

1. **Include in the report**

a. Flowchart



b. Code Program

```cpp
#include <iostream>
using namespace std;

int main (){
    int points;
    cout << "Input points (0-100): ";
    cin >> points;


    if (points > 80 && points <= 100) {
        cout << "Grade: A" << endl;
    } else if (points > 60 && points <= 80) {
        cout << "Grade: B" << endl;
    } else if (points > 40 && points <= 60) {
        cout << "Grade: C" << endl;
    } else if (points > 20 && points <= 40) {
        cout << "Grade: D" << endl;
    } else if (points >= 0 && points <= 20) {
        cout << "Grade: E" << endl;
    } else {
        cout << "Points out of scope";
    }
}
```

c. Output

```
PS D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++> & "D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++\4_2.exe"
Input points (0-100): 10
Grade: E
PS D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++> & "D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++\4_2.exe"
Input points (0-100): 30
Grade: D
PS D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++> & "D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++\4_2.exe"
Input points (0-100): 50
Grade: C
PS D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++> & "D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++\4_2.exe"
Input points (0-100): 70
Grade: B
PS D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++> & "D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++\4_2.exe"
Input points (0-100): 90
Grade: A
PS D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++> & "D:\Semester 1\Praktikum Pemrograman Komputer Dasar\C++\4_2.exe"
Input points (0-100): 111
Points out of scope
```

2. **Book Store**

a. Flowchart



b. Code Program



```cpp
#include <iostream>
#include <string>
using namespace std;

int main() {
    cout << "Welcome to the Book Store!" << endl;

    cout << "Are you a member? (1 = Yes, 0 = No): ";
    bool isMember;
    cin >> isMember;

    string name;
    int discount_percent;

    if (isMember) {
        int memberID;
        cout << "Enter memberID (1-3): ";
        cin >> memberID;

        if (memberID == 1) {
            name = "Ani";
        } else if (memberID == 2) {
            name = "Budi";
        } else if (memberID == 3) {
            name = "Wati";
        }
        discount_percent = 15;
    } else {
        name = "Guest";
        discount_percent = 5;
    }

    cout << "Enter bookID (1-5): ";
    int bookID;
    cin >> bookID;

    string title;
    int price;

    if (bookID == 1) {
        title = "Harry Potter";
        price = 250000;
    } else if (bookID == 2) {
        title = "Algorithm";
        price = 85000;
    } else if (bookID == 3) {
        title = "Calculus";
        price = 130000;
    } else if (bookID == 4) {
        title = "Sherlock Holmes";
        price = 270000;
    } else if (bookID == 5) {
        title = "Supernova";
        price = 180000;
    } else {
        title = "Unknown Book";
        price = 0;
    }

    int total_price = price - (price * discount_percent / 100);

    cout << endl;
    cout << name << " is buying " << title << " for " << total_price << " IDR" << endl;

    cout << "Insert cash: ";
    int cash;
    cin >> cash;

    if (cash < total_price) {
        cout << "Insufficient money!" << endl;
    } else {
        int change = cash - total_price;
        cout << "Money given: " << cash << ", change: " << change << endl;
        cout << "Thank you for shopping with us!" << endl;
        cout << endl;
    }

    return 0;
}
```

c. Output

```
Welcome to the Book Store!
Are you a member? (1 = Yes, 0 = No): 1
Enter memberID (1-3): 2
Enter bookID (1-5): 3

Budi is buying Calculus for 110500 IDR
Insert cash: 120000
Money given: 120000, change: 9500
Thank you for shopping with us!
```

3. ATM Simulation

a. Flowchart

