SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

Alrafidha Jenna M
1920260162C

QUESTIONS 25 / 25 completed

Subtract

SUBTRACT

Write a C program to subtract two matrices.

PROGRAM EDITOR

C | Run | Save

```c
#include <stdio.h>

int main() {
    int r1, c1, r2, c2, i, j;

    // Read dimensions of the first matrix
    printf("Enter rows and columns of the first matrix: ");
    if (scanf("%d %d", &r1, &c1) != 2 || r1 <= 0 || c1 <= 0) {
        return 1;
    }

    // Read dimensions of the second matrix
    printf("Enter rows and columns of the second matrix: ");
    if (scanf("%d %d", &r2, &c2) != 2 || r2 <= 0 || c2 <= 0) {
        return 1;
    }

    // Matrix subtraction requires both matrices to have the same d
    if (r1 != r2 || c1 != c2) {
        printf("Matrix subtraction is not possible. Dimensions must
        return 0;
```

OUTPUT

```
Enter rows and columns of the first matrix: Enter rows and
columns of the second matrix: Matrix subtraction is not
possible. Dimensions must match.
```

INPUT

```
2 2
5 6
7 8
2 2
```

© 2026 **SIMATS Online Lab**. All rights reserved.