

ScoreLivePRO - Flutter Developer Integration Handoff

Complete guide on backend normalizations, pre-grouped API endpoints, confederation localizations, and required Flutter client updates.

Target Audience: Flutter Mobile Team **Scope:** Client Refactor & Bugfixes **Date:** September 9, 2026
Author: Backend Engineering Team

1. Champions League 9-Match Bug & League Grouping

Issue Reported: ScoreLivePRO was showing 9 matches in the "Champions League" section, including matches that do not belong to the UEFA Champions League (such as *Foresters vs Wiliete*). Diretta only shows 6 matches.

Root Cause

On September 10, 2026, 9 total matches occur across distinct tournaments containing the string "Champions League":

- **UEFA Champions League (ID 2):** 6 matches (PSV vs Shakhtar, Bayern vs Bodo/Glimt, etc.)
- **CAF Champions League (ID 12):** 1 match (*Foresters vs Wiliete* - African Preliminary Round)
- **Nasjonal U19 Champions League (ID 823):** 2 matches (Norway Youth)

The Flutter app was grouping matches by `league.name` or using a substring check `.contains("Champions League")`, collapsing all 3 separate competitions into a single accordion card.

Action Required in Flutter

Option A (Recommended): Consume the new pre-grouped endpoint:

GET `/sports/fixtures/grouped/?date=YYYY-MM-DD`

```
{
  "success": true,
  "count": 73,
  "total_fixtures": 168,
```

```

"results": [
  {
    "league": {
      "id": 2,
      "name": "UEFA Champions League",
      "region": "Europe",
      "localized_region": { "it": "Europa", "en": "Europe", "es": "Europa", ... },
      "country": { "name": "World" },
      "logo": "https://media.api-sports.io/football/leagues/2.png",
      "season_year": 2026
    },
    "count": 6,
    "fixtures": [ /* Exactly 6 UEFA matches */ ]
  },
  {
    "league": {
      "id": 12,
      "name": "CAF Champions League",
      "region": "Africa",
      "localized_region": { "it": "Africa", "en": "Africa", ... },
      "count": 1,
      "fixtures": [ /* Foresters vs Wiliete */ ]
    }
  }
]
}

```

Option B: If continuing with local grouping from `GET /sports/fixtures/?date=...`, group strictly by `league.id` (integer):

```

// ❌ WRONG (Causes 9-match collision):
final groupKey = match.league?.name;

// ✅ CORRECT (Strict tournament isolation):
final int leagueId = match.league?.id ?? 0;
final groupKey = "${leagueId}_${match.league?.name ?? ''}";

```

2. Confederation & Continental Region Localizations

You can now delete all hardcoded maps of tournament IDs in Dart. Every league object now carries native continental classifications and localized translations across 7 languages (`en` , `it` , `es`` , ``fr`` , ``de`` , ``pt`` ,

``tr`):`

```
// Updated Dart Model Usage
String getHeaderCountry(LeagueModel league, String userLangCode) {
  if (league.country?.name == "World" || league.country?.name == "International") {
    // Returns "Europa" (it), "Europe" (en), "Afrique" (fr), etc.
    return league.localizedRegion?[userLangCode] ?? league.region ?? "World";
  }
  return league.country?.name ?? "";
}
```

3. Upcoming Matches & Strict Date Bounding

Leakage Resolved: Calling `GET /sports/fixtures/?status=upcoming` previously returned fixtures spanning 15 days ahead (up to 74 future UCL fixtures).

- **With Date:** `GET /sports/fixtures/?status=upcoming&date=YYYY-MM-DD` strictly filters matches to that date.
- **Without Date:** `GET /sports/fixtures/?status=upcoming` now automatically caps results to the next 24 hours (`now + 24h`).
- You can remove the client-side `_isMatchOnDate` pruning logic.

4. Fixture Coverage Metadata

Every fixture response now contains a `coverage` object indicating whether official lineups, statistics, or match events exist:

```
"coverage": {
  "lineups": false,
  "statistics": false,
  "events": true
}
```

Flutter Action: Check `fixture.coverage.lineups` and `fixture.coverage.statistics`. If `false`, immediately render the empty state without firing redundant network requests.

5. Diacritic & Accent Search Normalization

The backend now uses PostgreSQL `unaccent` for team and league searches. You no longer need to strip accents or write custom regexes on the mobile app:

- `GET /sports/teams/?search=atletico` → matches "Atlético Madrid" and "Alianza Atletico".
- `GET /sports/teams/?search=sao paulo` → matches "São Paulo" and "Sao Paulo".

6. Action Checklist for Flutter Developers

Area	Required Action	Priority
Home / Grouping	Consume <code>/sports/fixtures/grouped/</code> OR group map keys by <code>league.id</code> .	CRITICAL
League Header	Display <code>league.localized_region[langCode]</code> instead of hardcoded maps.	HIGH
Upcoming Tab	Pass <code>&date=YYYY-MM-DD</code> on upcoming requests.	READY
Match Details	Inspect <code>fixture.coverage</code> before triggering lineups/stats HTTP calls.	READY
Search Bar	Pass raw user input to <code>?search=...</code> without client accent stripping.	READY