

OIL FILE MANAGER

-

OPEN PARENT AS TEXT

SPC - = floating window · press - again to keep going up

edit + :w

RENAME · CREATE · DELETE · MOVE

edit names, add lines, dd lines — one :w commits the whole batch

CR / CTRL p

OPEN / PREVIEW

CTRL s h t

VSPLIT / HSPLIT / TAB

one modifier, three destinations

- / `

JUMP TO CWD / CD HERE

~ = cd for this tab only

g\

BROWSE THE TRASH

your deletes go to trash, not oblivion — restore by moving back

gs / gx

SORT / OPEN IN FINDER

g.

TOGGLE HIDDEN FILES

SPC r p

COPY PATH UNDER CURSOR

r P = absolute · q closes · CTRL-r refreshes

SNACKS PICKER KEYS

just type

CR

CTRL v s t

TAB

CTRL q

CTRL g

OPT r h i

/

?

FILTER LIVE

works in files, grep, buffers, keymaps — every picker in your sidebar

OPEN

SHIFT-CR = pick which window it opens in

VSPLIT / SPLIT / TAB

SELECT MULTIPLE

tab marks item and moves on · CTRL-a selects everything

EVERYTHING → QUICKFIX

selection if you made one, else all results

LIVE GREP ↔ FUZZY REFINER

grep first, flip to fuzzy to narrow the results you already have

REGEX · HIDDEN · IGNORED

toggles while you search

HOP INPUT ↔ LIST

in the list: j k gg G move, q quits

EVERY PICKER KEY

the built-in version of this poster

SPECTRE FIND & REPLACE

SPC **S** **r**

TAB / **↑TAB**

dd

CR

SPC **r** **c**

SPC **R**

SPC **q**

tf

SPC **l**

OPEN THE PANEL

SPC S w = pre-filled with the word under cursor

SEARCH ↔ REPLACE FIELDS

type the pattern, tab down, type the replacement — results update live

DROP A MATCH FROM THE BATCH

exclude the false positives before you pull the trigger

JUMP TO THAT FILE

REPLACE JUST THIS ONE

REPLACE ALL

everything still in the list — after your dd pruning

MATCHES → QUICKFIX

LITERAL MODE — YOUR KEY

search has . () \$ in it? flip this · ti = ignore case th = hidden files

RESUME LAST SEARCH

LAZYGIT BASICS

SPC **g** **g**

1 ... **5**

SPACE

CR

c

A

P / **p**

n

z / **?**

OPEN

q quits back to nvim · ESC backs out of anything

SWITCH PANELS

status · files · branches · commits · stash

STAGE / UNSTAGE FILE

a = stage everything

DRILL INTO THE FILE

then SPACE stages individual lines — surgical commits

COMMIT

AMEND LAST COMMIT

staged changes get folded into it

PUSH / PULL

NEW BRANCH

in the branches panel · SPACE checks out the highlighted one

UNDO / ALL KEYBINDINGS

z reverts the last lazygit action — yes, really

MINI.AI & MINI.SURROUND

i / **a**

q

b

f

a

t

n / **l**

v **a)** **a)**

sa **sd** **sr**

INSIDE / AROUND

every object below pairs with c, d, y, v — that's the whole grammar

ANY QUOTE

" ' or backtick — whichever is closest · ciq just works

ANY BRACKET

([{ — whichever is closest · dab eats the nearest pair

FUNCTION CALL

daf deletes name(args...) entirely

ARGUMENT

cia rewrites one arg, daa removes it AND its comma

HTML / JSX TAG

cit = change tag contents

NEXT / LAST OBJECT

cinq = change in NEXT quotes — cursor doesn't have to be there yet

REPEAT TO GROW OUTWARD

each a) expands the selection to the next enclosing pair

SURROUND: ADD · DELETE · REPLACE

saiw" wraps word · sd" strips · sr"" swaps · visual + sa) wraps selection

LSP CODE ACTIONS

SPC **c** **a**

"WHAT CAN YOU DO HERE?"

on a squiggle = fixes · on clean code = refactors

v ... **SPC** **c** **a**

SELECT FIRST = EXTRACT

select lines, then code action — extract function / variable

GO

FILL STRUCT · INVERT IF

gops — on an empty struct literal it fills every field

TS

ADD ALL MISSING IMPORTS

also: move to new file, remove unused, organize imports

ESLINT

FIX ALL AUTO-FIXABLE

one action clears every eslint complaint in the file

RUST

FILL MATCH · IMPL MEMBERS

rust-analyzer has the deepest menu — check every squiggle

g **r** **n**

RENAME — SAFEST REFACTOR

semantic, cross-file — never regex-rename an identifier

gre → **SPC** **ca**

THE REPAIR LOOP

next diagnostic, fix, repeat until clean

SPC **s** **d**

THE REFACTOR WORKLIST

every diagnostic in the project, one list