

Nama : Rafly Maulana Yusuf

NPM : 242310014

Kelas : TI-24-KA

LAPORAN PRAKTIKUM WEB PROGRAMMING

BAB V (FRAMEWORK UI REACT JS PART 1)

1. Membuat project baru menggunakan framework Next.js dengan App Router.

```
PS D:\College\Semester 4\Lab. Pemrograman Web - ASDOS\AFTER UTS\Tugas Bab 5\my-first-app-react> npm list --depth=0
my-first-app-react@0.1.0 D:\College\Semester 4\Lab. Pemrograman Web - ASDOS\AFTER UTS\Tugas Bab 5\my-first-app-react
├── @emnapi/runtime@1.11.0 extraneous
├── bootstrap-icons@1.13.1
├── bootstrap@5.3.8
├── eslint-config-next@16.2.7
├── eslint@9.39.4
├── next@16.2.7
├── react-bootstrap@2.10.10
├── react-dom@19.2.4
└── react@19.2.4
```

2. Menginstal Bootstrap, Bootstrap Icons dan React Bootstrap sebagai framework CSS.

```
PS D:\College\Semester 4\Lab. Pemrograman Web - ASDOS\AFTER UTS\Tugas Bab 5\my-first-app-react> npm list --depth=0
my-first-app-react@0.1.0 D:\College\Semester 4\Lab. Pemrograman Web - ASDOS\AFTER UTS\Tugas Bab 5\my-first-app-react
├── @emnapi/runtime@1.11.0 extraneous
├── bootstrap-icons@1.13.1
├── bootstrap@5.3.8
├── eslint-config-next@16.2.7
├── eslint@9.39.4
├── next@16.2.7
├── react-bootstrap@2.10.10
├── react-dom@19.2.4
└── react@19.2.4
```

3. Membuat struktur project sesuai dengan Component Based Architecture.

```

▼ TUGAS BAB 5
  ▼ my-first-app-react
    > .next
    > node_modules
    > public
    ▼ src
      ▼ app
        ★ favicon.ico
        # globals.css
        JS layout.js M
        JS page.js M
        # page.module.css
      ▼ components
      ▼ landing-pages
        ▼ components
          ⚙️ bookcard.jsx U
          ⚙️ categoriessection.jsx U
          ⚙️ featuredbookssection.jsx U
          ⚙️ footers.jsx U
          ⚙️ herosection.jsx U
          ⚙️ navbar.jsx U
          ⚙️ testimonsection.jsx U
          ⚙️ index.jsx U
        ▼ ui
          ⚙️ buttons.jsx U
  
```

4. Membuat reusable button component yang dapat digunakan pada seluruh aplikasi. (buttons.jsx)

```

1  import React from "react";
2
3  const Button = ({
4    children,
5    variant = "primary",
6    size = "md",
7    outline = false,
8    icon,
9    iconPosition = "left",
10   disabled = false,
11   loading = false,
12   fullWidth = false,
13   className = "",
14   onClick,
15   type = "button",
16   ...props
17 }) => {
18   const variantClass = outline
19     ? `btn-outline-${variant}`
20     : `btn-${variant}`;
21
22   const sizeClass = size !== "md" ? `btn-${size}` : "";
23   const widthClass = fullWidth ? "w-100" : "";
24   const disabledClass = disabled || loading ? "disabled" : "";
25
26   const buttonClasses =
27     `btn ${variantClass} ${sizeClass} ${widthClass} ${disabledClass} ${className}`;
28
29   return (
30     <button
31       type={type}
32       className={buttonClasses}
33       onClick={onClick}
34       disabled={disabled || loading}
35       {...props}
36     >
37       {loading ? (
38         <span
39           className="spinner-border spinner-border-sm me-2"
40           role="status"
41           aria-hidden="true"
42         ></span>
43         Loading...
44       ) : (
45         <span
46           className={
47             icon && iconPosition === "left" && (
48               `bi bi-${icon} me-2`
49             ) : icon && iconPosition === "right" && (
50               `bi bi-${icon} ms-2`
51             ) : ""
52           }
53         >
54           {children}
55         </span>
56       )}
57     </button>
58   );
59 }
60
61 export { Button };

```

5. Membuat komponen navigasi utama aplikasi. (navbar.jsx)

```

1  import React from "react";
2  import { Button } from "../ui/buttons";
3
4  export function Navbar() {
5    const menu_nav = [
6      { id: 1, name: "Home", link: "#home" },
7      { id: 2, name: "Books", link: "#books" },
8      { id: 3, name: "Categories", link: "#categories" },
9      { id: 4, name: "About", link: "#about" },
10     { id: 5, name: "Contact", link: "#contact" },
11   ];
12
13   return (
14     <nav
15       className="navbar navbar-expand-lg fixed-top"
16       style={styles.navigationBar}
17     >
18       <div className="container">
19         <a
20           className="navbar-brand" href="#"
21           <i className="bi bi-book me-2"></i>
22           Readly <sup></sup>
23         </a>
24
25         <button
26           className="navbar-toggler"
27           type="button"
28           data-bs-toggle="collapse"
29           data-bs-target="#navbarNav"
30         >
31           <span className="navbar-toggler-icon"></span>
32         </button>
33
34         <div className="collapse navbar-collapse" id="navbarNav">
35           <ul
36             className="navbar-nav mx-auto"
37             {menu_nav.map((menu) => (
38               <li
39                 className="nav-item" key={menu.id}
40                 <a
41                   className="nav-link" href={menu.link}
42                   {menu.name}
43                 ></a>
44               </li>
45             ))}
46           </ul>
47
48           <div className="d-flex gap-2">
49             <button
50               className="btn btn-light text-dark"
51               <i className="bi bi-box-arrow-in-right me-2"></i>
52             Sign In
53             </button>
54
55             <button
56               className="btn btn-warning"
57               <i className="bi bi-person-plus me-2"></i>
58             Sign Up
59             </button>
60           </div>
61         </div>
62       </nav>
63     );
64
65     const styles = {
66       navigationBar: {
67         backgroundColor: "rgb(247,248,226,0.8)",
68         transition: "all 0.3s ease-in-out",
69       },
70     };
71   );
72 }

```

6. Membuat Hero Section sebagai tampilan utama landing page. (herosection.jsx)

```

1 import React from 'react';
2 import { Button } from './ui/buttons';
3
4 export function HeroSection() {
5   return (
6     <div>
7       <h1>Hero Section</h1>
8       <h2>Discover Your Next Great Read</h2>
9       <p>Explore thousands of books across all genres, from bestsellers to hidden gems, find your perfect book today.</p>
10      <p>Browse Books</p>
11      <p>Learn More</p>
12    </div>
13  );
14}

```

7. Menampilkan daftar buku menggunakan array object dan map(). (featuredbookssection.jsx & bookcard.jsx)

```

1 import React from 'react';
2 import { BookCard } from './bookcard';
3
4 const listBooks = [
5   {
6     id: 1,
7     title: 'React Fundamentals',
8     author: 'John Doe',
9     isFree: true,
10    synopsis: 'Learn React from beginner to advanced.',
11    rating: 4.8,
12    views: 1500,
13  },
14  {
15    id: 2,
16    title: 'Next JS Complete Guide',
17    author: 'Jane Smith',
18    isFree: false,
19    synopsis: 'Master Next.js development.',
20    rating: 4.9,
21    views: 2300,
22  },
23  {
24    id: 3,
25    title: 'JavaScript Modern',
26    author: 'Michael Brown',
27    isFree: true,
28    synopsis: 'Modern JavaScript for web development.',
29    rating: 4.7,
30    views: 1800,
31  },
32  {
33    id: 4,
34    title: 'UI UX Design',
35    author: 'Sarah Wilson',
36    isFree: false,
37    synopsis: 'Learn beautiful user interface design.',
38  },
39];
40
41 export function FeaturedBooksSection() {
42   return (
43     <div>
44       <h3>Featured Books</h3>
45       <div>
46         {listBooks.map((book) => (
47           <BookCard key={book.id} book={book} />
48         ))}
49       </div>
50     </div>
51   );
52}

```

```

1 export function BookCard({ book }) {
2   return (
3     <div>
4       <h3>Book Card</h3>
5       <p>{book.title}</p>
6       <p>{book.author}</p>
7       <p>{book.rating}</p>
8       <p>{book.views}</p>
9       <p>{book.synopsis}</p>
10      <p>{book.isFree ? 'Free' : 'Premium'}</p>
11    </div>
12  );
13}

```

8. Menampilkan kategori buku menggunakan data array. (categoriessection.jsx)

```

1 import React from "react";
2
3 const genre_data = [
4   { name: "Fiction", icon: "bi-journal-text", color: "primary" },
5   { name: "Non-Fiction", icon: "bi-newspaper", color: "success" },
6   { name: "Science", icon: "bi-lightbulb", color: "info" },
7   { name: "History", icon: "bi-clock-history", color: "warning" },
8   { name: "Biography", icon: "bi-person", color: "danger" },
9   { name: "Children", icon: "bi-balloon", color: "secondary" },
10 ];
11
12 export function CategoriesSection() {
13   return (
14     <section id="categories" className="py-5 bg-light">
15       <div className="container">
16         <div className="text-center mb-5">
17           <h2 className="fw-bold">Book Categories</h2>
18           <p className="text-muted">Browse books by category</p>
19         </div>
20         <div className="row g-4">
21           {genre_data.map((genre, index) => (
22             <div className="col-md-4" key={index}>
23               <div className="card text-center shadow-sm h-100">
24                 <div className="card-body">
25                   <i
26                     className={`bi ${genre.icon} text-${genre.color}`}
27                     style={{ fontSize: "3rem" }}
28                   >
29                     <h5 className="mt-3">
30                       {genre.name}
31                     </h5>
32                   </div>
33                 </div>
34               </div>
35             </div>
36           ))}
37         </div>
38       </div>
39     </section>
40   );
41 }

```

9. Menampilkan testimoni pengguna. (testimonsection.jsx)

```

1 import React from "react";
2
3 const user_testimonials = [
4   {
5     name: "Anton Sukanto",
6     review: "Amazing collection! Found all my fa",
7     rating: 5,
8   },
9   {
10    name: "Isnan Mulia",
11    review: "Fast delivery and great customer service",
12    rating: 5,
13  },
14  {
15    name: "Edi Nurachmad",
16    review: "Best prices I've found online.",
17    rating: 4,
18  },
19 ];
20
21 export function TestimonSection() {
22   return (
23     <section className="py-5">
24       <div className="container">
25         <div className="text-center mb-5">
26           <h2 className="fw-bold">What Our Readers Say</h2>
27           <p className="text-muted">Join thousands of satisfied book lov</p>
28         </div>
29         <div className="row g-4">
30           {user_testimonials.map((testimonial, i) => (
31             <div className="col-md-4" key={i}>
32               <div className="card h-100 shadow">
33                 <div className="card-body">
34                   <div className="mb-3">
35                     {[...Array(5)].map((_, i) => (
36                       <i
37                         className={`bi bi-star${
38                           i < testimonial.rating
39                             ? "-fill"
40                             : ""
41                         } text-warning`
42                       >
43                         </i>
44                     ))}
45                   <p>
46                     {testimonial.review}
47                   </p>
48                   <h6>{testimonial.name}</h6>
49                 </div>
50               </div>
51             </div>
52           ))}
53         </div>
54       </div>
55     </section>
56   );
57 }

```

10. Membuat footer sebagai bagian akhir halaman. (footers.jsx)

```

1 import React from "react";
2
3 export function Footers() {
4   return (
5     <footer
6       id="contact"
7       className="bg-light py-4"
8     >
9       <div className="container">
10        <div className="row">
11          <div className="col-md-4">
12            <h5>
13              <i className="bi bi-book-fill me-2"></i>
14              Readly+
15            </h5>
16            <p className="text-muted">
17              Your trusted online bookstore.
18            </p>
19            <div className="col-md-4">
20              <h6>Quick links</h6>
21              <ul className="list-unstyled">
22                <li>About Us</li>
23                <li>Contact</li>
24                <li>Privacy Policy</li>
25                <li>Terms of Service</li>
26              </ul>
27            </div>
28            <div className="col-md-4">
29              <h6>Contact</h6>
30            </div>
31          </div>
32        </div>
33      </div>
34    </footer>
35  );
36}


```


```


31 <li>Terms of Service</li>
32 </ul>
33 </div>
34
35 <div className="col-md-4">
36   <h6>Contact</h6>
37
38   <p>
39     <i className="bi bi-envelope me-2"></i>
40     info@readly.com
41   </p>
42
43   <p>
44     <i className="bi bi-telephone me-2"></i>
45     +62 8123456789
46   </p>
47 </div>
48 </div>
49
50 <hr />
51
52 <div className="text-center text-muted">
53   © 2026 Readly+. All Rights Reserved.
54 </div>
55
56 </div>
57 </div>
58 </div>
59 </div>
60

```

11. Landing page berhasil dibuat menggunakan pendekatan Component Based Architecture pada React dan Next.js.







12. Kesimpulan: Pada praktikum ini berhasil dibuat sebuah landing page sederhana menggunakan React JS dan Next.js. Komponen dibagi menjadi beberapa bagian seperti Navbar, Hero Section, Featured Books, Categories, Testimonials dan Footer. Dengan pendekatan Component Based Architecture, kode menjadi lebih modular, mudah dan dapat digunakan kembali pada halaman lain.