


Nama : Raffly Maulana Yusuf

NPM : 242310014

Kelas : TI-24-KA

QUIZ 2 KASUS 1


1. Screenshot App.jsx



The screenshot shows the App.jsx file in a code editor. The code imports useState from 'react' and uses it to manage a darkMode state. It also imports components like FaUserGraduate, FaIdCard, FaUniversity, and FaUniversity from 'react-icons/fa'. The App function returns a JSX element with a container class, a digital clock, a subtitle, and a theme toggle. The theme toggle is a button that switches between 'light' and 'dark' modes.

```
1 import { useState } from "react";
2 import Clock from "../components/Clock";
3 import ThemeToggle from "../components/ThemeToggle";
4 import StatusMode from "../components/StatusMode";
5
6 import {
7   FaUserGraduate,
8   FaIdCard,
9   FaUniversity,
10 } from "react-icons/fa";
11
12 import "../App.css";
13
14 function App() {
15   const [darkMode, setDarkMode] = useState(false);
16
17   return (
18     <div className={darkMode ? "container dark" : "container"}>
19       <div className="background-circle circle1"></div>
20       <div className="background-circle circle2"></div>
21
22       <div className="card">
23         <h1 className="title">
24           Digital Clock
25         </h1>
26
27         <p className="subtitle">
28           React Real-Time Clock with Dark Mode
29         </p>
30
31         <Clock />
32
33         <ThemeToggle
34           darkMode={darkMode}
35           setDarkMode={setDarkMode}
36         />
37       </div>
38     </div>
39   );
40 }
41
42 export default App;
```


2. Screenshot Clock.jsx




The screenshot shows the Clock.jsx file in a code editor. The code imports useEffect and useState from 'react'. It uses useState to manage a time state and useEffect to update the time every 1000 milliseconds. The Clock function returns a JSX element with a clock container, a clock display, and a date display.

```
1 import { useEffect, useState } from "react";
2
3 function Clock() {
4   const [time, setTime] = useState(new Date());
5
6   useEffect(() => {
7     const interval = setInterval(() => {
8       setTime(new Date());
9     }, 1000);
10
11     return () => clearInterval(interval);
12   }, []);
13
14   const jam = time.toLocaleTimeString("id-ID", {
15     hour: "2-digit",
16     minute: "2-digit",
17     second: "2-digit",
18   });
19
20   const tanggal = time.toLocaleDateString("id-ID", {
21     weekday: "long",
22     day: "numeric",
23     month: "long",
24     year: "numeric",
25   });
26
27   return (
28     <div className="clock-container">
29       <div>
30         <h1>
31           {jam}
32         </h1>
33
34         <p>
35           {tanggal}
36         </p>
37       </div>
38     </div>
39   );
40 }
41
42 export default Clock;
```


3. Screenshot ThemeToggle.jsx




4. Screenshot StatusMode.jsx



5. Screenshot struktur folder



6. Screenshot aplikasi saat **Light Mode**



7. Screenshot aplikasi saat **Dark Mode**

