

I. Pendahuluan


Praktikum ini bertujuan untuk mempelajari dasar-dasar HTML seperti heading, paragraf, gambar, tabel, list, iframe, link, form, dan layout. Praktikum ini dikerjakan menggunakan Visual Studio Code dan hasilnya ditampilkan melalui browser menggunakan Live Server. Setiap latihan dibuat dalam file HTML yang berbeda sesuai dengan instruksi yang diberikan pada modul praktikum.

II. Langkah-Langkah Pengerjaan

1. Latihan 1 – Typography


- Penjelasan: Pada latihan ini saya membuat dokumen HTML yang berisi heading, paragraf dan formatting seperti bold, italic, underline dan mark. File disimpan dengan nama Latihan-1.html

- Screenshot VS Code (koding)



```
Latihan-1.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Latihan 1</title>
5  </head>
6  <body>
7
8    <h1>Belajar HTML Dasar</h1>
9
10   <p><b>HTML</b> adalah bahasa yang digunakan untuk membuat halaman website.</p>
11
12   <p><i>HTML</i> merupakan singkatan dari HyperText Markup Language.</p>
13
14   <p><u>HTML</u> digunakan untuk membuat struktur halaman web.</p>
15
16   <p><mark>Belajar HTML itu mudah</mark> jika sering latihan.</p>
17
18 </body>
19 </html>
```

- Screenshot Browser (hasil)



Belajar HTML Dasar

HTML adalah bahasa yang digunakan untuk membuat halaman website.

HTML merupakan singkatan dari HyperText Markup Language.

HTML digunakan untuk membuat struktur halaman web.


Belajar HTML itu mudah jika sering latihan.

2. Latihan 2 - Image

- Penjelasan: Pada latihan ini saya menambahkan 2 gambar ke dalam HTML menggunakan tag `<img>` serta menambahkan atribut `width` dan `height` untuk mengatur ukuran gambar.
- Screenshot VS Code (koding)

```
<> Latihan-2.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Latihan 2</title>
5  </head>
6  <body>
7  |
8  |   <h1>Belajar HTML Gambar</h1>
9  |
10 |   <p>Contoh gambar 1:</p>
11 |   
12 |
13 |   <p>Contoh gambar 2:</p>
14 |   
15 |
16 </body>
17 </html>
```

- Screenshot Browser (hasil)



Belajar HTML Gambar

Contoh gambar 1:




Contoh gambar 2:



3. Latihan 3 - Table

- Penjelasan: Pada latihan ini saya membuat tabel Sifat Fisika Oksigen menggunakan tag <table>, <tr>, <th>, dan <td> serta menambahkan CSS untuk mempercantik tampilan tabel.
- Screenshot VS Code (koding)




```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Latihan 3</title>
5   <style>
6     table {
7       border-collapse: collapse;
8       width: 70%;
9     }
10    th, td {
11      border: 1px solid black;
12      padding: 8px;
13    }
14    th {
15      background-color: #bfbfbf;
16    }
17    .italic {
18      font-style: italic;
19    }
20  </style>
21 </head>
22 <body>
23
24   <p>
25     Oksigen mempunyai beberapa <b>SIFAT FISIKA</b>, diantaranya yang terdapat
26     dalam tabel berikut:
27   </p>
28
29   <table>
30     <tr>
31       <th>Sifat Fisika</th>
32       <th>Oksigen</th>
33     </tr>
34     <tr>
35       <td>Massa atom <span class="italic">relative</span></td>
36       <td>15,994</td>
37     </tr>
38
39     <tr>
40       <td>Nomor Atom</td>
41       <td>8</td>
42     </tr>
43     <tr>
44       <td>Konfigurasi <span class="italic">electron</span></td>
45       <td>2s22p4</td>
46     </tr>
47     <tr>
48       <td>Jari-jari atom (nm)</td>
49       <td>0,074</td>
50     </tr>
51     <tr>
52       <td>Jari-jari X2- (nm)</td>
53       <td>0,140</td>
54     </tr>
55     <tr>
56       <td>Keelectronegatifan</td>
57       <td>3,5</td>
58     </tr>
59     <tr>
60       <td>Energy ionisasi I (kJ/mol)</td>
61       <td>1316</td>
62     </tr>
63     <tr>
64       <td>Energy ionisasi II (kJ/mol)</td>
65       <td>3396</td>
66     </tr>
67     <tr>
68       <td>Kerapatan (g/cm3)</td>
69       <td>1,27 (padatan)</td>
70     </tr>
```

```

71         <td>Titik leleh (°C)</td>
72         <td>+183</td>
73     </tr>
74     <tr>
75         <td>Titik beku (°C)</td>
76         <td>-219</td>
77     </tr>
78     <tr>
79         <td><span class="italic">Potensial elektroda</span> (V)</td>
80         <td>+0.401</td>
81     </tr>
82     <tr>
83         <td>X2(g) + 2e- → 2X-(aq)</td>
84         <td>-</td>
85     </tr>
86 </table>
87
88 </body>
89 </html>

```

▪ Screenshot Browser (hasil)



Oksigen mempunyai beberapa **SIFAT FISIKA**, diantaranya yang terdapat dalam tabel berikut:

Sifat Fisika	Oksigen
Massa atom <i>relative</i>	15,994
Nomor Atom	8
Konfigurasi <i>electron</i>	2s ² 2p ⁴
Jari-jari atom (nm)	0,074
Jari-jari X ⁻ (nm)	0.140
Keelectronegatifan	3,5
Energy ionisasi I (kJ/mol)	1316
Energy ionisasi II (kJ/mol)	3396
Kerapatan (g/cm ³)	1.27 (padatan)
Titik leleh (°C)	+183
Titik beku (°C)	-219
<i>Potensial elektroda</i> (V)	+0.401
X ₂ (g) + 2e ⁻ → 2X ⁻ (aq)	-

4. Latihan 4 - List

- Penjelasan: Pada latihan ini saya membuat ordered list dan unordered list menggunakan tag dan .
- Screenshot VS Code (koding)

```


<?php
<DOCTYPE html>
<html>
<head>
<title>Latihan 4</title>
</head>
<body>
<h2>The 10 Most Popular Programming Languages to Learn in 2022</h2>
<p>
There's no question that software programming is a hot career right now.
The U.S. Bureau of Labor Statistics projects 21 percent growth for programming jobs
from 2018 to 2028, which is more than four times the average for all occupations.
What's more, the median annual pay for a software programmer is about $106,000,
which is nearly three times the median pay for all U.S. workers.
</p>
<p>
Not all programming jobs are the same, however. Different roles, companies, and types
of software require knowing and understanding different programming languages-and it's
often beneficial to know multiple languages. Trying to break into the field of software
programming can be a daunting experience, especially for professionals with no prior
programming experience.
</p>
<p>
The Master of Science in Computer Science Align program at Northeastern University is
specifically designed for students who want to transition into computer science from
another field of study.
</p>
<p>
<i>
Our aim is to transport students from a variety of different backgrounds and have them
come out as software engineers," says Ian Gorton, PhD and director of the graduate
computer science programs at Northeastern University-Seattle. "We focus on math,
programming, and a variety of computer science and engineering concepts."



```

```
38 | |</li>
39 | |</p>
40 |
41 | <p>
42 | Whether you're new to programming or looking to brush up on your skills, it helps to know
43 | which languages are in high demand. Here are 10 of the most popular programming languages
44 | of 2020 based on the number of job postings listed on job search sites. Indeed, the average
45 | annual salary for those jobs, and factors such as ease of use and potential for growth.
46 | </p>
47 |
48 | <h3>Top 10 Most Popular Programming Languages</h3>
49 | <ol>
50 | <li>Python - Average annual salary: $120,000</li>
51 | <li>JavaScript - Average annual salary: $118,000</li>
52 | <li>Java - Average annual salary: $104,000</li>
53 | <li>C# - Average annual salary: $97,000</li>
54 | <li>C - Average annual salary: $97,000</li>
55 | <li>C++ - Average annual salary: $97,000</li>
56 | <li>Go - Average annual salary: $93,000</li>
57 | <li>R - Average annual salary: $93,000</li>
58 | <li>Swift - Average annual salary: $93,000</li>
59 | <li>PHP - Average annual salary: $81,000</li>
60 | </ol>
61 |
62 | <h3>7 Other Programming Languages to Consider</h3>
63 | <ul>
64 | <li>Web-based startups are more likely to be programming in Python and JavaScript.</li>
65 | <li>Larger companies tend to develop their internal software applications using C# or Java and their web app<
66 | <li>Programs for data analytics typically use the R and MATLAB programming languages.</li>
67 | <li>Embedded devices run software written in C, C++, or Rust.</li>
68 | <li>Cloud applications are increasingly written in Go or Scala.</li>
69 |
70 | <li>Mobile applications are increasingly written in Swift or Kotlin.</li>
71 | </ul>
72 | </body>
73 | </html>
```

■ Screenshot Browser (hasil)



5. Latihan 5

- Penjelasan: Pada latihan ini saya membuat iframe yang menampilkan file Latihan-4 dan iframe yang menampilkan website Wikipedia.
- Screenshot VS Code (koding)


```
Latihan-5.html X
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <title>Latihan-5</title>
6 <style>
7 body {
8 font-family: Arial, sans-serif;
9 }
10 h2 {
11 text-align: center;
12 }
13 .container {
14 display: flex;
15 justify-content: space-around;
16 margin-top: 20px;
17 }
18 .box {
19 border: 2px solid #4a90e2;
20 padding: 10px;
21 width: 30%;
22 }
23 .box h3 {
24 text-align: center;
25 background-color: #e6f2ff;
26 padding: 5px;
27 }
28 .item {
29 margin: 10px 0;
30 }
31 .tag {
32 display: inline-block;
33 background-color: #f1c40f;
34 padding: 5px;
35 margin-right: 10px;
36 font-weight: bold;
37 }
```

```


38     iframe {
39         width: 100%;
40         height: 300px;
41         border: 1px solid black;
42     }
43     .iframe-box {
44         margin-top: 20px;
45         padding: 10px;
46         border: 1px solid black;
47         text-align: center;
48     }
49     </style>
50 </head>
51 <body>
52 <h2>Programming Language Base on Career</h2>
53
54 <div class="container">
55     <!-- Front-end -->
56     <div class="box">
57         <h3>Front-end Web Development</h3>
58         <div class="item"><span class="tag">JS</span> JavaScript</div>
59         <div class="item">EJS</div>
60         <div class="item"><span class="tag" style="background: lightblue;">TS</span> TypeScript</div>
61     </div>
62
63     <!-- Back-end -->
64     <div class="box">
65         <h3>Back-end Web Development</h3>
66         <div class="item"><span class="tag">JS</span> JavaScript</div>
67         <div class="item">Scala</div>
68
69         <div class="item">Go</div>
70         <div class="item">Ruby</div>
71         <div class="item">Python</div>
72     </div>
73
74     <!-- Mobile -->
75     <div class="box">
76         <h3>Mobile Development</h3>
77         <div class="item"><span class="tag">JS</span> JavaScript</div>
78         <div class="item">Java</div>
79         <div class="item">Objective C</div>
80         <div class="item">Swift</div>
81     </div>
82 </div>
83 <h3>Top 10 Programming Language in 2022</h3>
84
85 <div class="iframe-box">
86     <!-- Iframe ke file lokal latihan-4 -->
87     <iframe src="Latihan-4.html"></iframe>
88 </div>
89
90 <h3>List of programming languages from wikipedia</h3>
91
92 <div class="iframe-box">
93     <!-- Iframe ke URL -->
94     <iframe src="https://en.wikipedia.org/wiki/List_of_programming_languages"></iframe>
95 </div>
96 </body>
97 </html>

```


■ Screenshot Browser (hasil)



■ Iframe yang memanggil file dokumen Latihan-5



- Iframe yang memanggil URL




```


38
39 <h3 id="c">C</h3>
40 <p>C adalah bahasa pemrograman dasar yang powerful.</p>
41
42 <h3 id="cpp">C++</h3>
43 <p>C++ adalah pengembangan dari bahasa C dengan OOP.</p>
44
45 <h3 id="go">Go</h3>
46 <p>Go adalah bahasa pemrograman buatan Google.</p>
47
48 <h3 id="r">R</h3>
49 <p>R digunakan untuk analisis data dan statistik.</p>
50
51 <h3 id="swift">Swift</h3>
52 <p>Swift digunakan untuk pengembangan aplikasi iOS.</p>
53
54 <h3 id="php">PHP</h3>
55 <p>PHP adalah bahasa pemrograman server-side untuk web.</p>
56
57 <hr>
58
59 <p><i>...dan seterusnya...</i></p>
60
61 <hr>
62
63 <!-- BAGIAN B -->
64 <h3>Link ke Halaman Lain</h3>
65
66 <!-- 1 -->
67 <p>
68 <a href="Latihan-4.html" target="_self">Go to Latihan-4</a>
69 </p>
70
71 <!-- 2 -->
72
73 <p>
74 <a href="Latihan-5.html" target="_blank">Go to Latihan-5</a>
75 </p>
76 <!-- 3 -->
77 <p>
78 <a href="https://www.google.com" target="_parent">Go to URL</a>
79 </p>
80
81 </body>
82 </html>

```


■ Screenshot Browser (hasil)




■ Link “Go to Latihan-4”



■ Link “Go to Latihan-5”



■ Link “Go to URL”



7. Latihan 7

- Penjelasan: Pada latihan ini saya membuat form biodata yang berisi input text, email, password, date, radio button, textarea, serta tombol submit dan reset.
- Screenshot VS Code (koding)

```
Latihan-7.html X
Latihan-7.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Latihan-7 Form</title>
5 <style>
6   body {
7     font-family: Arial, sans-serif;
8     background-color: #f0f4f8;
9     display: flex;
10    justify-content: center;
11    align-items: center;
12    height: 100vh;
13  }
14
15  .form-container {
16    background: white;
17    padding: 30px;
18    border-radius: 10px;
19    width: 400px;
20    box-shadow: 0 0 15px rgba(0,0,0,0.1);
21  }
22
23  h2 {
24    text-align: center;
25    color: #333;
26  }
27
28  label {
29    font-weight: bold;
30  }
31
32  input, textarea {
33    width: 100%;
34    padding: 8px;
35    margin-top: 5px;
36    margin-bottom: 15px;
37    border: 1px solid #ccc;
38
39    border-radius: 5px;
40  }
41
42  input[type="radio"] {
43    width: auto;
44  }
45
46  .gender {
47    margin-bottom: 15px;
48  }
49
50  .btn {
51    display: flex;
52    justify-content: space-between;
53  }
54
55  .btn input {
56    width: 48%;
57    padding: 10px;
58    border: none;
59    border-radius: 5px;
60    cursor: pointer;
61    font-weight: bold;
62  }
63
64  .save {
65    background-color: #4CAF50;
66    color: white;
67  }
68
69  .clear {
```

```

69         background-color: #f44336;
70         color: white;
71     }
72
73     .save:hover {
74         background-color: #45a049;
75     }
76
77     .clear:hover {
78         background-color: #d32f2f;
79     }
80 </style>
81 </head>
82 <body>
83
84 <div class="form-container">
85     <h2>Form Data Diri</h2>
86
87     <form>
88
89         <label>NPM:</label>
90         <input type="text" name="npm">
91
92         <label>Fullname:</label>
93         <input type="text" name="fullname">
94
95         <label>Email:</label>
96         <input type="email" name="email">
97
98         <label>Password:</label>
99         <input type="password" name="password">
100

```

```

101         <label>Place Birth:</label>
102         <input type="text" name="place_birth">
103
104         <label>Birthdate:</label>
105         <input type="date" name="birthdate">
106
107         <label>Gender:</label>
108         <div class="gender">
109             <input type="radio" name="gender"> Male
110             <input type="radio" name="gender"> Female
111         </div>
112
113         <label>Address:</label>
114         <textarea name="address" rows="4"></textarea>
115
116         <div class="btn">
117             <input type="submit" value="Save" class="save">
118             <input type="reset" value="Clear" class="clear">
119         </div>
120
121     </form>
122 </div>
123
124 </body>
125 </html>

```

- Screenshot Browser (hasil)

The screenshot displays a web browser window with the address bar showing '127.0.0.1:5500/Lathan-7.html'. The main content is a form titled 'Form Data Diri'. The form fields are as follows:


- NPM:** A text input field containing '242110014'.
- Fullname:** A text input field containing 'Rafly Maulana Yusuf'.
- Email:** A text input field containing 'raflymaulana Yusuf4@gmail.com'.
- Password:** A password input field with a masked value '.....'.
- Place Birth:** A text input field containing 'Bogor'.
- Birthdate:** A date input field showing '01/01/2000'.
- Gender:** Two radio buttons, 'Male' (which is selected) and 'Female'.
- Address:** A text input field containing 'Indonesia'.

At the bottom of the form are two buttons: a green 'Save' button and a red 'Clear' button.

8. Latihan 8

- Penjelasan: Pada latihan ini saya membuat sebuah halaman portfolio sederhana menggunakan HTML.

- Struktur Folder



- Screenshot VS Code (koding)

A. index.html

```
index.html X
my-portfolio > index.html > HTML
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>My Portfolio</title>
7
8   <!-- HUBUNGKAN CSS -->
9   <link rel="stylesheet" href="css/style.css">
10
11   <!-- FONT -->
12   <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600&display=swap" rel="stylesheet">
13 </head>
14 <body>
15
16 <!-- HERO -->
17 <header class="hero">
18   <div class="hero-content">
19     <h1>Hi, I'm Raff 🍌</h1>
20     <p>IT Student | Web Developer | Tech Enthusiast</p>
21     <a href="#about" class="btn">Explore</a>
22   </div>
23 </header>
24
25 <!-- NAVBAR -->
26 <nav class="navbar">
27   <a href="#about">About</a>
28   <a href="#skills">Skills</a>
29   <a href="#projects">Projects</a>
30   <a href="#contact">Contact</a>
31 </nav>
32
33 <!-- ABOUT -->
34 <section id="about" class="section fade-in">
35   <h2>About Me</h2>
36   <p>I am passionate about building modern web applications and learning new technologies.</p>
37 </section>
```

```

38
39 <!-- SKILLS -->
40 <section id="skills" class="section fade-in">
41   <h2>Skills</h2>
42   <div class="cards">
43     <div class="card">HTML</div>
44     <div class="card">CSS</div>
45     <div class="card">JavaScript</div>
46     <div class="card">Networking</div>
47   </div>
48 </section>
49
50 <!-- PROJECTS -->
51 <section id="projects" class="section fade-in">
52   <h2>Projects</h2>
53   <div class="cards">
54     <div class="card">Portfolio Website</div>
55     <div class="card">Simple Social Media App</div>
56   </div>
57 </section>
58
59 <!-- CONTACT -->
60 <section id="contact" class="section fade-in">
61   <h2>Contact</h2>
62   <p>Email: raff@email.com</p>
63 </section>
64
65 <!-- FOOTER -->
66 <footer>
67   <p>© 2026 Raff Portfolio</p>
68 </footer>
69
70 <!-- SCRIPT ANIMASI -->
71 <script>

```

```

72   const faders = document.querySelectorAll('.fade-in');
73   const appearOptions = { threshold: 0.3 };
74
75   const appearOnScroll = new IntersectionObserver(function(entries, observer) {
76     entries.forEach(entry => {
77       if (!entry.isIntersecting) return;
78       entry.target.classList.add('appear');
79       observer.unobserve(entry.target);
80     });
81   }, appearOptions);
82
83   faders.forEach(fader => {
84     appearOnScroll.observe(fader);
85   });
86 </script>
87
88 </body>
89 </html>

```

B. style.css

```

# style.css
my-portfolio > css > # style.css > footer
1  body {
2    margin: 0;
3    font-family: 'Poppins', sans-serif;
4    scroll-behavior: smooth;
5  }
6
7  /* HERO */
8  .hero {
9    height: 100vh;
10   background: linear-gradient(to right, #4facfe, #00021e);
11   display: flex;
12   justify-content: center;
13   align-items: center;
14   color: white;
15   text-align: center;
16 }
17
18 .btn {
19   background: white;
20   color: #333;
21   padding: 10px 20px;
22   border-radius: 20px;
23   text-decoration: none;
24 }
25
26 /* NAVBAR */
27 .navbar {
28   background: #222;
29   text-align: center;
30   padding: 10px;
31 }
32
33 .navbar a {
34   color: white;
35   margin: 0 15px;
36   text-decoration: none;
37 }


```


```

38
39 /* SECTION */
40 .section {
41     padding: 50px;
42     text-align: center;
43 }
44
45 /* CARDS */
46 .cards {
47     display: flex;
48     justify-content: center;
49     gap: 20px;
50     flex-wrap: wrap;
51 }
52
53 .card {
54     background: #f4f4f4;
55     padding: 20px;
56     border-radius: 10px;
57     width: 150px;
58     transition: 0.3s;
59 }
60
61 .card:hover {
62     transform: scale(1.1);
63     background: #4facfe;
64     color: white;
65 }
66
67 /* ANIMASI */
68 .fade-in {
69     opacity: 0;
70     transform: translateY(30px);
71     transition: 0.6s;
72 }
73
74 .fade-in.appear {
75     opacity: 1;
76     transform: translateY(0);
77 }
78
79 /* FOOTER */
80 footer {
81     background: #222;
82     color: white;
83     text-align: center;
84     padding: 10px;
85 }


```

- Screenshot Browser (hasil)






III. Struktur Folder Project



IV. Bukti Upload ke GitHub



Penjelasan: Setelah semua latihan selesai, saya mengupload project ke GitHub dengan nama repository PW-Praktikum-1-242310014.