

Securing IOT devices using Blockchain

A modern beamer theme

Rafsal Rahim

October 21, 2018

Dept. MCA, College of Engineering Trivandrum

Table of contents

1. Introduction
2. Challenges
3. Solution using decentralization
4. How does it work?
5. How blockchain can be used to secure IoT data.
6. Conclusion

Introduction

What do IOT mean?

Definition

The internet of things is a system of interrelated computing devices that are provided with unique identifiers (UIDs) and the ability to transfer data over a network without requiring human-to-human or human-to-computer interaction.

IoT architecture can be represented by four building blocks:

- THINGS
- GATEWAYS
- NETWORK INFRASTRUCTURE
- CLOUD INFRASTRUCTURE

Figures 1




Figure 1: building blocks of IoT

Challenges

Challenges to secure IoT deployments

- IoT Systems are poorly designed
- complex and sometimes conflicting configurations
- Limited guidance for life cycle maintenance and management of IoT devices
- There is a lack of standards for authentication and authorization of IoT edge devices.
- denial-of-sleep attacks
- denial-of-service attacks (DoS) attacks

Problem with current centralized model

- Current IoT ecosystems rely on centralized, brokered communication models.
- Existing IoT solutions are expensive.
- Lack of security has made users loose trust on the data sharing system.
- No reliable way to ensure security of collected data.
- Cloud servers will remain a bottleneck and point of failure that can disrupt the entire network.

Solution using decentralization

Decentralizing IoT networks

A decentralized approach to IoT networking would solve many of the issues above.

- prevent failure in any single node in a network from bringing the entire network to a halting collapse.
- reduce the costs associated with installing and maintaining large centralized data centers.
- IoT security is much more than just about protecting sensitive data.
- Any decentralized approach must support three foundational functions:
 1. Peer-to-peer messaging;
 2. Distributed file sharing;
 3. Autonomous device coordination.

The Blockchain Approach

Blockchain distributed ledger technology.

The data recorded are transparent, secure, auditable, and efficient.

What do blockchain means?

- distributed ledger
- maintaining a permanent and tamper-proof record of transactional data.
- Each of the computers in the distributed network maintains a copy of the ledger

Some advantages of blockchain?

- The big advantage of blockchain is that it's public.
- A blockchain is decentralized, so there is no single authority
- Most importantly, it's secure. The database can only be extended and previous records cannot be changed

How does it work?

Figure 2




Figure 2: Blockchain basic image

Block stricture

- Block ID
- Timestamp
- Nonce
- Data
- Previous block hash




Figure 3: Block stricture

Modification of Data




Figure 4: When Mutation of data happens.

**How blockchain can be used to
secure IoT data.**

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.
- Should not be maintained by a third-party.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.
- Should not be maintained by a third-party.
- Exchange data should be transparent.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.
- Should not be maintained by a third-party.
- Exchange data should be transparent.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.
- Should not be maintained by a third-party.
- Exchange data should be transparent.

Trusted Data Access

Data owner can hold their ownership.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.
- Should not be maintained by a third-party.
- Exchange data should be transparent.

Trusted Data Access

Data owner can hold their ownership.

Trusted Requirements

lot data as a spacial commodity, collected by government, corporates, even individuals, which are of grate value to different application fields. Such owner need a trusted platform to exchange there IoT data.

Trusted Trading

- Transaction once conformed can not be modified.
- Should not be maintained by a third-party.
- Exchange data should be transparent.

Trusted Data Access

Data owner can hold their ownership.

Trusted Privacy Preserve.

Data owner can protect their personal information while data exchange.

Architecture

The framework can be divided into Data Layer, Network Layer, Protocol Layer and Interaction Layer.






Figure 5: Architecture of blockchain based IoT data exchange platform



Line plots



Bar charts



Veni, Vidi, Vici

IoT defines a custom beamer template to add a text to the footer. It can be set via

```
\setbeamertemplate{frame footer}{My custom footer}
```


Some references to showcase `[allowframebreaks]` `[?, ?, ?, ?, ?]`

Conclusion

Summary

Get the source of this theme and the demo presentation from

`github.com/matze/mtheme`

The theme *itself* is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.



Questions?

Backup slides

Sometimes, it is useful to add slides at the end of your presentation to refer to during audience questions.

The best way to do this is to include the `appendixnumberbeamer` package in your preamble and call `\appendix` before your backup slides.

IoT will automatically turn off slide numbering and progress bars for slides in the appendix.

