

# Insertion Sort



# Insertion Sort

Insertion sort is inserting the first element of the unsorted part of the array into sorted part of the array till the array is sorted.



# Insertion Sort

## Algorithm

- Logically divide array into two parts - sorted and unsorted.
- Assign the first element of the unsorted part to a variable `value`.
- Compare the `value` with the elements in the sorted part(from the last element) till the `value` is smaller than the element of the unsorted part( or we reach index 0). And then insert the `value` in its correct position.
- Repeat till the array is sorted.


# Insertion Sort

22	36	-18	6	62
----	----	-----	---	----


Let's Insertion sort the array

# Insertion Sort

22	36	-18	6	62
----	----	-----	---	----



sorted



unsorted

value = 36

22	36	-18	6	62
----	----	-----	---	----

$36 > 22$

So, 36 is in its correct position  
insert 36, in its current position

22	36	-18	6	62
----	----	-----	---	----

 sorted  
 unsorted

value = -18

22	36	-18	6	62
----	----	-----	---	----

$-18 < 36$

so we must insert -18 before 36

to make room for -18, we will shift 36 to its position + 1.

-18

22	<del>36</del>	36	6	62
----	---------------	----	---	----

$-18 < 22$

Shift 22 to position + 1.

-18

<del>22</del>	22	36	6	62
---------------	----	----	---	----

As there are no more elements in sorted part of the array to compare with  
assign value -18 to index 0

-18	22	36	6	62
-----	----	----	---	----

 sorted  
 unsorted



value = 6

-18	22	36	6	62
-----	----	----	---	----

$6 < 36$

Shift 36 to right

-18	22	<del>36</del>	36	62
-----	----	---------------	----	----

$6 < 22$ ,

shift 22 to right

-18	22	<del>22</del>	36	62
-----	----	---------------	----	----

$6 > -18$

insert 6 at position (of -18) +1

-18	6	22	36	62
-----	---	----	----	----

 sorted  
 unsorted



value = 62

-18	6	22	36	62
-----	---	----	----	----

$62 > 36$

insert 62 at its current position

-18	6	22	36	62
-----	---	----	----	----

 sorted  
 unsorted