



Employee Welfare Benefits

Application Form
(Applicable for SMT Members)

Employee Name	Mr. ASHOK KUMAR.S			Employee Code	702905
Date of Joining Apollo (DD-MM-YYYY)	22102014			Service in Apollo (Yrs)	12 years
Mobile Phone No.	+ 9 1 8 8 8 3 9 1 7 2 9 4			Department & Designation	TN
Type of Welfare Benefits Sought (Tick in the relevant box)	Marriage ☐	Child Birth Child 1 ☐ Child 2 ☒	Paternity Leave ☒	Child School Admission ☐	Housing Assistance ☐
Dates (Fill only relevant box)	Date of Marriage D D M M Y Y Y Y 22 10 20 14	Date of Delivery D D M M Y Y Y Y 16 06 20 26	From 13 06 To 24 06	Date of Admission D D M M Y Y Y Y 13 06 20 26	Date of Regn. D D M M Y Y Y Y 13 06 20 26
Gift Amount (INR)	5,000 / 50,000	25,000	NA	25,000	1,00,000
Proof Attached (Fill only relevant box)	Wedding Card or Regn. Certificate	Discharge Summary or Birth Certificate	Discharge Summary	School Fee Receipt	Registration Proof
Additional information required for availing insurance benefits	Spouse Name	Child Name	→ Applying For PTL ⇒ Applied in SPARSH For Medical Insurance.		
	Spouse DOB D D M M Y Y Y Y 22 10 20 14	Child DOB D D M M Y Y Y Y 16 06 20 26			

1. I hereby certify that the above information is true and declare that I have not availed any of the benefits* earlier.
2. I added my Spouse/Child details in SPARSH and agree to pay the applicable additional premium for Medicaclaim Insurance Policy.

Employee's Signature :

ASHOK KUMAR.S

Date : **19/06/2026.**

FOR HR USE ONLY

Approved by
Divisional Head - HR :

FOR ACCOUNTS USE ONLY

Signature & Date of Receipt of Form

Note :

Applicable to All Employees

* Nine calendar days can be taken, consecutively, after the childbirth as per the requirement of the employee (3 Days before or after the delivery day shall be permitted).

Applicable only to SMT Members

- Employees with service of 4 Yrs & above as on **Marriage Day**, can avail **Marriage Gift** by applying on SPARSH - An Employee Portal
- Employees with service of 5 years and above as on **Child Delivery Day**, can avail **Child Birth Gift**.
- Employees with service of 7 years and above as on **School Admission Day**, can avail **Child School Admission Gift**.
- Employees with service of 10 years and above can avail **Housing Assistance**. However if house is bought / built after 4 years of service, benefit can be availed only after completion of 10 years of service. Prerequisite is property should be in the name of either employee or jointly with employee's spouse or jointly with employee's parent and should be within the radius of 80 Km from the Plant.

Filled in application form to be submitted in HR-Help Desk, 15 days in advance from the date of marriage/child birth/school admission/house regn.



DISCHARGE SUMMARY

DEPARTMENT OF OBSTETRICS

Patient Name:

MRS YOGALATHA A
25 / F

UHID:

912604160165

Encounter No:

912606127068

Date of Admission:

12-06-2026

Date of Discharge:

20-06-2026

Length of Stay:

9 - days

Discharge Type:

IMPROVED

Unit Details:

UNIT-1

Chief:

DR.CHITRA.K.S

Treating Doctor:

DR.CHITRA.K.S

Ward/Bed:

SPECIALITY WARD - 4TH FLOOR

Date of Surgery (DOS)

16/6/26

Final Diagnosis

P2L2

Procedure Name

PROCEDURE:ELECTIVE LSCS UNDER SA ON 16/6/26

INDICATION : previous LSCS+OLIGOHYDRAMNIOS

ALIVE TERM MALE BABY BIRTH WEIGHT -3.3 Kg , AT- 4.25PM , ON 16/06/2026

APGAR 1'- 8/10, 5' -9/10,

Chief_complaints

Came for regular ANC Visit

Able to PFM

NO h/o bleeding PV/ Leaking PV

L.M.P :28/9/25 EDD: 5/7/26

GA : 37weeks +1 day

Past History

Not a known case of DM/SHTN/BA/TB/Epilepsy

Thyroid disorder/heart disease

No h/o Blood transfusion

Personal History

Normal bladder & bowel habits

Normal sleep & appetite

No h/o drug allergy

Menstrual History

Menarche at 13 years of age
Regular cycle 5/30 days cycle
Not associated with clots/ pain
Changes 3-4 pads/day

Obstetric History

Marital status: Married for 4 year, NCM
P1-FEMALE/TERM/LSCS/3.300 KG/3.5 YEARS
Present Pregnancy : Spontaneous conception, confirmed after 45 days of amenorrhea by UPT
1st Trimester: No h/o hyperemesis gravidarum
folic acid taken
No h/o Fever with rash
dating scan done – normal
No h/o bleeding/ draining pv
2nd Trimester: Quickening felt at 16 weeks of gestation
2 doses Inj. TT given GCT - Normal Anomaly scan taken – normal
No h/o bleeding/ draining pv
3rd Trimester: Able to perceive fetal movements
No H/o Lower abdominal pain Growth scan done - normal No h/o bleeding/ draining pv

Family History

NIL SIGNIFICANT

Physical Findings

Patient Conscious, Oriented, No Pallor, Afebrile,
No Pedal edema.
BP: 100/60 mm hg, PR: 84/min

Systemic Examination

CVS: S1 S2 +, No Murmurs RS: BAE +,
CNS: NFND,
P/A: Uterus - Term, Relaxed, head mobile, FH +, SPT scar+, no scar tenderness/bulge

Laboratory Investigations

ULTRASOUND ANTENATAL SCAN WITH DOPPLER 13.06.2026

Impression: Single live intra uterine gestation with the average gestational age being 36 weeks 6 days. Oligohydramnios.
Normal Doppler parameters.

GROWTH SCAN (SINGLE) 16.06.2026



DISCHARGE SUMMARY

Impression: i. Single live intra uterine gestation with the average gestational age being 29 weeks 2days.

SNo	Date	Request No	Test Name	Values	Units	Normal range
1.1	17/06/2026 07:16:48	912055823	F HEMOGLOBIN, RBC COUNT, HCT & RBC INDICES			
1.2	17/06/2026 07:16:48	912055823	F RBC Count	3.86	mls/cu.mm	4.5-5.5
1.3	17/06/2026 07:16:48	912055823	F Haemoglobin	12.0	g/dl	13 - 17
1.4	17/06/2026 07:16:48	912055823	F Hct	35.9	%	40-50
1.5	17/06/2026 07:16:48	912055823	F MCV	92.8	fl	83 - 101
1.6	17/06/2026 07:16:48	912055823	F MCH	30.9	pg	27 - 32
1.7	17/06/2026 07:16:48	912055823	F MCHC	33.3	%	31-34
1.8	17/06/2026 07:16:48	912055823	F RDW	14.0	%	11-14.0

Surgical Procedure

ELECTIVE LSCS UNDER SA ON 16/6/26

Name Of The Surgeon

DR.DIVYA

Procedure Details

Under SA, abdomen painted and draped. Pfannenstiel incision made. Abdomen opened in layers. UV fold opened. Bladder pushed down. Kehr's incision made and baby delivered as cephalic. Cord clamped and cut. Baby handed over to pediatrician. Uterus closed in layers. Hemostasis achieved. Pads and instruments count correct. Abdomen closed in layers.

Treatment Given

T. SHELICAL 0-1-0
T. LIVOGON 1-0-0
C.AMINORICH 1-0-1
L.ARGININE 1-1-1
INJ. XONE 1G IV 1-0-1
INJ. METRO 500 MG IV 1-1-1
INJ. PAN 40 MG IV 1-0-1
INJ. PARA 1G IV 1-1-1
INJ. TRAMADOL 50 MG IM SOS

INJ. EMESET 4 MG IV 1-0-1
 INJ. NALBUPHINE 2 CC IM 0-0-1
 INJ PHENERGAN 1CC IM 0-0-1
 DICLO SUPP P/R 1-0-1
 INJ.DEXA 8MG 1-0-1
 INJ.MYOSPAZ 1-0-1
 INJ.NEUGABA 75MG 0-0-1
 INJ.CLEXANE 0.4ML 0-0-1

Course In The Hospital

A 25 years old female came for regular antenatal check up and was admitted for safe confinement of pregnancy. AFI Screening was done on 11/6/26 and was found to be 7cm.Repeat AFI was done and found to be 7.5 cm on 15/6/26 .Patient underwent ELECTIVE LSCS UNDER SA IN V/O previous LSCS and OLIGOHYDRAMNIOS ON 16/06/2026 . Intra operative period and post operative period was uneventful. POD 1- HB -12 g/dl.Sterilisation was deferred since patient wants to get it done after 6 months. Patient counselled for CuT but not willing. T.NOVEL 30mg was advised.Patient treated with antibiotics, analgesics and other supportive measures. Patient condition improved hence discharged.

Baby Details

ALIVE TERM MALE BABY BIRTH WEIGHT -3.3 Kg , AT- 4.25PM , ON 16/06/2026
 APGAR 1'- 8/10, 5' -9/10,

Condition Of Discharge

IMPROVED

Diet After Discharge

NORMAL DIET

Status On Vitals Patient Discharge

STABLE

Discharge Medications

Sl. No	Medicine Name (மருந்து பெயர்)	MG அளவு	Morning காலை	Afternoon மதியம்	Evening மாலை	Night இரவு	No. of Days (கால அளவு)	Before/After Food (சாப்பிடும் முறை)	Remarks குறிப்புகள்
1	AUGMENTIN 625MG (AMOXYCILLIN 500MG + CLAVULANIC ACID 125MG)		1	1	0	1	5 days	AFTER	
2	METROGYL 400MG (METRONIDAZOLE [TAB])		1	1	0	1	5 days	AFTER	



DISCHARGE SUMMARY

Sl. No	Medicine Name (மருந்து பெயர்)	MG அளவு	Morning காலை	Afternoon மதியம்	Evening மாலை	Night இரவு	No. of Days (கால அளவு)	Before/After Food (சாப்பிடும் முறை)	Remarks குறிப்புகள்
3	LIVOGEN (IRON SUPPLEMENT [TAB])		1	0	0	0	6 WEEKS	BEFORE	
4	SHELCAL 500MG (CALCIUM+VITAMIN D3)		0	1	0	0	6 WEEKS	AFTER	
5	DOLO 650MG (PARACETAMOL)		1	1	0	1	5 days	AFTER	
6	PANTAVEE 40 MG (PANTOPRAZOLE 40MG)		1	0	0	0	5 days	BEFORE	
7	NOVEX 30MG TAB (ORMELOXIFENE 30MG)								30MG TWICE WEEKLY FOR 6 WEEKS F/B ONCE WEEKLY FOR 6 WEEKS

Specific Disease Advice

HEAD ACHE /தலைவலி
FEVER/காய்ச்சல்
PAIN IN THE SUTURED SITE/தைக்கப்பட்ட இடத்தில் வலி
ABDOMINAL PAIN /வயிற்று வலி
ANY DISCHARGE FROM THE SUTURE SITES /எந்த வெளியேற்றமும் தையல் தளங்களில் இருந்து ஏற்பட்டால்

UNIT - I :

(மறு ஆலோசனைக்கு வரும் நாட்கள் - திங்கள் மற்றும் வியாழன்)
மருத்துவர் ஆலோசனை நேரம்: 8.00 am to 1.00 pm
மறு ஆலோசனைக்கு வரும் போது பழைய மருத்துவ பதிவுகளை கவனமாக கொண்டு வரவும்

Follow Up Date & OPD Room No

Follow Up Date/மறு ஆலோசனை தேதி: 2026-06-29 (MONDAY)

OPD Room No/அறை எண்: 3

Additional Follow Up Date

TO REVIEW IN OBG OPD AFTER 1 WEEK ON 29/6/26

**VELAMMAL MEDICAL COLLEGE HOSPITAL &
RESEARCH INSTITUTE**
"Velammal Village"
Madurai-Tuticorin Ring Road, Anuppanan
Madurai-625 009, Tel:0452-251000



DR. R.JEYAPRABHA, M.S.(OBG)
Reg. No: 124195
Senior Resident
OBSTETRICS

This is a system generated report and does not require any signature and seal

மறுஆலோசனைக்கு வரும் போது பழைய மருத்துவ பதிவுகளை கவனமாக கொண்டு வரவும்.

Please call in case of emergency: 0452 - 7113333 / 0452- 7114444

அவசர உதவிக்கு தொடர்பு கொள்ள: 0452 - 7113333 / 0452 - 7114444

இலவச தொலைபேசி அழைப்புக்கு: 1800 425 00 108



VELAMMAL MEDICAL COLLEGE HOSPITAL & RESEARCH INSTITUTE
 "Velammal Village", Madurai-Tuticorin Ring Road, Anuppanadi, Madurai - 625 009
DISCHARGE SUMMARY

The healing touch

CAESEREAN OPERATION

(மகப்பேறு அறுவைச்சிகிச்சை)

- தினமும் தவறாமல் குளிக்கவேண்டும். குளிக்கும்போது சோப்பை நேரடியாகப் பயன்படுத்தாமல் சோப்பு நுரையைப் பயன்படுத்துவது நல்லது. குளித்துமுடித்தபின் அறுவைச்சிகிச்சை செய்த இடத்தை சுத்தமான துணியினால் ஈரம் இல்லாமல் துடைக்கவேண்டும்
- அறுவைச்சிகிச்சை செய்த இடத்தில் மருத்துவரால் பரிந்துரைக்கப்பட்ட மருந்தை மட்டுமே தடவவேண்டும்
- இறுக்கமில்லாத காட்டன் உடைகளை அணிய வேண்டும்
- ஆறுமணி நேரத்துக்கு ஒருமுறை நாப்கின் மாற்றப்பட வேண்டும். 12 மணிநேரத்திற்குள் மூன்றுமுறை நாப்கின் மாற்றவேண்டி வந்தால் உடனடியாக மருத்துவரை அணுகவேண்டும்
- 2 மாத காலத்திற்கு அதிக எடையுள்ள பொருட்களைத் தூக்கக்கூடாது
- தினமும் 3 லிட்டர் தண்ணீர் குடிப்பது நல்லது
- தினமும் இரண்டு அல்லது மூன்றுமுறை 30 முதல் 40 நிமிடங்கள் வரை நடைப்பயிற்சியை செய்யவேண்டும்
- அறுவைச்சிகிச்சை செய்து ஒரு வாரத்திற்குப்பிறகு சாதாரண வீட்டு வேலைகளை செய்யத் தொடங்கலாம்
- குழந்தைக்கு 3 மணிநேரத்திற்கு ஒருமுறை கண்டிப்பாக தாய்ப்பால் கொடுக்கவேண்டும்
- அறுவைச்சிகிச்சை செய்த இடத்தில் நீர், இரத்தம், சீழ்வடிதல் ஏற்பட்டாலோ காய்ச்சல் அல்லது வேறு தொந்தரவுகள் இருந்தாலோ உடனே மருத்துவரை அணுகவேண்டும்