Cucumber Report

| Start : Dec 02, 9:40:16.119 AM	End : Dec 02, 9:50:42.306 AM	Duration : 10 m 26.187 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 8 SKIPPED - 0	PASSED - 0 FAILED - 46 SKIPPED - 0	PASSED - 2 FAILED - 46 SKIPPED - 90

8

46

138

Pass %

0 %

0 %

1 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Logout	*19.838 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*
Page Validation	*34.929 s*	*2*	*0*	*2*	*0*	*6*	*2*	*2*	*2*
Pagination	*1.212 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*
Footer Validation	*1 m 45.700 s*	*7*	*0*	*7*	*0*	*21*	*0*	*7*	*14*
Delete Icon	*1 m 49.579 s*	*10*	*0*	*10*	*0*	*30*	*0*	*10*	*20*
search	*2 m 38.167 s*	*10*	*0*	*10*	*0*	*30*	*0*	*10*	*20*
Submit button	*2 m 21.547 s*	*10*	*0*	*10*	*0*	*30*	*0*	*10*	*20*
PhoneNumber	*54.832 s*	*5*	*0*	*5*	*0*	*15*	*0*	*5*	*10*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC001	2	0	2	0	1	0	1	0
@TC002	1	0	1	0	1	0	1	0
@TC003	7	0	7	0	1	0	1	0
@TC004	10	0	10	0	1	0	1	0
@TC005	10	0	10	0	1	0	1	0
@TC006	10	0	10	0	1	0	1	0
@TC007	5	0	5	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Logout	1	0	1	0	19.838 s
2	Page Validation	2	0	2	0	34.929 s
3	Pagination	1	0	1	0	1.212 s
4	Footer Validation	7	0	7	0	1 m 45.700 s
5	Delete Icon	10	0	10	0	1 m 49.579 s
6	search	10	0	10	0	2 m 38.167 s
7	Submit button	10	0	10	0	2 m 21.547 s
8	PhoneNumber	5	0	5	0	54.832 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Logout	Validating LogOut Button	3	0	1	2	19.833 s
2	Page Validation	Validate landing in Manage page	3	1	1	1	17.344 s
3	Page Validation	Validate the Manage page heading	3	1	1	1	17.528 s
4	Pagination	Verify button with << icon	3	0	1	2	1.212 s
5	Footer Validation	Validating table footer	3	0	1	2	17.378 s
6	Footer Validation	Validate the presence of Add new user button	3	0	1	2	17.499 s
7	Footer Validation	Verify the functionality of Add new user button	3	0	1	2	1.125 s
8	Footer Validation	Validating Table header	3	0	1	2	17.359 s
9	Footer Validation	Verify the functionality of sort icon present in table header	3	0	1	2	17.405 s
10	Footer Validation	Check box in table header	3	0	1	2	17.381 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Footer Validation	Check box in table header	3	0	1	2	17.369 s
12	Delete Icon	Verify the presence of Delete icon in manage user page	3	0	1	2	1.183 s
13	Delete Icon	Behaviour of Delete icon when no rows unchecked	3	0	1	2	17.307 s
14	Delete Icon	Behaviour of Delete icon when rows checked	3	0	1	2	1.277 s
15	Delete Icon	Behaviour of Delete icon when rows checked	3	0	1	2	17.439 s
16	Delete Icon	Validating Confirm dialog box by selecting No	3	0	1	2	17.491 s
17	Delete Icon	Validating Confirm dialog box by selecting Yes	3	0	1	2	1.060 s
18	Delete Icon	Validating Confirm dialog box by clicking close(x) icon	3	0	1	2	1.260 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19	Delete Icon	Validate the presence of Edit/Delete icon	3	0	1	2	17.500 s
20	Delete Icon	Validate Functionality of delete button	3	0	1	2	17.422 s
21	Delete Icon	Updating with Edit button	3	0	1	2	17.368 s
22	search	Verify the presence of Input field for searching	3	0	1	2	17.382 s
23	search	Verify the presence of search icon and text in the search input filed	3	0	1	2	17.533 s
24	search	Verify the functionality of search	3	0	1	2	17.336 s
25	search	Verify the functionality of search	3	0	1	2	17.300 s
26	search	Verify ID functionality	3	0	1	2	17.353 s
27	search	Verify the heading of User Details window	3	0	1	2	17.329 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
28	search	Verify the presence of Cancel button in User Details window	3	0	1	2	17.529 s
29	search	Validate Fucntionality of Cancel button	3	0	1	2	17.414 s
30	search	Verify the presence of Cancel(x) icon in user detais window	3	0	1	2	17.486 s
31	search	Functionality of Cancel(x) icon	3	0	1	2	1.211 s
32	Submit button	Verify the presence of Submit button in User Details window	3	0	1	2	17.444 s
33	Submit button	Verify the presence of Label Texts	3	0	1	2	17.363 s
34	Submit button	Verify the presence of input fields	3	0	1	2	17.398 s
35	Submit button	Verify drop down menu for state	3	0	1	2	17.339 s
36	Submit button	Verify drop down menu for user role	3	0	1	2	17.371 s
37	Submit button	Validating the User Details window with all fields empty	3	0	1	2	1.171 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
38	Submit button	Adding new User	3	0	1	2	1.058 s
39	Submit button	Validating the User Details window with few fields empty	3	0	1	2	17.412 s
40	Submit button	Validating the Email address	3	0	1	2	17.337 s
41	Submit button	Validating the presence of Address2 button	3	0	1	2	17.411 s
42	PhoneNumber	Validating the Phone number	3	0	1	2	1.318 s
43	PhoneNumber	Validating Postal Code	3	0	1	2	1.279 s
44	PhoneNumber	Validating State dropdown	3	0	1	2	17.373 s
45	PhoneNumber	Validating UG Program Dropdown	3	0	1	2	17.356 s
46	PhoneNumber	Validating Address line in User Details window	3	0	1	2	17.430 s

Logout

FAILED	DURATION - 19.838 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:40:16.119 AM // 9:40:35.957 AM /			1		3

Validating LogOut Button

FAILED	DURATION - 19.833 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:40:16.124 AM // 9:40:35.957 AM /				3
Logout				

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website	FAILED	0.068 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79f5dc1d27bb071c0108f3328c7db12e, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:65338}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65338/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79f5dc1d27bb071c0108f3328c7db12e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source)		
	at pageobject.logout.logon(logout.java:33)		
	at stepdefinition.logoutsteps.admin_user_staff_logged_on_to_lms_website(logoutsteps.java:21)		
	at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/logout.feature:3)		
	* Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff Clicks on LogOut button	SKIPPED	0.001 s
3	Then Admin/User/Staff should be navigated to Login Screen	SKIPPED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	16.553 s
	Validating LogOut Button		

Page Validation

FAILED	DURATION - 34.929 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 6 Pass - 2 Fail - 2 Skip - 2	6
/ 9:40:36.099 AM // 9:41:11.028 AM /					

Validate landing in Manage page

FAILED	DURATION - 17.344 s
/ 9:40:36.099 AM // 9:40:53.443 AM /	
Page Validation	
@TC001	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on any page after Login	PASSED	0.010 s
2	When Admin/User/Staff clicks the Tab User	FAILED	0.037 s

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression   because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression.   (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [785af9ec9fe458fc8d11c62e542f25ca, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:65365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65365/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 785af9ec9fe458fc8d11c62e542f25ca

  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)

#	Step / Hook Details	Status	Duration
	at pageobject.user.clicksusertab(user.java:352) at stepdefinition.userstep.admin_user_staff_clicks_the_tab_user(userstep.java:23) at ?.Admin/User/Staff clicks the Tab User(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user.feature:9) * Not displayable characters are replaced by '?'.		
3	Then Admin/User/Staff should see the Manage user page	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validate landing in Manage page	PASSED	16.506 s

Validate the Manage page heading

FAILED	DURATION - 17.528 s
/ 9:40:53.500 AM // 9:41:11.028 AM /	
Page Validation	
@TC001	

Steps

Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on any page after Login	PASSED	0.005 s
2	When Admin/User/Staff is on the Manage user page after clicking User Tab	FAILED	0.035 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8c114632e766fd8e42beb6f970b21862, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65389}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65389/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration

	8c114632e766fd8e42beb6f970b21862
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.clicksusertab(user.java:352)
	  at stepdefinition.userstep.admin_user_staff_is_on_the_manage_user_page_after_clicking_user_tab(userstep.java:35)
	  at ?.Admin/User/Staff is on the Manage user page after clicking User Tab(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user.feature:14)
	* Not displayable characters are replaced by '?'.		

3	Then Admin/User/Staff should see the page heading as Manage User	SKIPPED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validate the Manage page heading	PASSED	16.517 s

Pagination

FAILED	DURATION - 1.212 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 9:41:11.091 AM // 9:41:12.303 AM /		Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Verify button with << icon

FAILED	DURATION - 1.212 s		Steps	
/ 9:41:11.091 AM // 9:41:12.303 AM /			Total - 3	
Pagination			Pass - 0	3
			Fail - 1	
@TC002			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table displayed in manage USER page	FAILED	0.032 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [043de7b280f35f0c35b7297d82f071ef, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:65413}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65413/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 043de7b280f35f0c35b7297d82f071ef
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source) at pageobject.user.seemanagepage(user.java:356) at stepdefinition.userstep.admin_user_staff_table_displayed_in_manage_user_page(userstep.java:159) at ?.Admin/User/Staff table displayed in manage USER page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user1.feature:39) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks << icon in pagInation	SKIPPED	0.000 s
3	Then Admin/User/Staff clicks should see the First page of the table	SKIPPED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify button with << icon	PASSED	0.332 s

Footer Validation

FAILED	DURATION - 1 m 45.700 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 21 Pass - 0 Fail - 7 Skip - 14	21
/ 9:41:12.333 AM // 9:42:58.033 AM /					

Validating table footer

FAILED	DURATION - 17.378 s

/ 9:41:12.333 AM // 9:41:29.711 AM /

Footer Validation

@TC003

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page	FAILED	0.030 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [186984e342b1ee6a5e3f52c6b0c18074, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65431}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65431/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 186984e342b1ee6a5e3f52c6b0c18074
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source)
	    at pageobject.user.seemanagepage(user.java:356)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page(userstep.java:207) at ?.Admin/User/Staff table is displayed in manage user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:5) * Not displayable characters are replaced by '?'.		
2	When Admin,User,Staff lands on Manage UseR page	SKIPPED	0.001 s
3	Then Admin/User/Staffshould see the table footer as In total there are four users.	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating table footer	PASSED	16.508 s

Validate the presence of Add new user button

FAILED	DURATION - 17.499 s
/ 9:41:29.753 AM // 9:41:47.252 AM /	
Footer Validation	
@TC003	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Adminr User r Staff is on any page after Login	FAILED	0.048 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7352e50f85a7b3279964ca80d1eb0a59, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65458}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65458/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7352e50f85a7b3279964ca80d1eb0a59		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageobject.user.onanypage(user.java:348)		
	at stepdefinition.userstep.adminr_user_r_staff_is_on_any_page_after_login(userstep.java:222)		
	at ?.Adminr User r Staff is on any page after Login(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:10)		
	* Not displayable characters are replaced by '?'.		
2	When Adminr Userr Staff is on the Manage user page after clicking User Tab	SKIPPED	0.000 s
3	Then Admin/User/Staff should see the button with text plus icon and Add New User	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	16.540 s
	Validate the presence of Add new user button		

Verify the functionality of Add new user button

FAILED	DURATION - 1.125 s
/ 9:41:47.298 AM // 9:41:48.423 AM /	
Footer Validation	
@TC003	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page	FAILED	0.036 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8448718b122368157c41f1f11ad0f263, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65486}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65486/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8448718b122368157c41f1f11ad0f263 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page(userstep.java:237) at ?.Admin/User/Staff is on Manage user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:14) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Add New User	SKIPPED	0.001 s
3	Then Admin/User/Staff should see the User details dialog box	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the functionality of Add new user button	PASSED	0.286 s

Validating Table header

FAILED	DURATION - 17.359 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2
/ 9:41:48.441 AM // 9:42:05.800 AM /			
Footer Validation			
@TC003			

#	Step / Hook Details	Status	Duration
1	Given Adminr User r Staff is on any page after LogiN	FAILED	0.030 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [812227e1965e85340f6ae00d7f7ccaf7, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65500}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65500/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 812227e1965e85340f6ae00d7f7ccaf7		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageobject.user.onmanaguserpage(user.java:370)		
	at stepdefinition.userstep.adminr_user_r_staff_is_on_any_page_after_logi_n(userstep.java:252)		
	at ?.Adminr User r Staff is on any page after LogiN(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:19)		
	* Not displayable characters are replaced by '?'.		
2	When Adminr Userr Staff is on the Manage user page after clicking User	SKIPPED	0.000 s
3	Then Adminr Userr Staff should see the table header as Empty checkbox-icon ID with sort icon, Name with Sort icon	SKIPPED	0.005 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	16.500 s
	Validating Table header		

Verify the functionality of sort icon present in table header

FAILED	DURATION - 17.405 s
/ 9:42:05.831 AM // 9:42:23.236 AM /	
Footer Validation	
@TC003	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-sort icon	FAILED	0.029 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d8d12bc1b7d1159273a3ba69a7ccde4a, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:65527}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65527/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d8d12bc1b7d1159273a3ba69a7ccde4a
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_sort_icon(userstep.java:267) at ?.Admin/User/Staff table is displayed in manage user page-sort icon(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:23) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks sort icon in table header	SKIPPED	0.000 s
3	Then Table rows should be sorted	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the functionality of sort icon present in table header	PASSED	16.519 s

Check box in table header

FAILED	DURATION - 17.381 s		Steps	
/ 9:42:23.251 AM // 9:42:40.632 AM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
Footer Validation				
@TC003				

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-checkbox	FAILED	0.058 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2d87ee3212d5e8dc2c6c56bc0b37a5f1, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49176}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49176/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2d87ee3212d5e8dc2c6c56bc0b37a5f1		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_checkbox(userstep.java:281) at ?.Admin/User/Staff table is displayed in manage user page-checkbox(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:27) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff checks empty checkbox in header	SKIPPED	0.000 s
3	Then Check box in all the rows of user table should be checked	SKIPPED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Check box in table header	PASSED	16.512 s

Check box in table header

FAILED	DURATION - 17.369 s
/ 9:42:40.664 AM // 9:42:58.033 AM /	
Footer Validation	
@TC003	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-unchecks	FAILED	0.029 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd55d0ff74e7d6918ad92cfd00bf7530, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49199}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49199/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dd55d0ff74e7d6918ad92cfd00bf7530 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370)		

#	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_unchecks(userstep.java:295) at ?.Admin/User/Staff table is displayed in manage user page-unchecks(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user2.feature:31) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff unchecks checkbox in header	SKIPPED	0.000 s
3	Then Check box in all the rows of user table should be unchecked	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Check box in table header	PASSED	16.552 s

Delete Icon

FAILED	DURATION - 1 m 49.579 s	Scenarios Total - 10 Pass - 0 Fail - 10 Skip - 0	10	Steps Total - 30 Pass - 0 Fail - 10 Skip - 20	30
/ 9:42:58.079 AM // 9:44:47.658 AM /					

Verify the presence of Delete icon in manage user page

FAILED	DURATION - 1.183 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 9:42:58.079 AM // 9:42:59.262 AM /				
Delete Icon				
@TC004				

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on any page after Login-Deleteicon	FAILED	0.032 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ec93252c5e2858d645e15592615efbf, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49222/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3ec93252c5e2858d645e15592615efbf
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.admin_user_staff_is_on_any_page_after_login_deleteicon(userstep.java:309)
	  at ?.Admin/User/Staff is on any page after Login-Deleteicon(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/ user3.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staffis on the Manage user page after clicking User Tab	SKIPPED	0.000 s
3	Then Admin/User/Staff should see the delete icon at the top left corner of the user table	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.331 s
	Verify the presence of Delete icon in manage user page		

#	Step / Hook Details	Status	Duration

Behaviour of Delete icon when no rows unchecked

FAILED	DURATION - 17.307 s
/ 9:42:59.283 AM // 9:43:16.590 AM /	
Delete Icon	
@TC004	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-deleteicon	FAILED	0.025 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e9743574da83b4022ae0b77e0111bf9d, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49237}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49237/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e9743574da83b4022ae0b77e0111bf9d 　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_deleteicon(userstep.java:324) at ?.Admin/User/Staff table is displayed in manage user page-deleteicon(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:10) * Not displayable characters are replaced by '?'.		
2	When No rows is checked	SKIPPED	0.000 s
3	Then Delete icon at the top left corner of the user table disabled	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Behaviour of Delete icon when no rows unchecked	PASSED	16.486 s

Behaviour of Delete icon when rows checked

FAILED	DURATION - 1.277 s
/ 9:43:16.621 AM // 9:43:17.898 AM /	
Delete Icon	
@TC004	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-del	FAILED	0.060 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info:		

#	Step / Hook Details	Status	Duration

	chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b2f660e266a88055657d31a762b73d04, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49261}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49261/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b2f660e266a88055657d31a762b73d04
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_del(userstep.java:338)
	  at ?.Admin/User/Staff table is displayed in manage user page-del(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:15)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff checks the rows in user table-del	SKIPPED	0.001 s
3	Then Delete icon at the top left corner of the user table enabled	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.331 s
	Behaviour of Delete icon when rows checked		

#	Step / Hook Details	Status	Duration

Behaviour of Delete icon when rows checked

FAILED	DURATION - 17.439 s
/ 9:43:17.914 AM // 9:43:35.353 AM /	
Delete Icon	
@TC004	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff checks the rows in user table-checksrow	FAILED	0.057 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2d96c337018c5028afac2861f8ce3365, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49276}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49276/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2d96c337018c5028afac2861f8ce3365
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_checks_the_rows_in_user_table_checksrow(userstep.java:386) at ?.Admin/User/Staff checks the rows in user table-checksrow(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:20) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks the delete icon at the top left corner of user table	SKIPPED	0.000 s
3	Then Confirm dialog box should be displayed with Text Are you sure you want to delete the selected Admin/User/Staffs	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Behaviour of Delete icon when rows checked	PASSED	16.526 s

Validating Confirm dialog box by selecting No

FAILED	DURATION - 17.491 s		Steps
/ 9:43:35.400 AM // 9:43:52.891 AM /			Total - 3
			Pass - 0
Delete Icon			Fail - 1
			Skip - 2
@TC004			

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is in confirm dialog box after clicking delete icon	FAILED	0.028 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info:		

| #	Step / Hook Details	Status	Duration

	chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3422787bb59c2aac1f0a6016394d8cc3, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49299/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3422787bb59c2aac1f0a6016394d8cc3
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.admin_user_staff_is_in_confirm_dialog_box_after_clicking_delete_icon(userstep.java:369)
	  at ?.Admin/User/Staff is in confirm dialog box after clicking delete icon(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:25)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff clicks button with text No	SKIPPED	0.001 s
3	Then Selected rows should not be deleted and dialog box should be closed	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	16.562 s
	Validating Confirm dialog box by selecting No		

#	Step / Hook Details	Status	Duration

Validating Confirm dialog box by selecting Yes

FAILED	DURATION - 1.060 s		Steps

/ 9:43:52.962 AM // 9:43:54.022 AM /

Delete Icon

@TC004

Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is in confirm dialog box after clicking delete icon-dialobox	FAILED	0.004 s
	Step undefined		
2	When Admin/User/Staff clicks button with text Yes	SKIPPED	0.001 s
3	Then Selected rows should be deleted and popup should be shown with success message User deleted	SKIPPED	0.000 s

Validating Confirm dialog box by clicking close(x) icon

FAILED	DURATION - 1.260 s		Steps

/ 9:43:54.045 AM // 9:43:55.305 AM /

Delete Icon

@TC004

Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is in confirm dialog box after clicking delete icon-x	FAILED	0.029 s

| #	Step / Hook Details	Status	Duration

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [95f3b89e71dee2de4272be08812655c8, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49337}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49337/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 95f3b89e71dee2de4272be08812655c8
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.admin_user_staff_is_in_confirm_dialog_box_after_clicking_delete_icon_x(userstep.java:400)
	  at ?.Admin/User/Staff is in confirm dialog box after clicking delete icon-x(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:35)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff clicks the close(x) icon	SKIPPED	0.001 s
3	Then Confirm dialog box should be closed	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.373 s
	Validating Confirm dialog box by clicking close(x) icon		

#	Step / Hook Details	Status	Duration

Validate the presence of Edit/Delete icon

FAILED	*DURATION - 17.500 s*
/ 9:43:55.323 AM // 9:44:12.823 AM /	
Delete Icon	
@TC004	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on any page after Login-editdelete	FAILED	0.028 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de6d2cbf96ee72fd9c3ca99a8c5b2957, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49352}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49352/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: de6d2cbf96ee72fd9c3ca99a8c5b2957 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_any_page_after_login_editdelete(userstep.java:414) at ?.Admin/User/Staff is on any page after Login-editdelete(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:40) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff is on the Manage user page after clicking User Tab-editdelete	SKIPPED	0.000 s
3	Then Admin/User/Staff should see the buttons with edit/delete icon in each row of Edit/Delete coulmn	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validate the presence of Edit/Delete icon	PASSED	16.516 s

Validate Functionality of delete button

FAILED	DURATION - 17.422 s		Steps
/ 9:44:12.838 AM // 9:44:30.260 AM /			Total - 3 Pass - 0 Fail - 1 Skip - 2
Delete Icon			
@TC004			

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-delfun	FAILED	0.055 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info:		

#	Step / Hook Details	Status	Duration

	chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5e615f07c702daf65cdd976229a709e, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49377}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49377/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f5e615f07c702daf65cdd976229a709e
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_delfun(userstep.java:429)
	  at ?.Admin/User/Staff table is displayed in manage user page-delfun(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:45)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff clicks delete button	SKIPPED	0.001 s
3	Then Confirm dialog box should be displayed with Text Are you sure you want to delete selected user name	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validate Functionality of delete button	PASSED	16.528 s

#	Step / Hook Details	Status	Duration

Updating with Edit button

FAILED	DURATION - 17.368 s		Steps
/ 9:44:30.290 AM // 9:44:47.658 AM /			Total - 3
			Pass - 0
Delete Icon			Fail - 1
			Skip - 2
@TC004			

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-edit	FAILED	0.029 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19d29562d35f5108952bef512d591f02, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49400/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19d29562d35f5108952bef512d591f02 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_edit(userstep.java:443) at ?.Admin/User/Staff table is displayed in manage user page-edit(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user3.feature:50) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Edit button	SKIPPED	0.000 s
3	Then User Details dialog box should be displayed for editing	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Updating with Edit button	PASSED	16.566 s

search

FAILED	DURATION - 2 m 38.167 s	Scenarios Total - 10 Pass - 0 Fail - 10 Skip - 0		Steps Total - 30 Pass - 0 Fail - 10 Skip - 20	
/ 9:44:47.696 AM // 9:47:25.863 AM /					

Verify the presence of Input field for searching

FAILED	DURATION - 17.382 s
/ 9:44:47.696 AM // 9:45:05.078 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on any page after Login--search	FAILED	0.052 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1c3ed397f9716d3f7b094ad152c7f65, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49423}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49423/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b1c3ed397f9716d3f7b094ad152c7f65 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_any_page_after_login_search(userstep.java:458) at ?.Admin/User/Staff is on any page after Login--search(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff is on the Manage user page after clicking User Tab-search	SKIPPED	0.000 s
3	Then Admin/User/Staff see the Search Text box has text as Search	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of Input field for searching	PASSED	16.544 s

Verify the presence of search icon and text in the search input filed

FAILED	DURATION - 17.533 s
/ 9:45:05.114 AM // 9:45:22.647 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on any page after Login-searchinput	FAILED	0.029 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5b87608edb0e67a0cddf44db30214ad3, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49446}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49446/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b87608edb0e67a0cddf44db30214ad3		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageobject.user.onmanaguserpage(user.java:370)		
	at stepdefinition.userstep.admin_user_staff_is_on_any_page_after_login_searchinput(userstep.java:473)		
	at ?.Admin/User/Staff is on any page after Login-searchinput(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:8)		
	* Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff is on the Manage user page after clicking UserTab-searchinput	SKIPPED	0.001 s
3	Then Admin/User/Staff should see the search input field with search icon and text as" Search…"	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of search icon and text in the search input filed	PASSED	16.593 s

Verify the functionality of search

FAILED	DURATION - 17.336 s
/ 9:45:22.683 AM // 9:45:40.019 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page-searchfun	FAILED	0.026 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [deab2869bf8c5f223f6e2d3930a166dc, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49469}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49469/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: deab2869bf8c5f223f6e2d3930a166dc
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_searchfun(userstep.java:488) at ?.Admin/User/Staff is on Manage user page-searchfun(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:12) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff types Name to search	SKIPPED	0.000 s
3	Then Rows with the name should be displayed	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the functionality of search	PASSED	16.529 s

Verify the functionality of search

FAILED	DURATION - 17.300 s
/ 9:45:40.056 AM // 9:45:57.356 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page--verifyfun	FAILED	0.026 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [585ff1cede7ca8e42aedb8f8eaaf8d45, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49492}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49492/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 585ff1cede7ca8e42aedb8f8eaaf8d45		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_verifyfun(userstep.java:502) at ?.Admin/User/Staff is on Manage user page--verifyfun(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:16) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff types random text in search field which has no matching entry	SKIPPED	0.000 s
3	Then No rows is displayed	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the functionality of search	PASSED	16.508 s

Verify ID functionality

FAILED	DURATION - 17.353 s
/ 9:45:57.370 AM // 9:46:14.723 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff table is displayed in manage user page-id	FAILED	0.051 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [969142e4ebf02ee206b1ef23d0899eac, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49518}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49518/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 969142e4ebf02ee206b1ef23d0899eac
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_table_is_displayed_in_manage_user_page_id(userstep.java:517) at ?.Admin/User/Staff table is displayed in manage user page-id(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:21) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks ID in any row	SKIPPED	0.001 s
3	Then Admin/User/Staff see dialog box displayed with user information	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify ID functionality	PASSED	16.546 s

Verify the heading of User Details window

FAILED	DURATION - 17.329 s		Steps
/ 9:46:14.755 AM // 9:46:32.084 AM /			Total - 3
search			Pass - 0
			Fail - 1
@TC005			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page-userdet	FAILED	0.027 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9f4e07e4f61d2f2281632c890e2433e, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49541}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49541/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d9f4e07e4f61d2f2281632c890e2433e		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_userdet(userstep.java:531) at ?.Admin/User/Staff is on Manage user page-userdet(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:26) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Add new user button	SKIPPED	0.001 s
3	Then Admin/User/Staff should see User Details window with text as User Details	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the heading of User Details window	PASSED	16.529 s

Verify the presence of Cancel button in User Details window

FAILED	DURATION - 17.529 s
/ 9:46:32.119 AM // 9:46:49.648 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page-cancel	FAILED	0.029 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70b871c5f6bccc6dcd5014a91589796d, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49564}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49564/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70b871c5f6bccc6dcd5014a91589796d
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_cancel(userstep.java:545) at ?.Admin/User/Staff is on Manage user page-cancel(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:31) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Add new user button-cancel	SKIPPED	0.000 s
3	Then Admin/User/Staff should see a button with text as Cancel in User Details window	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of Cancel button in User Details window	PASSED	16.559 s

Validate Fucntionality of Cancel button

FAILED	DURATION - 17.414 s
/ 9:46:49.685 AM // 9:47:07.099 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User Details window	FAILED	0.027 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94315ed8b805c3d26907ed2adf7f88cc, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49587}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49587/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94315ed8b805c3d26907ed2adf7f88cc		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_user_details_window(userstep.java:560) at ?.Admin/User/Staff is on User Details window(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:36) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks cancel button	SKIPPED	0.001 s
3	Then Admin/User/Staff see User Details window getting closed	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validate Fucntionality of Cancel button	PASSED	16.514 s

Verify the presence of Cancel(x) icon in user detais window

FAILED	DURATION - 17.486 s
/ 9:47:07.134 AM // 9:47:24.620 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page-cancelx	FAILED	0.028 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c10916ac2a7f757febabad4ddf1f1b9d, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c10916ac2a7f757febabad4ddf1f1b9d
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_cancelx(userstep.java:575) at ?.Admin/User/Staff is on Manage user page-cancelx(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:41) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Add new user button-cancelx	SKIPPED	0.000 s
3	Then Admin/User/Staff should see a cancelx icon	SKIPPED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of Cancel(x) icon in user detais window	PASSED	16.507 s

Functionality of Cancel(x) icon

FAILED	DURATION - 1.211 s
/ 9:47:24.652 AM // 9:47:25.863 AM /	
search	
@TC005	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User Details details window	FAILED	0.044 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94ebfd97d7fb0ed1f6c1a7a6aee2a0ec, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49633}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49633/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94ebfd97d7fb0ed1f6c1a7a6aee2a0ec		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_user_details_details_window(userstep.java:590) at ?.Admin/User/Staff is on User Details details window(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user4.feature:45) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks cancelX	SKIPPED	0.001 s
3	Then User Details window should be closed	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Functionality of Cancel(x) icon	PASSED	0.300 s

Submit button

FAILED	DURATION - 2 m 21.547 s	Scenarios		Steps	
/ 9:47:25.888 AM // 9:49:47.435 AM /		Total - 10 Pass - 0 Fail - 10 Skip - 0	10	Total - 30 Pass - 0 Fail - 10 Skip - 20	30

Verify the presence of Submit button in User Details window

FAILED	DURATION - 17.444 s		Steps	
/ 9:47:25.888 AM // 9:47:43.332 AM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
Submit button				
@TC006				

#	Step / Hook Details	Status	Duration
1	Given Admin/User/STAFF in Manage user page	FAILED	0.026 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [73a971ac26766b9f8f830f6ca9f8b0d8, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49648}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49648/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 73a971ac26766b9f8f830f6ca9f8b0d8
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_in_manage_user_page(userstep.java:607) at ?.Admin/User/STAFF in Manage user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff CLIck Add new user button	SKIPPED	0.000 s
3	Then Admin/User/Staff should see a button with text as Submit in user details window	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of Submit button in User Details window	PASSED	16.553 s

Verify the presence of Label Texts

FAILED	DURATION - 17.363 s		Steps
/ 9:47:43.373 AM // 9:48:00.736 AM /			Total - 3
Submit button			Pass - 0 Fail - 1
@TC006			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on MAnage user page	FAILED	0.028 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info:		

| #	Step / Hook Details	Status	Duration
	chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a11389e721f36f6f83fc396277d7d9d8, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49682}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49682/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a11389e721f36f6f83fc396277d7d9d8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_m_anage_user_page(userstep.java:623) at ?.Admin/User/Staff is on MAnage user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:9) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks ADD new user button-LabelText	SKIPPED	0.001 s
3	Then Admin/User/Staff should see the placeholders with Text As First name and so on	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of Label Texts	PASSED	16.524 s

Verify the presence of input fields

			Steps
FAILED	*DURATION - 17.398 s*		Total - 3
/ 9:48:00.766 AM // 9:48:18.164 AM /			Pass - 0
Submit button			Fail - 1
@TC006			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/uSER/Staff is on Manage user page	FAILED	0.025 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e647dd4a279025b4135ceb54cc1b9996, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49705}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49705/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e647dd4a279025b4135ceb54cc1b9996
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		

| #	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_u_ser_staff_is_on_manage_user_page(userstep.java:639) at ?.Admin/uSER/Staff is on Manage user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:14) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Add NEW user BUTTON-input	SKIPPED	0.000 s
3	Then Admin/User/Staff should see the input fields for First name,Middle name and so on	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify the presence of input fields	PASSED	16.495 s

Verify drop down menu for state

FAILED	DURATION - 17.339 s		Steps
/ 9:48:18.186 AM // 9:48:35.525 AM /			Total - 3
			Pass - 0
Submit button			Fail - 1
			Skip - 2
@TC006			

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User DETAils window	FAILED	0.026 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b59b69de844f812dba24d13d8b201e1, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49728/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b59b69de844f812dba24d13d8b201e1
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageobject.user.onmanaguserpage(user.java:370)
	    at stepdefinition.userstep.admin_user_staff_is_on_user_det_ails_window(userstep.java:655)
	    at ?.Admin/User/Staff is on User DETAils window(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:19)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff clicks the drop down icon for state	SKIPPED	0.001 s
3	Then Admin/User/Staff should select from the drop down menu for state	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify drop down menu for state	PASSED	16.548 s

Verify drop down menu for user role

FAILED	DURATION - 17.371 s
/ 9:48:35.558 AM // 9:48:52.929 AM /	
Submit button	
@TC006	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User details WINdow	FAILED	0.043 s

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression   because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression.   (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6dc4b6d94ba7946278540ff626a39fc1, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49751}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49751/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6dc4b6d94ba7946278540ff626a39fc1
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
    at pageobject.user.onmanaguserpage(user.java:370)

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_user_details_wi_ndow(userstep.java:671) at ?.Admin/User/Staff is on User details WINdow(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:23) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks the drop down icon for User Role	SKIPPED	0.000 s
3	Then Admin/User/Staff should select from the drop down menu for user role	SKIPPED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Verify drop down menu for user role	PASSED	16.543 s

Validating the User Details window with all fields empty

FAILED	DURATION - 1.171 s
/ 9:48:52.959 AM // 9:48:54.130 AM /	
Submit button	
@TC006	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User DetailswinDOW	FAILED	0.024 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e7c04a28be264185dc8a4b3cb0eafcd, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49774}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49774/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8e7c04a28be264185dc8a4b3cb0eafcd		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_user_detailswin_dow(userstep.java:687) at ?.Admin/User/Staff is on User DetailswinDOW(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:28) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks submit button with all details empty	SKIPPED	0.000 s
3	Then Admin/User/Staff should see a Error message Mandatory Fields cannot be empty	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating the User Details window with all fields empty	PASSED	0.362 s

Adding new User

FAILED	DURATION - 1.058 s
/ 9:48:54.149 AM // 9:48:55.207 AM /	
Submit button	
@TC006	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given AdmiN/User/Staff is on USerDetailswindow-for new user	FAILED	0.001 s
	Step undefined		
2	When Admin/User/Staff clicks Submit button by "entering all valid values in required fields"	SKIPPED	0.000 s
3	Then Admin/User/Staff see Success message New User Created is Should be Saved.	SKIPPED	0.000 s

Validating the User Details window with few fields empty

FAILED	DURATION - 17.412 s
/ 9:48:55.220 AM // 9:49:12.632 AM /	
Submit button	
@TC006	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User Detailwindow	FAILED	0.058 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3fe1bf43e9d21997c46898f1e3e7a487, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49804}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49804/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	3fe1bf43e9d21997c46898f1e3e7a487 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_user_detailwindow(userstep.java:719) at ?.Admin/User/Staff is on User Detailwindow(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:37) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks on Submit button after entering Few Field details	SKIPPED	0.000 s
3	Then Admin/User/Staff see error message Name is required	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating the User Details window with few fields empty	PASSED	16.525 s

Validating the Email address

FAILED	DURATION - 17.337 s
/ 9:49:12.666 AM // 9:49:30.003 AM /	
Submit button	
@TC006	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on User Detailswindow- foremailid	FAILED	0.053 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f85d3233627d19ef1a5bf57d6bc9f1cb, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49827}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49827/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f85d3233627d19ef1a5bf57d6bc9f1cb at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370)		

| #	Step / Hook Details	Status	Duration
	at stepdefinition.userstep.admin_user_staff_is_on_user_detailswindow_foremailid(userstep.java:735) at ?.Admin/User/Staff is on User Detailswindow- foremailid(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:42) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks on Submit button after entering wrong email address	SKIPPED	0.000 s
3	Then Admin/User/Staff see error message Invalid Email address	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating the Email address	PASSED	16.479 s

Validating the presence of Address2 button

FAILED	DURATION - 17.411 s
/ 9:49:30.024 AM // 9:49:47.435 AM /	
Submit button	
@TC006	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on Manage user page- foraddress2	FAILED	0.028 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d0f6bba0cfdc1dfa0a9cdd58c17ff102, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49850}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49850/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d0f6bba0cfdc1dfa0a9cdd58c17ff102		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageobject.user.onmanaguserpage(user.java:370)		
	at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_foraddress2(userstep.java:751)		
	at ?.Admin/User/Staff is on Manage user page- foraddress2(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user5.feature:47)		
	* Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks Add new user button -validating address	SKIPPED	0.000 s
3	Then Admin/User/Staff should see button with text Add C/O, Apt, Suite, Unit	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating the presence of Address2 button	PASSED	16.566 s

PhoneNumber

FAILED	DURATION - 54.832 s	Scenarios		Steps	
		Total - 5		Total - 15	
/ 9:49:47.474 AM // 9:50:42.306 AM /		Pass - 0	5	Pass - 0	15
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 10	

Validating the Phone number

FAILED	DURATION - 1.318 s		Steps	
/ 9:49:47.474 AM // 9:49:48.792 AM /			Total - 3	
			Pass - 0	3
PhoneNumber			Fail - 1	
@TC007			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is Manage user page	FAILED	0.026 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46d12d53648b80cde56007fe940f52c5, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49873}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49873/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 46d12d53648b80cde56007fe940f52c5
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_manage_user_page(userstep.java:767) at ?.Admin/User/Staff is Manage user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user6.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff Enters more than "ten digits"	SKIPPED	0.001 s
3	Then Admin/User/Staff see error message Invalid Input	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating the Phone number	PASSED	0.297 s

Validating Postal Code

FAILED	DURATION - 1.279 s		Steps
/ 9:49:48.806 AM // 9:49:50.085 AM /			Total - 3
PhoneNumber			Pass - 0 Fail - 1
@TC007			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given admin/User/Staff is on Manage user page-postal	FAILED	0.047 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info:		

| #	Step / Hook Details	Status	Duration

	chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [feb28fca7f9700c8fc28736f1280811c, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49888}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49888/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: feb28fca7f9700c8fc28736f1280811c
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.admin_user_staff_is_on_manage_user_page_postal(userstep.java:783)
	  at ?.admin/User/Staff is on Manage user page-postal(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/ user6.feature:9)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff Enters moreThan "five digits"-postal	SKIPPED	0.000 s
3	Then Admin/User/Staff see error message Invalid Input-Postal	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.289 s
	Validating Postal Code		

#	Step / Hook Details	Status	Duration

Validating State dropdown

FAILED	*DURATION - 17.373 s*	Steps	
/ 9:49:50.104 AM // 9:50:07.477 AM /		Total - 3	
		Pass - 0	
PhoneNumber		Fail - 1	
		Skip - 2	
@TC007			

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on ManagE user page	FAILED	0.028 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a2e556b992520d7b4d6bc58f4936c923, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49904}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49904/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a2e556b992520d7b4d6bc58f4936c923 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_is_on_manag_e_user_page(userstep.java:799) at ?.Admin/User/Staff is on ManagE user page(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user6.feature:14) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks on state dropdowN	SKIPPED	0.000 s
3	Then Admin/User/Staff see list of states in Alphabetical Order	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating State dropdown	PASSED	16.477 s

Validating UG Program Dropdown

FAILED	DURATION - 17.356 s		Steps	
/ 9:50:07.487 AM // 9:50:24.843 AM /			Total - 3	
			Pass - 0	
PhoneNumber			Fail - 1	
@TC007			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Validating UG Program Dropdown	FAILED	0.026 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info:		

#	Step / Hook Details	Status	Duration

	version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d92c2a9861fdc2bd1eb575f3344f8e8d, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49927}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49927/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d92c2a9861fdc2bd1eb575f3344f8e8d
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageobject.user.onmanaguserpage(user.java:370)
	  at stepdefinition.userstep.validating_ug_program_dropdown(userstep.java:815)
	  at ?.Validating UG Program Dropdown(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user6.feature:19)
	* Not displayable characters are replaced by '?'.		

2	When Admin/User/Staff clicks on UG Program dropdown	SKIPPED	0.000 s
3	Then Admin/User/Staff see list of UG Program	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating UG Program Dropdown	PASSED	16.517 s

Validating Address line in User Details window

FAILED	DURATION - 17.430 s
/ 9:50:24.876 AM // 9:50:42.306 AM /	
PhoneNumber	
@TC007	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff on User Detailswindow	FAILED	0.029 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string ' ' is not a valid XPath expression. (Session info: chrome=107.0.5304.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-3P6EQHG', ip: '10.0.0.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e7973bb886cf47cbdfa730a8b2b20fe3, findElement {using=xpath, value= }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.123, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\general\AppData\Lo. ..}, goog:chromeOptions: {debuggerAddress: localhost:49950}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49950/devtoo..., se:cdpVersion: 107.0.5304.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e7973bb886cf47cbdfa730a8b2b20fe3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageobject.user.onmanaguserpage(user.java:370) at stepdefinition.userstep.admin_user_staff_on_user_detailswindow(userstep.java:831) at ?.Admin/User/Staff on User Detailswindow(file:///C:/Users/general/eclipse-workspace/LMS/src/test/resources/features/user6.feature:24) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff CLicks the button Add C/O, Apt, Suite, Unit	SKIPPED	0.000 s
3	Then Admin/User/Staff should see the input field with Label New Address2	SKIPPED	0.000 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Validating Address line in User Details window	PASSED	16.522 s